

Backwater 1760 SC/CC



SPECIFICATIONS

Overall Length	17' (5.2m)
Maximum Beam	81" (206cm)
Bottom Width	60" (152cm)
Side Depth	23" (58cm)
Deadrise	10°
Weight	1080# (490kg)
Max. HP Capacity OB	75 OB
Max. HP Capacity Jet	90 Jet
Fuel Capacity	portable
Max. People Capacity	4
Max. Weight Capacity	1110# (594kg)
Aluminum Hull Gauge	.100
Transom Height	20" (51cm)

COLORS

Base

- › Marsh Tan
- › Pebble
- › Olive Drab

Interior

- › "Crest-Liner" (Tan)
- › "Crest-Liner" (Tan)
- › "Crest-Liner" (Olive Drab) - center console not available in Olive Drab

STANDARD FEATURES

Helm Station

- › Aluminum console standard

Construction/Quality/Safety

- › All aluminum construction
- › Aluminum transom
- › Baked armor-guard paint process
- › Bilge pump, electric
- › Extruded accessory receiver gunnel
- › Level flotation
- › Mod-V 10° deadrise
- › Navigation lights
- › Stainless steel bow & stern eyes
- › Stern corner castings
- › Welded extruded center keel

Warranty

- › "Lifetime + 3" Protection Plan

Flooring and Seating

- › Aluminum floor liner
- › Pedestal base (2)

Storage/Convenience

- › Bow storage
- › Custom switch panel - nav/anch, livewell, bilge, accessory
- › Deck cleats (4)
- › Livewell, aerated 22 gal. (stern)
- › Trolling motor outlet 12/24 volt (bow)

OPTIONS

Seating

- › Butt seat with pedestal - pebble
- › Fish seats(2) on track system
- › Seat and pedestal, Taupe, Pebble, or Olive Drab color

Electronics

- › Battery charger - 1 bank
- › Battery charger - 2 bank
- › Bow trolling motor
- › Depth finder/fish locator

Colors

- › Camouflage paint, exterior and interior sides and floor

Miscellaneous

- › 25" transom
- › 27" transom (only available when Jet is ordered)
- › Built in 12 gallon fuel tank with fuel gauge
- › Dry bow storage
- › Gunnel dog platform
- › Gunnel fish finder bracket
- › Gunnel rod holder
- › Gunnel rod rack
- › Gunnel shell box
- › Jet pump for 80 Optimax
- › No feedback steering system
- › Side mount gun box, 69" (port side only)
- › Windscreen option for aluminum console (standard on CC)

PACKAGES

SC Deluxe Package

- › Built in fuel tank, deluxe console (taupe) with windscreen, speed, tach & fuel gauges (not available with Olive Drab color)

CC Deluxe Package

- › Includes: Built in fuel tank, deluxe fiberglass console (dark taupe) with windscreen, speed, tach & fuel gauges (not available with Olive Drab color)

Backwater 1760 Tiller



SPECIFICATIONS

Overall Length	17' (5.2m)
Maximum Beam	81" (206cm)
Bottom Width	60" (152cm)
Side Depth	23" (58cm)
Deadrise	10°
Weight	1020# (463kg)
Max. HP Capacity	60 OB
Fuel Capacity	Portable
Max. People Capacity	4
Max. Weight Capacity	1080# (490kg)
Aluminum Hull Gauge	.100
Transom Height	20" (51cm)

COLORS

Base	Interior
› Marsh Tan	› "Crest-Liner" (Tan)
› Pebble	› "Crest-Liner" (Tan)
› Olive Drab	› "Crest-Liner" (Olive Drab)

STANDARD FEATURES

Construction/Quality/Safety

- › All aluminum construction
- › Aluminum transom
- › Baked armor-guard paint process
- › Bilge pump, electric
- › Extruded accessory receiver gunnel
- › Level flotation
- › Mod-V 10° deadrise
- › Navigation lights
- › Stainless steel bow & stern eyes
- › Stern corner castings
- › Welded extruded center keel

Flooring and Seating

- › Aluminum floor liner
- › Pedestal base (1)

Storage/Convenience

- › Bow storage
- › Custom switch panel - nav/anch, livewell, bilge, accessory
- › Deck cleats (4)
- › Livewell, aerated 19 gal. (bow)
- › Trolling motor outlet 12/24 volt (bow)

Warranty

- › "Lifetime + 3" Protection Plan

OPTIONS

Seating

- › Stern seat filler insert
- › Butt seat with pedestal - pebble
- › Seat and pedestal, Taupe, Pebble, or Olive Drab color

Electronics

- › Battery charger - 1 bank
- › Battery charger - 2 bank
- › Bow trolling motor
- › Depth finder/fish locator
- › Foot trim

Colors

- › Camouflage paint, exterior and interior sides and floor

Miscellaneous

- › 27" transom (only available when Jet is ordered)
- › Gunnel dog platform
- › Gunnel fish finder bracket
- › Gunnel rod holder
- › Gunnel rod rack
- › Gunnel shell box
- › Side mount gun box, 69" (port side only)