

Backwater 1870 SC/CC



SPECIFICATIONS

Overall Length	18' (5.5m)
Maximum Beam	90.5" (230 cm)
Bottom Width	70" (178cm)
Side Depth	23" (58cm)
Deadrise	10°
Weight	1175# (533kg)
Max. HP Capacity OB	90 OB
Max. HP Capacity Jet	115 Jet
Fuel Capacity	portable
Max. People Capacity	5
Max. Weight Capacity	1355 lbs (614kg)
Aluminum Hull Gauge	.100
Transom Height	20" (51cm)

COLORS

Base

- › Marsh Tan
- › Pebble
- › Olive Drab

Interior

- › "Crest-Liner" (Tan)
- › "Crest-Liner" (Tan)
- › "Crest-Liner" (Olive Drab) - center console not available in Olive Drab

STANDARD FEATURES

Helm Station

- › Aluminum console standard

Construction/Quality/Safety

- › All aluminum construction
- › Aluminum transom
- › Baked armor-guard paint process
- › Bilge pump, electric
- › Extruded accessory receiver gunnel
- › Level flotation
- › Mod-V 10° deadrise
- › Navigation lights
- › Stainless steel bow & stern eyes
- › Stern corner castings
- › Welded extruded center keel

Warranty

- › "Lifetime + 3" Protection Plan

Flooring and Seating

- › Aluminum floor liner
- › Pedestal base (2)

Storage/Convenience

- › Bow storage
- › Custom switch panel - nav/anch, livewell, bilge, accessory
- › Deck cleats (4)
- › Livewell, aerated 22 gal. (stern)
- › Trolling motor outlet 12/24 volt (bow)

OPTIONS

Seating

- › Butt seat with pedestal - pebble
- › Fish seats(2) on track system
- › Seat and pedestal, Taupe, Pebble, or Olive Drab color

Electronics

- › Battery charger - 1 bank
- › Battery charger - 2 bank
- › Bow trolling motor
- › Depth finder/fish locator

Colors

- › Camouflage paint, exterior and interior sides and floor

Miscellaneous

- › 25" transom
- › 27" transom (only available when Jet is ordered)
- › Built in 12 gallon fuel tank with fuel gauge
- › Dry bow storage
- › Gunnel dog platform
- › Gunnel fish finder bracket
- › Gunnel rod holder
- › Gunnel rod rack
- › Gunnel shell box
- › Jet pump for 80 Optimax
- › No feedback steering system
- › Side mount gun box, 69" (port side only)
- › Windscreen option for aluminum console (standard on CC)

PACKAGES

SC Deluxe Package

- › Built in fuel tank, deluxe console (taupe) with windscreen, speed, tach & fuel gauges (not available with Olive Drab color)

CC Deluxe Package

- › Includes: Built in fuel tank, deluxe fiberglass console (dark taupe) with windscreen, speed, tach & fuel gauges (not available with Olive Drab color)

Backwater 1870 Tiller



SPECIFICATIONS

Overall Length	18' (5.5m)
Maximum Beam	90.5" (230 cm)
Bottom Width	70" (178cm)
Side Depth	23" (58cm)
Deadrise	10°
Weight	1115# (506kg)
Max. HP Capacity	75 OB
Fuel Capacity	Portable
Max. People Capacity	5
Max. Weight Capacity	1310 lbs (585kg)
Aluminum Hull Gauge	.100
Transom Height	20" (51cm)

COLORS

Base	Interior
› Marsh Tan	› "Crest-Liner" (Tan)
› Pebble	› "Crest-Liner" (Tan)
› Olive Drab	› "Crest-Liner" (Olive Drab)

STANDARD FEATURES

Construction/Quality/Safety

- › All aluminum construction
- › Aluminum transom
- › Baked armor-guard paint process
- › Bilge pump, electric
- › Extruded accessory receiver gunnel
- › Level flotation
- › Mod-V 10° deadrise
- › Navigation lights
- › Stainless steel bow & stern eyes
- › Stern corner castings
- › Welded extruded center keel

Flooring and Seating

- › Aluminum floor liner
- › Pedestal base (1)

Storage/Convenience

- › Bow storage
- › Custom switch panel - nav/anch, livewell, bilge, accessory
- › Deck cleats (4)
- › Livewell, aerated 19 gal. (bow)
- › Trolling motor outlet 12/24 volt (bow)

Warranty

- › "Lifetime + 3" Protection Plan

OPTIONS

Seating

- › Stern seat filler insert
- › Butt seat with pedestal - pebble
- › Seat and pedestal, Taupe, Pebble, or Olive Drab color

Electronics

- › Battery charger - 1 bank
- › Battery charger - 2 bank
- › Bow trolling motor
- › Depth finder/fish locator
- › Foot trim

Colors

- › Camouflage paint, exterior and interior sides and floor

Miscellaneous

- › 27" transom (only available when Jet is ordered)
- › Gunnel dog platform
- › Gunnel fish finder bracket
- › Gunnel rod holder
- › Gunnel rod rack
- › Gunnel shell box
- › Side mount gun box, 69" (port side only)