CRESTLINER
2023 MOD-V CATALOG

Crestliner Construction . . . . . 2

MX. . . . . 4

XF/XFC . . . . . 10

Ridge. . . . . 16

Storm . . . . . 18

Outlook. . . . . 19

Bay . . . . . 20

Retriever FCC . . . . . 21

Retriever CC . . . . . 22

Retriever SC/SCHD . . . . . 23

Retriever Jon Deluxe . . . . . 24

Retriever Jon . . . . . 25

CR Jon . . . . . 26

Features & Options . . . . . 27

Specifications . . . . . 28

Color Options . . . . . 29



# BUILT FOR THOSE WHO CHALLENGE THE STATUS QUO.

Fishing isn't just a sport, hunting isn't just a hobby, and boats aren't just vessels built to bring you from point A to point B. They're lifelong passions and our reasons for leaving land, time and time again. That's why Crestliner never settles when it comes to building our boats. And why you'll find seven decades of durability, an unwavering commitment to quality and boundary-pushing innovation in each and every rig. Because when your passion for casting and catching is above and beyond what others consider normal, you need a boat ready to go just as far.

# FORGED WITH STRENGTH. DEFINED BY DURABILITY.

### 1 MULTI X HULL

Crestliner Mod-V boats feature our Multi X Hull, a multipiece design with formed-in strakes built into the construction and extruded longitudinal ribs under the decking. This produces superior strength, stability and durability.

# NO WOOD.
# NO SNAGGED LINES.
# NO MAINTENANCE.

**Countless innovations are seamlessly integrated into the design. Simply put, Crestliner boats are welded to stand the test of time and built to perform.**

### 2 EXTRUDED FULL-LENGTH KEEL

The backbone of every Mod-V, the extruded full-length keel is constructed using an interlocking tongue-and-groove-seam construction method, providing strength and a smooth ride.

### WELDING PROCESS

Crestliner uses handcrafted, continuously welded seams on our hull for unbeatable strength, durability and a watertight finish.

### SUPERIOR STRUCTURAL INTEGRITY

Under the floor of a Crestliner is a rock-solid foundation with an intricate stringer system providing a safe, smooth ride.

### BROAD BEAM DESIGN

With an advanced broad beam design, Crestliners have more deck space and larger casting platforms—perfect for fishing all day.

### WOOD-FREE CONSTRUCTION

From rugged transoms to solid decking, the Crestliner lineup gives you the durability, consistency and quality of 100% aluminum construction.

Not all processes, features and statements apply to every Crestliner boat model.

## THE CRESTLINER ADVANTAGE

### ENDURING QUALITY

**At Crestliner, integrity and passion drive every decision we make. We take pride in our generations of engineering innovation—designing boats that last generations, too.**

## 16 CONSECUTIVE CSI AWARDS

CRESTLINER LIFETIME EXCLUSIVE +3 WARRANTY

### LIMITED LIFETIME WARRANTY

**Protect every purchase with a limited lifetime warranty on mainseam welds, a three-year bow-to-stern warranty on virtually everything else and the ability to transfer warranties to future owners. (See warranty for details. Warranty differs on CR Jon boats.)**

MX21 | MX19

# MX

## ENGINEERED TO MATCH YOUR ABILITY

Practice doesn't make perfect—it fills your livewell. Those same hours you poured into fine-tuning your bass game are the same hours we poured into engineering the MX 21 and MX 19. This fishing boat family is spacious. Functional. Tough. It gives you 150-250 horsepower and top-level performance with a pad hull structurally designed for stability and handling—a combination that puts every angling advantage at your disposal. Because you won't settle for less than professional grade, and neither do we.

CRESTLINER

CRESTLINER

MX 21

# MX

## MORE SPACE FOR MORE BASS

With a massive casting deck, you can view the water from everywhere, helping you pull enough bass to fill MX 21's giant 45-gallon livewell.

**SIDE CONSOLE**

Rod Storage Storage Livewell

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

**1** Massive Bow Casting Deck **2** Ample Bow Storage **3** Premium Fiberglass Console
**4** Spacious Stern Deck and Livewell

## FEATURES

- Premium Helm & Passenger Seating
- Stern Port & Starboard Insulated Storage & Easy-to-Reach Battery Storage
- Lockable Center Bow Rod Storage for 10 Rods
- Pro Seat & Butt Seat
- Folding Center Seat (Doubles as a Step to Stern Deck)*
- HOT FOOT™ Throttle*
- Custom Ratchet Travel Cover*
- BOSS® Audio Stereo with Bluetooth®, USB & Two Speakers*
- Port Console with Glove Box & Windscreen*
- John Cox Package*
- Improved Rod Straps

**Optional*

## SPECIFICATIONS

| | ***MX 21*** |
|---|---|
| **Overall Length** | 21' 5" (6.53 m) |
| **Beam** | 97" (246 cm) |
| **Transom Height** | 20" (51 cm) |
| **Deadrise** | 10° |
| **Weight (Boat Only, Dry)** | 2,012 lbs. (913 kg) |
| **Max Capacity (Weight/Person)** | 1,797 lbs. (618 kg) / 4 |
| **Max HP Capacity** | 250 HP |
| **Aerated Livewell Capacity** | 45 gal (170 L) |
| **Fuel Capacity** | 40 gal (151 L) |

***Visit crestliner.com for more specs, floor plans and features***

MX 19

# MX

## THE RIGHT SIZE

Get all the power, stability and casting space you want from an MX but in a more versatile size.

**SIDE CONSOLE**

Rod Storage Storage Livewell

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

**1** Massive Bow Casting Deck **2** Ample Rod Storage **3** Premium Fiberglass Console
**4** Spacious Stern Deck

## FEATURES

Premium Helm & Passenger Seating

Stern Port & Starboard Insulated Storage & Easy-to-Reach Battery Storage

Bow Center Lockable Rod Storage
Rod Storage Holds 10 Rods Each

Pro Seat & Butt Seat

Folding Center Seat
(Doubles as a Step to Stern Deck)*

HOT FOOT™ Throttle*

Custom Ratchet Travel Cover*

BOSS® Audio Stereo with Bluetooth®, USB & Two Speakers*

Port Console with
Glove Box & Windscreen*

John Cox Package*

Improved Rod Straps

**Optional*

## SPECIFICATIONS

| | *MX 19* |
|---|---|
| **Overall Length** | 19'5" (5.92m) |
| **Beam** | 97" (246 cm) |
| **Transom Height** | 20" (51 cm) |
| **Deadrise** | 10° |
| **Weight (Boat Only, Dry)** | 1,834 lbs. (831 kg) |
| **Max Capacity (Weight/Person)** | 1,797 lbs. (815 kg) / 4 |
| **Max HP Capacity** | 200 HP |
| **Aerated Livewell Capacity** | 45 gal (170 L) |
| **Fuel Capacity** | 40 gal (151 L) |

***Visit crestliner.com for more specs, floor plans and features***

XF 189 | XF 179 | XFC 189 | XFC 179

# XF/XFC

## PUSHES THE LIMITS FOR A COMPETITIVE EDGE

Maybe you're an angler working your way to the pros or maybe you're a weekend warrior who loves spending every minute of free time catching bass and crappie. Either way, our XF and XFC models don't discriminate. With a wider bow platform for maximum stability, plenty of storage for rods and gear, plus huge livewells, these high-performance fishing machines will help you catch more whether angling is your livelihood or your favorite pastime.

MERCURY

189 | 179

# XF

## DARE TO WIN

Push your fishing game further with the extreme fishability of this competition-ready bass boat.

**SIDE CONSOLE**

Rod Storage Storage Livewell

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

1

2

3

4

**1** Wide Casting Deck **2** 23-Gallon Stern Livewell **3** Seating with Storage Below **4** Fiberglass Console

## FEATURES

Bow & Stern Deluxe Fishing Seats

Rod Rack Insert*

Port Rod Ramp with Topside Rod Straps

SureMount Gunnel System with Optional Accessories

HOT FOOT™ Throttle

Paddle Trim*

Recirculating Livewell System*

Pro Package*
(Learn more on page 30)

**Optional*

## SPECIFICATIONS

| | *XF 189* | *XF 179* |
|---|---|---|
| **Overall Length** | 18' 10" (5.74 m) | 17' 8" (5.38 m) |
| **Beam** | 90" (229 cm) | 90" (229 cm) |
| **Transom Height** | 20" (51 cm) | 20" (51 cm) |
| **Deadrise** | 10° | 10° |
| **Weight (Boat Only, Dry)** | 1,280 lbs. (581 kg) | 1,190 lbs. (502 kg) |
| **Max Capacity (Weight/Person)** | 1,279 lbs. (580 kg) / 4 | 1,178 lbs. (555 kg) / 4 |
| **Max HP Capacity** | 115/150** HP | 90 HP |
| **Aerated Livewell Capacity** | 23 gal (87 L) | 23 gal (87 L) |
| **Fuel Capacity** | 20 gal (79.5 L) | 21 gal (79.5 L) |

***150 HP with Max Performance Package*

***Visit crestliner.com for more specs, floor plans and features***

189 | 179

# XFC

## FILL YOUR LIVEWELL

With dual livewells, massive casting decks, and storage everywhere you turn, the XF is the ultimate crappie and bass fishing boat.

***SIDE CONSOLE***

Rod Storage Storage Livewell

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

**1** Three-Across Bow Pedestal Bases **2** Bow & Stern Livewells **3** Recessed Trolling Motor Foot Pedal **4** Maximized Bow Storage

## FEATURES

Fiberglass Console with Multifunction Gauges & Space for 12" Flush-Mount Graphs

Bow Rod/Gear Storage Compartments

Spacious Bow & Stern Casting Deck

SureMount Gunnel System with Optional Accessories

Bow & Stern Deluxe Fishing Seats

HOT FOOT™ Throttle

Pro Package*
(Learn more on page 30)

Aerated Livewell with Timer

**Optional*

## SPECIFICATIONS

| SPECIFICATIONS | *XFC 189* | *XFC 179* |
|---|---|---|
| **Overall Length** | 18' 10" (5.74 m) | 17' 8" (5.38m) |
| **Beam** | 90" (229 cm) | 90" (229 cm) |
| **Transom Height** | 20" (51 cm) | 20" (51 cm) |
| **Deadrise** | 10° | 10° |
| **Weight (Boat Only, Dry)** | 1,330 lbs. (603 kg) | 1,240 lbs. (562 kg) |
| **Max Capacity (Weight/Person)** | 1,279 lbs. (580 kg) / 4 | 1,178 lbs. (534 kg) / 4 |
| **Max HP Capacity** | 115/150** HP | 90 HP |
| **Aerated Livewell Capacity** | 23 gal (87 L) | 23 gal (87 L) |
| **Fuel Capacity** | 21 gal (79.5 L) | 21 gal (79.5 L) |

***150 HP with Max Performance Package*

***Visit crestliner.com for more specs, floor plans and features***

1700

# RIDGE

## FISH CAN'T HIDE

No fish is safe when you're in this shallow-drafting boat. It gets you in close to shore and shallow areas other boats can't get to.

***SIDE CONSOLE***

Rod Storage Storage Livewell

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

**1** Large Bow Casting Deck **2** Fiberglass Console **3** Port Rod Storage **4** Stern Livewell

## FEATURES

Choice of MotorGuide™ or Minn Kota™ 45/45" 12V Trolling Motor

Deluxe Folding Bucket Seats with Storage Below

SureMount Gunnel System with Optional Accessories

Bow & Stern Deluxe Fishing Seats

Camouflage Paint & Crest-Liner Interior Coating*

Three-Across Bow Pedestal Bases*

**Optional*

## SPECIFICATIONS

| | ***1700 RIDGE*** |
|---|---|
| **Overall Length** | 16' 11" (5.16m) |
| **Beam** | 85" (216 cm) |
| **Transom Height** | 20" (51 cm) |
| **Deadrise** | 3.5° |
| **Weight (Boat Only, Dry)** | 985 lbs. (44 kg) |
| **Max Capacity (Weight/Person)** | 1,128 lbs. (512 kg) / 4 |
| **Max HP Capacity** | 75 HP |
| **Aerated Livewell Capacity** | 16 gal (60 L) |
| **Fuel Capacity** | 21 gal (79.5 L) |

***Visit crestliner.com for more specs, floor plans and features***

1700 | 1600

# STORM

## ONCE YOU START, YOU'LL NEVER STOP

From families looking for a great starter boat to anglers in need of a versatile rig, the Storm offers the perfect blend of affordability, durability and craftsmanship to keep you on the water for years to come.

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

**1** Bow Livewell **2** Console **3** Port Rod Storage

## FEATURES

MotorGuide™ or Minn Kota™ 45/45" 12V Trolling Motor

Underseat Storage

Aerated Bow Livewell with Bait Bucket

**Optional*

## SPECIFICATIONS

| | 1700 | 1600 |
|---|---|---|
| **Overall Length** | 17' (5.18 m) | 16' (4.88 m) |
| **Beam** | 75" (191 cm) | 75" (191 cm) |
| **Transom Height** | 20" (51 cm) | 20" (51 cm) |
| **Deadrise** | 8° | 8° |
| **Weight (Boat Only, Dry)** | 670 lbs. (304 kg) | 610 lbs. (277 kg) |
| **Max Capacity (Weight/Person)** | 1,101 lbs. (499 kg) / 4 | 936 lbs. (424 kg) / 3 |
| **Max HP Capacity** | 60 HP | 50 HP |
| **Aerated Livewell Capacity** | 17 gal (64 L) | 17 gal (64 L) |
| **Fuel Capacity** | 12* gal (45 L) | 6 gal* (23 L) |

**Portable Fuel Tank*

Rod Storage Storage Livewell

1657

# OUTLOOK SS

## WHAT YOU SEE IS WHAT YOU CATCH

The Outlook's stick-steer design gives you ultimate control in more ways than one: complete steering power, more storage space and an unobstructed view of whatever lies ahead.

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

**1** Starboard Locking Rod Storage **2** Tempress Seat with Storage Box
**3** 11-Gallon Port Side Livewell

## FEATURES

MotorGuide™ or Minn Kota™ 45/45" 12V Trolling Motor

Center Seat with Storage Below*

Humminbird® PiranhaMAX 4 Fish Finder

Aerated Port Livewell with Removable Baitbag

**Optional*

## SPECIFICATIONS

| | ***1657*** |
|---|---|
| **Overall Length** | 16' (4.88 m) |
| **Beam** | 78" (198 cm) |
| **Transom Height** | 20" (51 cm) |
| **Deadrise** | 4° |
| **Weight (Boat Only, Dry)** | 737 lbs. (334 kg) |
| **Max Capacity (Weight/Person)** | 1,101 lbs. (499 kg) / 4 |
| **Max HP Capacity** | 50 HP |
| **Aerated Livewell Capacity** | 11 gal (41 L) |
| **Fuel Capacity** | 12 gal* (45 L) |

**Portable Fuel Tank*

Rod Storage Storage Livewell

2000 | 1800

# BAY

## GO CONFIDENTLY BEYOND THE COAST

No matter if you're casting or cruising on intercoastal waters, the Bay series offers ample space, a premium console and plenty of stability so you can get the most out of your day—no matter how you spend it.

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

**1** Bow Deck with Storage **2** Fiberglass Center Console **3** Stern Livewell

## FEATURES

- Ample Seating
- Washdown System*
- Aerated, Recirculating Stern Livewell with Timer
- Platinum-Edition Package*
- Aerated Bow Livewell with Bait Bucket (2000 only)
- Vertical Rod Storage Holds Six Rods

**Optional*

## SPECIFICATIONS

| SPECIFICATIONS | 2000 | 1800 |
|---|---|---|
| **Overall Length** | 20' 5" (6.22 m) | 18' 6" (5.64 m) |
| **Beam** | 96" (244 cm) | 96" (244 cm) |
| **Transom Height** | 20" (51 cm) | 22" (56 cm) |
| **Deadrise** | 12° | 12° |
| **Weight (Boat Only, Dry)** | 1,610 lbs. (730 kg) | 1,216 lbs. (522 kg) |
| **Max Capacity (Weight/Person)** | 1,508 lbs. (684 kg) / 6 | 1,262 lbs. (572 kg) / 4 |
| **Max HP Capacity** | 150 HP | 150 HP |
| **Aerated Livewell Capacity (Bow / Stern)** | 18 gal (68 L) / 21 gal (79 L) | 21 gal (79 L) |
| **Fuel Capacity** | 32 gal (121 L) | 21 gal (79.5 L) |

**2000**



**1800**

Rod Storage Storage Livewell

1870 | 1660

# RETRIEVER FCC

## EXPLORE A NEW POINT OF VIEW

For better shoreline visibility when driving and better shallow-water navigation when fishing, the powerhouse Retriever FCC instantly steps up your game.

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

**1** Aluminum Forward Center Console **2** Seat Box with Cushion & Storage Below
**3** Bow Deck with Livewell & Storage

## FEATURES

Quick-Access Portside Rod Rack Accommodates Three Rods

Tunnel Hull for Enhanced Jet-Engine Performance

HD Hull (0.125")**

Lock Track Gunnel System with Optional Accessories

Leaning Post with Cushion

**Optional*
***Optional for 1870 CC*

## SPECIFICATIONS

| SPECIFICATIONS | 1870 | 1660 |
|---|---|---|
| **Overall Length** | 18' (5.48 m) | 16' (4.88 m) |
| **Beam** | 96" (244 cm) | 85" 216 cm) |
| **Transom Height** | 27" (69 cm) | 22" (56 cm) |
| **Deadrise** | 3.5° | 3.5° |
| **Weight (Boat Only, Dry)** | 970 lbs. (440 kg) | 835 lbs. (379 kg) |
| **Max Capacity (Weight/Person)** | 1,578 lbs. (716 kg) / 7 | 1,009 lbs. (458 kg) / 4 |
| **Max HP Capacity** | 80 Jet | 65 Jet |
| **Aerated Livewell Capacity** | 17 gal (64 L) | 13 gal (49 L) |
| **Fuel Capacity** | 19 gal (72 L) | Portable |

Rod Storage Storage Livewell

2070 | 1860

# RETRIEVER CC/RCC

## FULLY EQUIPPED TO HUNT AND FISH

Whether you call or reel them in, feed your passion with an extremely tough and capable Retriever. These purposefully designed boats can pack a load of gear, are easy to trailer and are built to withstand all-weather pursuits.

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

**1** CC Center Console **2** CC Livewell **3** RCC Console **4** CC Leaning Post

## FEATURES

- Bow & Stern Storage
- Port Rod Rack Holds Three Rods
- Tunnel Hull for Enhanced Jet-Engine Performance (1860 only)*
- HD Hull (0.125")**
- Leaning Post*
- Camouflage Paint*
- Crest-Liner Interior Coating*

*Optional
**Optional for 1860 CC/RCC

| SPECIFICATIONS | 2070 CC | 1860 CC | 1860 RCC |
|---|---|---|---|
| Overall Length | 20' (6.09 m) | 18' (5.49 m) | 18' (5.48 m) |
| Beam | 96" (244 cm) | 85" (216 cm) | 85" (216 cm) |
| Transom Height | 20" (51 cm) | 20" (51 cm) | 20" (51 cm) |
| Deadrise | 3.5° | 3.5° | 3.5° |
| Weight (Boat Only, Dry) | 1,125 lbs. (510 kg) | 970 lbs. (440 kg) | 785 lbs. (356 kg) |
| Max Capacity (Weight/Person) | 1,860 lbs. (845 kg) / 7 | 1,578 lbs. (716 kg) / 7 | 1,797 lbs. (815 kg) / 6 |
| Max HP Capacity | 150 HP | 90 HP | 60 HP |
| Aerated Livewell Capacity | 16 gal (60 L) | 16 gal (60 L) | 16 gal (60 L) |
| Fuel Capacity | 19 gal (72 L) | 19 gal (72 L) | Portable |

*Visit crestliner.com for more specs, floor plans and features*

2070 SC/SCHD | 1860 SC | 1760 SC | 1660 SC

# RETRIEVER SC/SCHD

## TRUST IN TOUGHNESS

Choose from a variety of tough, capable Retriever SC models to ensure your boat is perfectly tailored to your fishing and hunting style. The SCHD even comes standard with a 60-gallon livewell so you never have to leave a trophy behind.

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

1

2

3

4

**1** Optional Bench Seat with Bow Storage **2** Aluminum Console **3** Gunbox **4** Bow Livewell

| SPECIFICATIONS | 2070 SC/SCHD | 1860 SC | 1760 SC | 1660 SC |
|---|---|---|---|---|
| Overall Length | 20' (6.09 m) | 18' (5.49 m) | 17' (5.18 m) | 16' (4.88 m) |
| Beam | 96" (244 cm) | 85" (216 cm) | 85" (216 cm) | 74" (188 cm) |
| Transom Height | 20" (51 cm) | 20" (51 cm) | 20" (51 cm) | 20" (51 cm) |
| Deadrise | 3.5° | 3.5° | 3.5° | 3.5° |
| Weight (Boat Only, Dry) | 1,125 lbs. (510 kg) SC<br>1,289 lbs. (585 kg) SCHD | 970 lbs. (440 kg) SC | 890 lbs. (404 kg) SC | 680 lbs. (308 kg) SC |
| Max Capacity (Weight/Person) | 1,862 lbs. (845 kg) / 7 | 1,578 lbs. (716 kg) / 7 | 1,260 lbs. (572 kg) / 5 | 1,001 lbs. (454 kg) / 4 |
| Max HP Capacity | 150 HP | 90 HP | 75 HP | 60 HP |
| Aerated Livewell Capacity | 16 gal (60 L) SC<br>60 gal (227 L) SCHD | 16 gal (60 L) | 16 gal (60 L) | 16 gal (60 L) |
| Fuel Capacity | 19 gal (72 L) | 19 gal (72 L) | 19 gal (72 L) | Portable |

## FEATURES

SureMount Gunnel Accessory System (N/A on 2070 SCHD)

Bow, Stern & Underseat Storage

Tempress Fishing Seats

HD Hull (0.125")**

Port Rod Rack Holds Three Rods

Camouflage Paint*

Crest-Liner Interior Coating*

**Optional*
***Optional for 1860 SC*



Rod Storage Storage Livewell

*Visit crestliner.com for more specs, floor plans and features*

1860 | 1760 | 1660

# RETRIEVER JON DELUXE

## NEVER FAILS TO GET IT DONE

The Retriever Jon Deluxe tiller boat combines the modest conveniences of a reliable hunting and fishing rig—like a quick-access rod rack and bow storage—with the workhorse attitude of a typical jon.

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

1

2

3

4

**1** Bow 16-Gallon Livewell **2** Quick-access Starboard Rod Rack
**3** Bow Storage **4** Winged Bench

| SPECIFICATIONS | 1860 | 1760 | 1660 |
|---|---|---|---|
| **Overall Length** | 18' (5.49 m) | 17' (5.18 m) | 16' (4.88 m) |
| **Beam** | 85" (216 cm) | 85" (216 cm) | 85" (216 cm) |
| **Transom Height** | 20" (51 cm) | 20" (51 cm) | 20" (51 cm) |
| **Deadrise** | 3.5° | 3.5° | 3.5° |
| **Weight (Boat Only, Dry)** | 723 lbs. (328 kg) | 707 lbs. (321 kg) | 670 lbs. (304 kg) |
| **Max Capacity (Weight/Person)** | 1,659 lbs. (753 kg) / 6 | 1,300 lbs. (590 kg) / 5 | 1,051 lbs. (477 kg) / 4 |
| **Max HP Capacity** | 75 HP | 60 HP | 50 HP |
| **Aerated Livewell Capacity** | 16 gal (60 L) | 16 gal (60 L) | 16 gal (60 L) |
| **Fuel Capacity** | Portable | Portable | Portable |

## FEATURES

SureMount Gunnel Accessory System with Optional Accessories

Gun Box with Rod Tubes and Cushion*

**Optional*



Rod Storage Storage Livewell

*Visit crestliner.com for more specs, floor plans and features*

2070 | 1860 | 1760 | 1660 | 1546

# RETRIEVER JON

## WEATHER EVERY SEASON WITH STRENGTH

For the hunter or angler who needs a boat that can keep up from one season to the next, the unshakable Retriever Jon delivers dependable performance for every outing.

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

1

2

3

4

**1** Aft Bench & Built-in Floor **2** Suremount Gunnel System
**3** Elevated Bow Casting Deck **4** Tempress Seat

| SPECIFICATIONS | 2070 | 1860 | 1760 | 1660 | 1546 |
|---|---|---|---|---|---|
| Overall Length | 20' (6.10 m) | 18' (5.49 m) | 17' (5.18 m) | 16' (4.88 m) | 15' 1" (4.59 m) |
| Beam | 96" (244 cm) | 85" (216 cm) | 80" (203 cm) | 80" (203 cm) | 70" (178 cm) |
| Transom Height | 20" (51 cm) | 20" (51 cm) | 20" (51 cm) | 20" (51 cm) | 20" (51 cm) |
| Deadrise | 3.5° | 3.5° | 3.5° | 3.5° | 3.5° |
| Weight (Boat Only, Dry) | 710 lbs. (322 kg) | 701 lbs. (318 kg) | 690 lbs. (313 kg) | 661 lbs. (300 kg) | 290 lbs. (132 kg) |
| Max Capacity (Weight/Person) | 1,900 lbs. (862 kg) / 7 | 1,600 lbs. (726 kg) / 6 | 1,151 lbs. (522kg) / 5 | 1,041 lbs. (472 kg) / 4 | 825 lbs. (374 kg) / 4 |
| Max HP Capacity | 75 HP | 60 HP | 50 HP | 40 HP | 25 HP |
| Fuel Capacity | Portable | Portable | Portable | Portable | Portable |

## FEATURES

All-Welded Aluminum Floor, Decks and Transom
Side Console Steering Configuration*
Gun Box*
Crest-Liner Interior Coating*
Camouflage Paint*

**Optional*

**2070**

Rod Storage Storage Livewell

*Visit crestliner.com for more specs, floor plans and features*

1852 | 1648 | 1448 | 1240 | 1040

# CR JON

## GO ANYWHERE WITH CONFIDENCE

When you're laser focused on getting where you need to go to get the job done, the trusted CR Jon is exactly what you need.

VIDEO WALK-THROUGH AT **CRESTLINER.COM**

**1** Center Seat with Gravity Fed Livewell **2** Transom Handles
**3** Oar-Lock Sockets

## FEATURES

Bow Eye (Stainless Steel)
Bow and Stern Handles
Corner Caps
Formed Stern Oar Lock Sockets
Formed-In Spray Rails

***1852/MT***

***1648, 1448, 1040***

Rod Storage Storage Livewell

| SPECIFICATIONS | *1852/MT* | *1648/M* | *1448/M* | *1436L* | *1240* | *1232* | *1040* | *1032* |
|---|---|---|---|---|---|---|---|---|
| **Overall Length** | 18' (5.48 m) | 15' 10" (4.82 m) | 14' (4.27 m) | 14' (4.27 m) | 11'9" (3.58 m) | 11'10" (3.61 m) | 10' (3.04 m) | 10' (3.04 m) |
| **Beam** | 75" (191 cm) | 70" (178 cm) | 70" (178 cm) | 57" (145 cm) | 56" (142 cm) | 48" (121.92 cm) | 56" (142 cm) | 48" (122 cm) |
| **Transom Height** | 20" (51 cm) | 15" (38 cm) 1648/M<br>20" (51 cm) MT | 15" (38 cm) 1448/M<br>20" (51 cm) MT | 15" (38 cm) | 15" (38 cm) | 15" (38 cm) | 15" (38 cm) | 15" (38 cm) |
| **Weight (Boat Only, Dry)** | 475 lbs. (215 kg) | 275 lbs. (125 kg) | 260 lbs. (118 kg) | 145 lbs. (66 kg) | 107 lbs. (49 kg) | 90 lbs. (39 kg) | 87 lbs. (40 kg) | 80 lbs. (36 kg) |
| **Max Capacity (Weight/Person)** | 1,375 lbs. (624 kg) / 6 | 1,014 lbs. (460 kg) / 4 1648<br>973 lbs. (442 kg) / 4 M/MT | 825 lbs. (374 kg) / 4 | 560 lbs. (254 kg) / 3 | 535 lbs. (243 kg) / 3 | 389 lbs. (176 kg) / 2 | 419 lbs. (190 kg) / 3 | 275 lbs. (125 kg) / 2 |
| **Max HP Capacity** | 40 HP | 35 HP | 25 HP | 15 HP | 10 HP | 5 HP | 5 HP | 3 HP |

*Visit crestliner.com for more specs, floor plans and features*

# FEATURES & OPTIONS

**Add comfort, style, function and fun with a full range of features and options available for most boats. Visit crestliner.com or your local dealer for complete information.**

## DELUXE SEATS

Extra wide for added comfort and stability. The cushioned backrest conveniently folds down.

## TEMPRESS SEATS

No-frills fold-down seat that provides just the right amount of comfort.

## GUN BOX

Spacious, versatile and lockable storage for fishing rods and hunting equipment such as guns and ammo.

## SUREMOUNT GUNNEL ACCESSORY SYSTEM

Removable SureMount aluminum accessory brackets and mounts let you slide your favorite accessories along the gunnel for perfect placement without drilling.

## MAG WHEEL TRAILER

Features include aluminum wheels, steel fenders and ratchet tie-down. Available on the MX, XF and XFC.

## TRAVEL COVER WITH RATCHET STRAPS

The snug, custom-cut travel cover attaches securely with ratchet straps.

## CENTER SEAT

Optional center seat between the helm and passenger seats folds down to become a step to the stern. Available on the MX, XF and XFC. (XF 179 shown)

## JOHN COX EDITION PACKAGES

The John Cox Edition Package includes a John Cox hullside graphic, 3D Chromax Crestliner hullside badge, stainless steel compression latches and cupholders, flip-up cleats, two power poles with 8-foot blades, and a polished aluminum steering wheel with comfort grip. Available on the MX 21 and MX 19.

## PRO PACKAGE

Up your game with the optional Pro Package. Includes upgraded black sport steering wheel, windscreen, automatic bilge pump, recirculating livewell pump (stern), insulated livewell and storage compartment lids (stern), chrome compression latches, LED interior lights for bow and stern decks, stern livewell and rod locker, ratchet straps and upgraded premium mag wheel trailer. Available on the XF and XFC.

# SPECIFICATIONS

| | | MX | | XF | | XFC | | RIDGE | STORM | | OUTLOOK | BAY | | RETRIEVER FCC | | RETRIEVER CC/SC/SCHD/RCC | | | | | | | | RETRIEVER JON DELUXE | | | RETRIEVER JON | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 21 | 19 | 189 | 179 | 189 | 179 | 1700 | 1700 | 1600 | 1657 | 2000 | 1800 | 1870 | 1660 | 2070 | 2070 | 2070 | 1860 | 1860 | 1760 | 1660 | 1860 | 1860 | 1760 | 1660 | 2070 | 1860 | 1760 | 1660 | 1546 |
| CONSOLE | Console Configurations Offered | SC/DC | SC/DC | SC | SC | SC | SC | SC | SC | SC | SS | CC | CC | FCC | FCC | CC | SC | SCHD | CC | SC | SC | SC | RCC | TL | TL | TL | TL/SC | TL/SC | TL/SC | TL/SC | TL/SC |
| SEATING | Standard Premium Bucket Seats (2)/ Deluxe Folding w/ Flip-Up Bases (2) | STD/ - | STD/ - | - /STD | - /STD | - /STD | - /STD | - /STD | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - |
| | Standard Seats w/ Pedestal (Deluxe/Tempress) | - / - | - / - | 2 / - | 2 / - | 2 / - | 2 / - | 2 / - | - / 2 | - / 2 | - / 2 | 1 / - | 1 / - | - / - | - / - | - / - | - / 2 | - / 2 | - / - | - / 2 | - / 2 | - / 1 | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - |
| | Additional Standard Seating | PS/BT | PS/BT | DL | DL | DL | DL | DL | - | - | - | LP/ CS/JS | LP/ CS/JS | SB | SB | SC | - | - | SC | - | - | - | SC | AB | AB | AB | AB | AB | AB | AB | AB |
| | Optional Seating | BT/PS/ CF | BT/PS/ CF | BT/ PS/ CF | BT/ PS/ CF | BT/ PS/ CF | BT/ PS/ CF | BT | - | - | TSS | DL | DL | LP/TS/ SC | LP/TS/SC | LP/TS | BS/TS | BS/TS | LP/TS | BS/TS | BS/TS | BS/TS | LP/TS | TST/TS | TST/TS | TST/TS | TS | TS | TS | TS | TS |
| | Camo Seats | - | - | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | - | - | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| | Seat Pedestal Bases | 2 | 2 | 2 | 2 | 4 | 4 | 2 STD/2 OPT | 2 | 2 | - | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| STORAGE | Storage Compartment(s) | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD (L) | STD (L) | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| | Gun Box/Gun Box w/ Rod Tubes and Cushion | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - /OPT | - /OPT | - / - | - /OPT | - /OPT | - /OPT | - / - | - /OPT | - /OPT | - /OPT | OPT/ - | OPT/ - | OPT/ - | OPT/ - | - / - |
| | Rod Storage Compartment (No Tubes)/ Open Rod Storage w/Max Rod Length | STD (L) 8' 6" | STD (L) 8' | STD (L) 8' | STD (L) 8' | STD (L) 8' | STD (L) 8' | STD (L) 8' | STD (L) 8' | STD (L) 8' | STD (L) 9' | STD (L) 8' 6" | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - |
| | Open Rod Storage (Tubes)/ # of Rods | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | STD / 4 | STD / 3 | STD / 3 | STD / 3 | STD / 3 | STD / 3 | STD / 3 | STD / 3 | STD / 3 | STD / 3 | STD / 3 | STD / 3 | STD / 3 | STD / 3 | - / - | - / - | - / - | - / - | - / - |
| | Vertical Rod Storage/# of Rods | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - | STD / 6 | STD / 6 | STD / 6 | STD / 6 | STD / 6 | STD / 3 | STD / 3 | STD / 6 | STD / 3 | STD / 3 | STD / 3 | SDT/6 | - / - | - / - | - / - | - / - | - / - | - / - | - / - | - / - |
| | Livewell(s) | A ® | A ® | A ® | A ® | A ® | A ® | A ® | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | - | - | - | - | - |
| ELECTRONICS | Trolling Motor | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| | Trolling Motor Harness and Receptacle | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | - | - | - | - | - |
| | Battery Charger | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| | Depth/Fish Finder | OPT | OPT | OPT | OPT | OPT | OPT | STD | STD | STD | STD | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | - | - | - | - | - | - | - | - |
| INTERIOR | Carpeted | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | SeaDek Flooring (Bow, Helm Standing Pad, Stern) | - | - | - | - | - | - | - | - | - | - | OPT | OPT | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | Crestliner (Spray-In Liner w/ Painted Interior) | - | - | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | STD | STD | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | STD | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| | Painted Interior | - | - | - | - | - | - | - | - | - | - | - | - | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| MISCELLANEOUS | Camouflage Paint | - | - | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | - | - | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| | Bilge Pump | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | - | - | - | - | - |
| | Deck Cleats | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | - | - | - | - | - |
| | Horn | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | - | - | - | - | - | - | - | - |
| | Lock-Track Accessory Gunnel | - | - | - | - | - | - | - | - | - | - | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| | SureMount Gunnel System | STD | STD | STD | STD | STD | STD | STD** | - | - | - | - | - | STD** | STD** | STD** | STD** | - | STD** | STD** | STD** | STD** | STD** | STD** | STD** | STD** | STD** | STD** | STD** | STD** | STD** |
| | Stainless Steel Bow and Stern Eyes | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| | Heavy Duty Hull (0.125") | STD | STD | - | - | - | - | - | - | - | - | - | - | OPT | - | - | - | STD | OPT | OPT | OPT | - | - | - | - | - | - | - | - | - | - |

**Requires 45° Accessory Mount

**LEGEND**

**SEATING**
**STD** *Standard* | **OPT** *Optional* | **–** *Not Available*
**BN** *Bench Seat w/Storage* | **BT** *Butt Seat w/ Pedestal* | **CF** *Center Fold-Down Seat* | **DL** *Deluxe Seat*
**PP** *Power Pedestal* | **PB** *Premium Bucket Seat* | *PS Pro Seat* | **RC** *Reclining Captain's Chair Seat with Armrests & Slider*
**SB** *Storage Boxes below Helm & Passenger*

**CONSOLE**
**STORAGE/LIVEWELL**
**CONFIGURATION**
**DC** *Dual Console* | **SC** *Side Console* | **TL** *Tiller* | **WT** *Walk-Through Windshield*
**L** *Lockable* | **A** *Aerated* | **R** *Standard Recirculating System* | **®** *Optional Recirculating System*
**JS** *Jump Seat*

# MOD-V COLORS

## PAINT OPTIONS

Black Metallic

Silver Metallic


Bright White

True Blue Metallic

Fire Red Metallic

Gunmetal Gray

Marsh Tan (Interior/Exterior)

Olive Drab (Interior/Exterior)

Mossy Oak® Breakup (Interior/Exterior)

Mossy Oak® Shadowgrass (Interior/Exterior)

## INTERIOR

SeaDek Flooring (Bay only)

Crest-Liner Interior Coating

Matte Gray Crest-Liner Interior Coating


White Crest-Liner Interior Coating

## CARPET SWATCHES

Gray Carpet

*Not all processes, features and statements apply to every Crestliner boat model.
All prices and specifications subject to change. Crestliner reserves the right to discontinue models or change prices, specifications, materials, equipment, color or design at any time without notice and without incurring obligations. Some models are shown with optional features and equipment. Outboard model weights shown in this catalog reflect the approximate weight of the boat only, and do not include weights of the outboard motor or accessories installed. All boats meet or exceed United States Coast Guard regulations, applicable American Boat and Yacht Council standards and are certified by the National Marine Manufacturer's Association. Our proven construction and its durability allow us to offer you one of the best warranties in the industry. Crestliner was the first to offer a limited LIFETIME hull warranty to the original owner. All main seam welds are covered. Interior support construction carries a limited 10-year warranty. Plus, you get a limited 3-year bow-to-stern warranty on virtually everything else. It gets better...Crestliner's warranty is transferable! When it's time to upgrade to a new Crestliner, you have the option to transfer the warranty to the second owner. (Limited Lifetime warranty differs for CR Jon boats.) Some restrictions apply. For complete details, a copy of our limited warranty is attached to each new boat or may be obtained from your Crestliner dealer. Many boats featured in this catalog are shown with available options. See your dealer for details. Every effort was made to ensure that this information was accurate at the time of printing. Crestliner assumes no responsibility for errors in type, in print or in photos. Please follow the rules of safe boating, be courteous to others and respect the marine environment. Special thanks to NMMA®, Onyx®, Fell Marine®, Mercury Marine®, Power-Pole®, and Cass Lake Lodge, Cass Lake, MN.
©2021 Crestliner / A Brunswick boat company. Printed in USA

CRESTLINER