

FORGED WITH STRENGTH. DEFINED BY DURABILITY.



FORGED WITH STRENGTH. DEFINED BY DURABILITY.

For over seven decades, we've pushed the limits of possibility with every new Crestliner model. Through each passing year our craftsmen have shaped more than the toughest all-welded aluminum hulls on the water-they've shaped your time on the water. With a relentless commitment to excellence, Crestliner continues to push boundaries by building boats with unrivaled strength, innovative fishing features and superior design. Experience the strongest, most durable fishing boats on the water today.

- Advantages
- 6 Sportfish
- 12 Super Hawk
- 18 Authority
- 20 Commander Elite
- 21 Commander
- 22 Raptor
- 28 Fish Hawk
- 34 Bass Hawk
- 38 Pro Tiller
- 42 Vision
- 44 Discovery
- 46 Kodiak
- 47 Outreach
- 48 Features & Options
- 52 Colors

BUILT TO ENDURE.

With thick, high-quality aluminum and all-welded strength, every Crestliner hull is ready to withstand some of the harshest of waters and the worst weather conditions.



LEGENDARY FOUR X HULL

This is where four pieces of aluminum interlock and are welded together to become one. This provides you the lightweight durability of aluminum and the seamless look of fiberglass.

INTERLOCKING TONGUE AND GROOVE CONSTRUCTION

Crestliner boats are built using an innovative interlocking tongue and groove seam construction method, creating a rock-solid bond and, once again, proving there isn't a boat designed with more precision or durability.

EXTRUDED FULL LENGTH KEEL

No other area is subjected to more punishment than the keel. Crestliner integrates the smooth extruded full-length keel from bow to stern, ensuring unbeatable strength and durability.

DOUBLE-WELDED TRANSOM


When you have engines kicking out maximum horsepower, you need a transom that can handle a lot of force. With its double-welded reinforced transom, Crestliner creates a seam that endures the rigor of boating.

WORK-HARDENED SIDE WALLS



Through the process of work hardening, Crestliner delivers sidewalls that can perform through crosswaves and tough conditions better than smooth sidewalls. These bends not only add tremendous strength, but look great too.

REVERSE CHINE



Reverse chine with integrated spray rail design forces water down and away for a drier ride.

allows for instant planing and unmatched stability.

Variable degree deadrise

*Not all processes, features and statements apply to every Crestliner boat model.

VARIABLE DEGREE DEADRISE



SUPERIOR STRUCTURAL INTEGRITY

Underneath the floor of a Crestliner is an intricate stringer foundation that supports every inch of the boat, ensuring a safe, smooth ride.

"No matter how you like to fish, there is a very well built Crestliner boat loaded with great fishing features that will work specifically for you."

Jason Mitchell | Host of Jason Mitchell Outdoors

10 CONSECUTIVE CSI AWARDS



ENDURING QUALITY

At Crestliner, integrity and passion drives every decision, from the builders who make the boats to the anglers who use them. We take pride in our generations of engineering innovation—designing boats that last generations too.

CSI

INDUSTRY'S STRONGEST WARRANTY

Crestliner was the first to offer a limited lifetime warranty on all mainseam welds and a 3-year bow-to-stern warranty on virtually everything else. Then it got better—allowing Crestliner's warranty to transfer to future owners.

(Warranty differs on CR Jon and Outreach boats)



THE CRESTLINER ADVANTAGE



Canadian fisherman Charlie Wray got his start in the television industry by being as far away from a TV as possible. Early in his fishing career, Charlie won tournament after tournament, derby after derby. He designed lures. He was a guide for a time. All of that experience on the water convinced people that Charlie deserved his own show, Fishful Thinking—a show that teaches thousands of anglers across North America how to fish more effectively.

"I want to have something informative in every episode, and I think that's been the key to our success," says Charlie. "I do a lot of pre-fishing, a lot of experimenting. I'm constantly updating the viewers on what's working and what isn't."

While he does a lot of experimenting on the show, one thing he hasn't toyed around with is the boat he's fishing from. From his start in the late 80's, Charlie has trusted a Crestliner.

"I love the all-welded concept, how they're made. I love that they make boats for multispecies fishing. I love the open concept, multi-purpose capabilities, and that it's one of the only aluminum boats you can put on a roller trailer, which is perfect for bigger, deeper waters. Simply put: Crestliners are die-hard fishing boats."

Over the years, Charlie has fished from almost the entire Crestliner fleet, but loves his 1950 Fish Hawk the best.

"It's so multi-purpose and user-friendly. It's a do-it-all kind of boat. It's safe, quick to plane and has everything I could ever want. I would put a Crestliner up against anyone else's boat."

So turn on Fishful Thinking where you'll not only learn a few things about fishing, but the kind of boat to do it in.

fishfulthinking.ca



MORE REASONS TO GET OUT ON THE WATER



Introducing the next level in bass fishing boats.

New for 2018 is the Crestliner Bass Hawk. Based on the ultra-stable hull design of our Fish Hawk and featuring raised bow and stern decks similar to our PT, the Bass Hawk represents more flexibility for bass anglers.

This bass catching machine offers a huge amount of storage and is versatile enough to go after other species, like walleye and muskie. It features a 28-gallon stern livewell, spacious bow and stern casting decks, a lockable center bow rod storage that holds up to 15 rods and completely wood-free construction for added durability.

The Bass Hawk comes in two sizes, 1750 and 1850. Both come built with two premium bucket seats, and a center seat can be added to form a three-across seating arrangement. The 1850 can be upgraded to a pedestal seating configuration that offers more cockpit room and two jump seats in the stern.

If you're looking to catch some bass in bigger, rougher waters, the all-new Bass Hawk gives you the confidence you need for a great day on the water.

NEW FOR THE 2018 DEEP-V LINEUP

Enjoy everything from the small details to the big innovations.

- Wood-Free Transoms
- New upholstery
- Improved canvas
- And now offering Active Trim, Panther Power Steering and VesselView[®] Link on select models



2018 now offers more dependability.

The all-new Outreach is as dependable a boat as we make. It's easy to transport and maintain, features bench seating with walk-through options and comes in a range of sizes that's perfect for any angler. The Outreach's rugged simplicity makes it ideal for resorts or utility use.

1950 Sportfish SST

A BOAT THAT ADAPTS TO YOUR EVERY IMPULSE

Sometimes you want to go fishing. Other times you still want to fish, but the rest of the family wants to cruise. So why force yourself to pick only one? With the ultra-premium, does-it-all Sportfish, you get one part complete fishing machine fused with one part family-friendly recreation boat. It features a level of comfort most fishing boats can't compete with, while offering a level of fishability most recreation boats don't understand. When you're looking for the ultimate on-the-water experience, own the water with the Sportfish.

















■ FEATURE-RICH HELM

The feature-rich helm station features stitched vinyl-wrapped panels, a Boss® stereo with USB charging port, Bluetooth capability and chrome gauges.

HELM AND PASSENGER RECLINING CAPTAIN'S CHAIRS

Optional reclining captain's chairs with dual armrests and supple cushioning are a popular choice among anglers who value comfort.

⋾ VINYL-WRAPPED PORT ROD STORAGE

Innovative vinyl-wrapped port rod storage with topside cubby tray holds four 7'6" rods.

IN-FLOOR ROD/SKI STORAGE

The high-capacity center in-floor storage locker provides ample space for all your watersports gear or holds rods up to 8' in length.

STERN CASTING DECK

Large stern casting deck accommodates two pedestal seat bases, storage compartments and a livewell.

MORE FEATURES & OPTIONS

- Pro Seats
- SST Swim Platform
- Bow & Stern Aerated Livewells
- SureMount Gunnel Accessory System
- Wood-Free Transom
- *Optional

- Space for optional kicker motor
- Upgraded Dual Stereo System*
- Under Gunnel Blue LED Lighting*
- Snap-In Carpet*
- Removable Table

For a full video walk-through of the Sportfish series, visit crestliner.com



| SPECIFICATIONS | 2150 SPOR | TFISH SST |
|------------------------------|-----------|-------------|
| Overall Length | 22' 11" | 6.99 m |
| Boat/Motor/Trailer Length | 26' 2" | 7.98 m |
| Boat/Motor/Trailer Width | 8' 6" | 2.59 m |
| Boat/Motor/Trailer Height | 7' 7" | 2.31 m |
| Beam | 102'' | 259 cm |
| Max Cockpit Depth | 30.5'' | 77 cm |
| Transom Height | 25'' | 64 cm |
| Deadrise | 17° | 17° |
| Weight (Boat only, dry) | 2,388# | 1,083 kg |
| Max Capacity (Weight/Person) | 2,400#/10 | 1,089 kg/10 |
| Max HP Capacity | 350 | 350 |
| Fuel Capacity | 54 gal | 204 L |
| Aluminum Gauge Bottom | .125" | .318 cm |

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

Black Metallic - Canyon Brown Metallic - Tan

Summit White - Canyon Brown Metallic - Tan

Summit White - Black Metallic - Gray

Summit White - Blue Flame Metallic - Gray

Summit White - Red Flame Metallic - Gray

Summit White - Silver Metallic - Gray

Silver Metallic - Black Metallic - Gray

Silver Metallic - Blue Flame Metallic - Gray

Silver Metallic - Red Flame Metallic - Gray

Mad Fish Graphics and Shock Effect wrap available as special option.



Storage

Livewell





SPECIFICATIONS 1950 SPORTFISH SST 1850 SPORTFISH SST 1850 SPORTFISH OB COLORS & CONFIGURATIONS 1950 SST 1850 OB 19' 9" 18' 9" BASE - ACCENT - INTERIOR Overall Length 20' 10" 6.35 m 6.02 m 5.72 m Boat/Motor/Trailer Length 23' 10" 7.26 m 22' 3" 6.78 m 21' 5" 6.53 m Black Metallic - Canyon Brown Metallic - Tan Walk-Through 8' 6" 2.59 m 8' 6" 2.59 m 8' 6" 2.59 m Boat/Motor/Trailer Width Summit White - Canyon Brown Metallic - Tan See crestliner.com for Boat/Motor/Trailer Height 7' 1" 2.16 m 6' 10" 2.08 m 6' 10" 2.08 m Summit White - Black Metallic - Gray additional floorplans 98" 96" 96" Beam 248 cm 244 cm 244 cm Summit White - Blue Flame Metallic - Gray 26.5" Max Cockpit Depth 67 cm 26.25" 67 cm 26.25" 67 cm Storage Summit White - Red Flame Metallic - Gray 25" 25" 25" Transom Height 64 cm 64 cm 64 cm Livewell Summit White - Silver Metallic - Gray 17° 17° 17° 17° 17° 17° Deadrise Silver Metallic - Black Metallic - Gray 2.082# 944 kg 1,750# 794 kg 1,700# 771 kg Weight (Boat only, dry) Silver Metallic - Blue Flame Metallic - Gray Max Capacity (Weight/Person) 2,100#/9 953 kg/9 1,850#/8 839 kg/8 1,850#/8 839 kg/8 Silver Metallic - Red Flame Metallic - Gray Max HP Capacity 225 225 200 200 200 200 Mad Fish Graphics and Shock Effect wrap available as special option. 40 gal 140 L Fuel Capacity 151 L 37 gal 140 L 37 gal .100" .125" .318 cm .100" .254 cm .254 cm Aluminum Gauge Bottom

LARGE COCKPIT WITH WALK-THROUGH WINDSHIELD

There is no shortage of space or versatility when you step inside the Sportfish, so bring the whole crew and cast-off from anywhere. Includes four Pro seats. (1850 OB shown)

CONVERSION BOW

Go from fish to ski, and back, in seconds with the Sportfish's conversion bow.

REMOVABLE TABLE

From lunch with the family to hosting friends for a cruise, give your roomy Sportfish even more comfort with an optional removable table that fits in the bow and cockpit. (1850 OB shown)

SST SWIM PLATFORM

Throw the anchor and enjoy a swim with the SST cut-away step and non-skid angled swim platform with an under-mount ladder. (SST models only)

5 SUREMOUNT GUNNEL ACCESSORY SYSTEM

Removable SureMount aluminum accessory brackets let you slide your favorite accessories along the gunnel for perfect placement without drilling.

MORE FEATURES & OPTIONS

- Bow & Stern Aerated Livewells
- Removable Ski Pylon**
- In-Floor Rod/Ski Storage with Rod Rack System*
- Vinyl-Wrapped Side Storage with Topside Storage Tray
- Wood-Free Transom
- *Optional
- **Standard on SST. Optional on OB

- 12V Port Console Outlet
- Stainless Steel Flip-Up Cleats
- Dual Stereo System Upgrade*
- Rockford Speaker Upgrade*
- Removable Table*
- Snap-In Carpet*













1850 Super Hawk



ADD SOME VERSATILITY TO YOUR WEEKEND

Ever wonder how to spend the entire day out on the boat? Easy. Head out on the water at sunrise and wet a line. Steer back to shore for lunch (and maybe a nap), then pile in the whole family for an afternoon of tubing, skiing or cruising. With this multipurpose boat, you've found a simple recipe for a weekend well spent.







| SPECIFICATIONS | 1950 SUPL | ER HAWK |
|------------------------------|-----------|----------|
| Overall Length | 19' 9" | 6.02 m |
| Boat/Motor/Trailer Length | 22' 8" | 6.91 m |
| Boat/Motor/Trailer Width | 8' 6" | 2.59 m |
| Boat/Motor/Trailer Height | 7' | 2.13 m |
| Beam | 98'' | 249 cm |
| Max Cockpit Depth | 26'' | 66 cm |
| Transom Height | 25'' | 64 cm |
| Deadrise | 18° | 18° |
| Weight (Boat only, dry) | 1,836# | 833 kg |
| Max Capacity (Weight/Person) | 2,000#/9 | 907 kg/9 |
| Max HP Capacity | 225 | 225 |

18' 9" 6.02 m 6.91 m 21' 5" 2.59 m 8' 6" 2.13 m 6' 9" 249 cm 94'' 25.25" 66 cm 25" 64 cm 18° 17° 833 kg 1,650# 36# 00#/9 907 kg/9 1,800#/8 225 200

151 L

.318 cm

40 gal

.125"

1850 SUPER HAWK 5.71 m

6.53 m

2.59 m

2.06 m

239 cm

64 cm

64 cm

17°

748 kg

816 kg/8

200

140 L

.254 cm

37 gal

.100''

17' 9" 5.41 m 20' 6" 6.25 m 8' 6" 2.59 m 6'8" 2.03 m 94" 239 cm 25.5" 65 cm 25'' 64 cm 17° 17° 1,450# 658 kg 1,700#/7 771 kg/7 175 175 28 gal 106 L .100'' .254 cm

1750 SUPER HAWK COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

Black Metallic - Canyon Brown Metallic - Tan

Summit White - Canyon Brown Metallic - Tan

Summit White - Black Metallic - Gray

Summit White - Blue Flame Metallic - Gray

Summit White - Red Flame Metallic - Gray

Summit White - Silver Metallic - Gray

Silver Metallic - Black Metallic - Gray

Silver Metallic - Blue Flame Metallic - Gray

Silver Metallic - Red Flame Metallic - Gray Black Metallic - Black Metallic - Gray


Mad Fish Graphics and Shock Effect wrap available as special option.



Walk-Through

See crestliner.com for additional floorplans

Storage Livewell



Aluminum Gauge Bottom

Fuel Capacity

PREMIUM CONSOLE DESIGN

Sleek black console features chrome gauges, lighted rocker switches and plenty of space to mount all sizes of electronics.

STERN LIVEWELL

An aerated stern livewell makes it easy to keep your catch alive. (1950: 17-gal, 1850/1750: 15-gal)

3 STERN JUMP SEATS

The stern features standard jump seats, aerated livewell, drink holders, throw tray and tackle tray storage.

IN-FLOOR STORAGE

The high-capacity center in-floor storage locker provides ample space for all your watersports gear. Optional rod rack tube system accommodates 8' (1950) and 7'6" (1850/1750) rods.

5 SNAPLESS BOW PLATFORM PAD

Bow platform with optional snapless pad and bolsters provide additional lounging space.

MORE FEATURES & OPTIONS

- Bow Casting Platform
- Roomy Cockpit & Walk-Through Windshield
- Quick Access Rod Rack System
- Wood-Free Transom
- Dual Stereo Upgrade with USB Phone Charging, Color Display, Pandora Capability and Two Rockford Speakers*
- SureMount Gunnel Accessory System with Optional Accessories

- Swim Platform with Ladder*
- Vinyl Flooring*
- Optional Packages (Comfort Package, Platinum Edition Package, Sport Package, Full Enclosure Package)*
- Pro Seats*
- Conversion Stern Rench*



For a full video walk-through of the Super Hawk series, visit crestliner.com























PREMIUM CONSOLE DESIGN

Sleek black console features chrome gauges, lighted rocker switches and plenty of space to mount all sizes of electronics.

JUMP SEATS

Standard jump seats fold flat to create a broad casting deck and flip up for additional seating.

3 CONVERSION BOW

Go from fish to ski and back in just seconds. (Left image shown with optional bow platform pad).

STERN DECK

Stern deck features a large casting platform, jump seats, storage and a 9-gallon aerated livewell.

OUICK-ACCESS ROD RACK SYSTEM

Starboard under-gunnel storage and quick access rod rack system.

MORE FEATURES & OPTIONS

- Wood-Free Transom
- Bow Cargo Netting Storage*
- Snapless Bow Platform Pad*
- SureMount Gunnel Accessory System with Optional Accessories
- Swim Platform with Ladder*
- *Optional

- Stainless Steel Flip Up Cleats*
- Pro Seats*
- Boss® or Dual Stereo System with Speakers*
- Washdown System*
- In-Floor Trolling Motor Battery Storage

For a full video walk-through of the Super Hawk, visit crestliner.com





SPECIFICATIONS

16' 9" Overall Length Boat/Motor/Trailer Length 19' 7" Boat/Motor/Trailer Width 7' 6" Boat/Motor/Trailer Height 6' 7" 86.5" Beam 23.5" Max Cockpit Depth Transom Height 25" 12° Deadrise Weight (Boat only, dry) 1,230# Max Capacity (Weight/Person) Max HP Capacity 115 Fuel Capacity 20 gal Aluminum Gauge Bottom .090"

1650 SUPER HAWK

5.10 m 5.97 m 2.29 m 2.01 m 220 cm 60 cm 64 cm 12° 558 kg 1,500#/6 680 kg/6 115 75.5 L .229 cm

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

- Black Metallic Canyon Brown Metallic Tan
- Summit White Canyon Brown Metallic Tan
- Summit White Black Metallic Gray
- Summit White Blue Flame Metallic Gray
- Summit White Red Flame Metallic Gray
- Summit White Silver Metallic Gray
- Silver Metallic Black Metallic Gray
- Silver Metallic Blue Flame Metallic Gray
- Silver Metallic Red Flame Metallic Gray Black Metallic - Black Metallic - Gray
- Mad Fish Graphics available as special option.



Walk-Through

1650 See crestliner.com for additional floorplans

Storage







ROUGH WATER WON'T STAND A CHANCE

The 17-degree hull design cuts through the rough waves as you steer toward your destination. Built for the choppy waters you love to fish in, the Authority is a big water beast that's strong enough to withstand both tough waters and tougher standards. Which makes navigating big water safe, comfortable and easy.

SPECIFICATIONS Overall Length

Boat/Motor/Trailer Length Boat/Motor/Trailer Width Boat/Motor/Trailer Height Ream Max Cockpit Depth Transom Height Deadrise Weight (Boat only, dry) Max Capacity (Weight/Person) Max HP Capacity Fuel Capacity Aluminum Gauge Bottom

2250 AUTHORITY

22' 11" 6.99 m 26' 2" 7.98 m 23' 10" 7.26 m 8' 6" 2.59 m 8' 6" 2.59 m 7' 7" 7' 1" 2.31 m 2.16 m 102" 259 cm 98" 248 cm 30.5" 26.5" 77 cm 67 cm 25" 25" 64 cm 64 cm 17° 17° 17° 2.025# 919 kg 2,175# 987 kg 2,400#/10 1,089 kg/10 2.100#/9 225 350 350 225 54 gal 204 L 40 gal 151 L .318 cm .125" .318 cm

2050 AUTHORITY

20' 10" 6.35 m 953 kg/9

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

Silver Metallic - Black Metallic - Gray

Silver Metallic - Blue Flame Metallic - Gray

Silver Metallic - Red Flame Metallic - Gray

Mad Fish Graphics and Shock Effect wrap available as special option.



See crestliner.com for

additional floorplans





PREMIUM CONSOLE DESIGN

An ergonomic wrap-around console accommodates multiple electronics, with both consoles featuring convenient storage compartments below.

STARBOARD STORAGE

With two enclosed compartments and shelf storage, there's endless stowing space for even the most gear-heavy anglers.

3 20-GALLON STERN LIVEWELL

The aerated 20-gallon stern livewell, complete with timer, makes the perfect home for big water fish. When not full of water, the insulated walls hold plenty of ice to keep your catch fresh.

PORT & STARBOARD WINDSHIELD WIPERS

Attack the elements in full confidence with optional port and starboard windshield wipers.

VERTICAL ROD HOLDERS

Never fear being under equipped with this set of six optional vertical rod holders to keep your rods and reels secure.

MORE FEATURES & OPTIONS

- Lockable Port Rod Rack System
- 15-Gallon Bow Livewell
- SureMount Gunnel Accessory System with Optional Accessories
- Four Pro Seats
- In-Floor Rod Locker
- Wood-Free Transom

- Roomy Cockpit & Walk-Through Windshield
- Washdown System*
- Removable Stern Seats with Fixed Backrest/Thighboards*
- In-Floor Fish Box*
- Butt Seat*
- Full Enclosure Package*

*Optional

For a full video walk-through of the Authority visit crestliner.com



















BIG WATER EVERYTHING

Take on the elements with a boat that can do it all. The Commander Flite withstands the harshness of the big waters and demands the best of every fishing pursuit.

DIAMOND PLATE BOW

Durable diamond plating is welded to the bow for a fully sealed deck.

ULTRA-TOUGH COCKPIT FEATURES

Take control of the elements with a durable allaluminum console and fully sealed walkthrough windshield with optional wipers.

3 SST STERN WITH STORAGE DRAWER/ CUTTING STATION

Enjoy more room to fish at the back of the boat with the Space Saving Transom that features an integrated cutting board drawer.

1850



| SPECIFICATIONS |
|------------------------------|
| Hull Length |
| Hull Length with SST |
| Boat/Motor/Trailer Length |
| Boat/Motor/Trailer Width |
| Boat/Motor/Trailer Height |
| Beam |
| Max Cockpit Depth |
| Transom Height |
| Deadrise |
| Weight (Boat only, dry) |
| Max Capacity (Weight/Person) |
| Max HP Capacity |
| Fuel Capacity |
| Aluminum Gauge Bottom |
| |

annainia imia iia

| 050 COMM | ANDER ELITE | 1850 COMM | ANDER EL |
|----------|-------------|-----------|----------|
| D' 8" | 6.30 m | 18' 9" | 5.72 m |
| 1' 7" | 6.58 m | 19' 7" | 5.97 m |
| 1' | 7.32 m | 21' 6" | 6.55 m |
| 6" | 2.59 m | 8' 6" | 2.59 m |
| 4" | 2.34 m | 7' 4" | 2.34 m |
| 4'' | 239 cm | 94" | 239 cm |
|)" | 76 cm | 30" | 76 cm |
| ō'' | 64 cm | 25" | 64 cm |
| 7° | 17° | 17° | 17° |
| 800# | 816 kg | 1,620# | 735 kg |
| 200#/8 | 998 kg/8 | 1,900#/6 | 862 kg/6 |
| 00 | 200 | 150 | 150 |
| O gal | 151 L | 33 gal | 125 L |
| 25" | .318 cm | .125" | .318 cm |
| | | | |

COLORS & CONFIGURATIONS BASE - ACCENT - INTERIOR Silver Metallic - Black Metallic - Gray

Silver Metallic - Blue Flame Metallic - Gray

Silver Metallic - Red Flame Metallic - Gray Black Metallic - Black Metallic - Gray

Mad Fish Graphics available as special option.


Walk-Through











TRUST IN DURABILITY

When you navigate through big water, the confidence-inspiring Commander is there with everything you need to own the day.

ALL ALUMINUM CONSOLE

The sturdy and roomy console features large, flat surfaces for mounting electronics and direct-mounted gauges.

2 PORT & STARBOARD BENCH SEAT WITH STORAGE COMPARTMENT

Optional port and starboard side bench seating provide extra seating and ample tuck-under storage.

IN-FLOOR ROD LOCKER

Load up to six 7' 6" (2050) and five 7' (1850) rods into a locking center rod locker.




| SPECIFICATIONS | 2050 COMMANDER | | |
|------------------------------|----------------|----------|--|
| Overall Length | 20' 8" | 6.30 m | |
| Boat/Motor/Trailer Length | 24' | 7.32 m | |
| Boat/Motor/Trailer Width | 8' 6" | 2.59 m | |
| Boat/Motor/Trailer Height | 7' 4" | 2.34 m | |
| Beam | 94" | 239 cm | |
| Max Cockpit Depth | 30" | 76 cm | |
| Transom Height | 25" | 64 cm | |
| Deadrise | 17° | 17° | |
| Weight (Boat only, dry) | 1,715# | 778 kg | |
| Max Capacity (Weight/Person) | 2,200#/8 | 998 kg/8 | |
| Max HP Capacity | 200 | 200 | |
| Fuel Capacity | 40 gal | 151 L | |
| Aluminum Gaune Bottom | 125" | 318 cm | |

1850 COMMANDER 18' 8" 5.68 m 21' 6" 6.55 m 8' 6" 2.59 m 7' 4" 2.34 m 239 cm 76 cm 25" 64 cm 17° 17° 1,565# 710 kg 2.101#/6 953 kg/6 150 150 125 L 33 gal .125" .318 cm

COLORS & CONFIGURATIONS BASE - ACCENT - INTERIOR Silver Metallic - Black Metallic - Gray Silver Metallic - Blue Flame Metallic - Gray Silver Metallic - Red Flame Metallic - Gray Black Metallic - Black Metallic - Gray Mad Fish Graphics available as special option. Rod Storage Walk-Through

Livewell





CAST FROM THE TOP OF THE LEADERBOARD

For some, simply being out on the water with a rod and some bait is good enough. You, on the other hand, have a different definition. Your drive and passion for excellence needs a boat built with the same dedication you have for the sport. In other words, you need a boat that'll help you win. The Raptor is that boat. This competition-ready fishing machine combines absolute performance and stability with ample features, making the climb up the leaderboard quick and easy.

















17-TUBE ILLUMINATED CENTER ROD LOCKER

The lockable, illuminated center bow rod locker features three rows of storage with a total of 17 tubes. Holds 6 rods up to 8'6" in length, 6 rods up to 8' in length, and 5 rods up to 7'6" in length.

WALK-THROUGH WINDSHIELD

Walk-through windshield with feature-rich helm and port consoles, lockable drawer under starboard console, and tackle trays and cooler storage under port console.

3 BOW STORAGE

The roomy, storage-rich bow deck includes deep space to keep your gear safe and secure.

4 BOW & STERN LIVEWELLS

The bow includes a 12-gallon insulated and aerated livewell with timer as well as an aerated 1.5-gallon deck baitwell with timer and the stern features a 26-gallon insulated and aerated livewell (shown) with recirculating system, bait bucket and fresh-water pickup.

5 CONVERSION STERN BENCH

The optional conversion stern bench gives you a larger fishing deck when down and additional seating when up.

MORE FEATURES & OPTIONS

- Port Rod Storage holds two 10' rods
- Easy Access Fish Ruler with Designated Storage
- Snap-In Carpet
- Butt Seat

- Wood-Free Transom
- SureMount Gunnel Accessory System with Optional Accessories
- Washdown System
- Full Enclosure Package

For a full video walk-through of the Raptor, visit crestliner.com





SPECIFICATIONS

20' 11" Overall Length 6.38 m Boat/Motor/Trailer Length 23' 11" 7.29 m Boat/Motor/Trailer Width 8' 6" 2.59 m Boat/Motor/Trailer Height 7' 1" 2.59 m Beam 102" 259 cm Max Cockpit Depth 23" 58 cm Transom Height 25" 64 cm 17° 17° Deadrise Weight (Boat only, dry) 2,170# 984 kg Max Capacity (Weight/Person) 2,200#/7 998 kg Max HP Capacity 350 350 Fuel Capacity 56 gal 212 L .125" Aluminum Gauge Bottom .318 cm

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

- Summit White Black Metallic Gray
- Summit White Blue Flame Metallic Gray
- Summit White Red Flame Metallic Gray
- Summit White Silver Metallic Gray
- Silver Metallic Black Metallic Gray
- Silver Metallic Blue Flame Metallic Gray
- Silver Metallic Red Flame Metallic Gray
- Black Metallic Black Metallic Gray

Mad Fish Graphics and Shock Effect wrap available as special option.



Storage

Livewell







| SPECIFICATIONS | 1850 RAPT |
|---------------------------|------------------------|
| Overall Length | 18' 8" |
| Boat/Motor/Trailer Length | 21' 5" |
| Boat/Motor/Trailer Width | 8' 6" |
| Boat/Motor/Trailer Height | 6' 10" |
| Beam | 96" |
| Max Cockpit Depth | 24" |
| Transom Height | 25" |
| Deadrise | 17° |
| Weight (Boat only, dry) | 1,840# SC 1,940# WT |

1850 RAPTOR 1750 RAPTOR

5.69 m

6.53 m

2.59 m

2.08 m

244 cm

61 cm

64 cm

17°

835 kg SC

880 kg WT

771 kg/7

200

151 L

.254 cm

1,700#/7

200

40 gal

.100"

5.38 m 17' 8" 21' 5" 6.53 m 8' 6" 2.59 m 6' 10" 2.98 m 96" 244 cm 24" 61 cm 25" 64 cm 17° 17° 1,770# SC 803 kg SC 848 kg WT 1,870# WT 1,600#/6 726 kg/6 150 150 40 gal 151 L .100" .254 cm

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

Summit White - Black Metallic - Gray

Summit White - Blue Flame Metallic - Gray

Summit White - Red Flame Metallic - Gray

Summit White - Silver Metallic - Gray

Silver Metallic - Black Metallic - Gray

Silver Metallic - Blue Flame Metallic - Gray

Silver Metallic - Red Flame Metallic - Gray

Black Metallic - Black Metallic - Gray

Mad Fish Graphics and Shock Effect wrap available as special option. *Optional colors



Side Console



Dual Console



Walk-Through See crestliner.com for

additional floorplans

Storage Livewell





Aluminum Gauge Bottom

Max Capacity (Weight/Person)

Max HP Capacity

Fuel Capacity

12-TUBE ILLUMINATED CENTER ROD LOCKER

The lockable, illuminated center bow rod locker features 12 tubes, holding a total of 4 rods up to 8' in length, 2 rods up to 7'9" in length, and 6 rods up to 7'6" in length.

MULTIPLE CONFIGURATIONS

A well-equipped console has ample space for mounting large electronics and lighted rocker switches. Available in side console, dual console, or walk-through.

PORT UNDER CONSOLE STORAGE

Keep your gear out of sight but never out of reach with the new locking, port under console storage. Includes 5 tackle trays and cooler.

BUTT SEAT

Optional butt seat provides added comfort and maneuverability when fishing from the bow.


MORE FEATURES & OPTIONS

- Easy Access Fish Ruler with Designated Storage
- 18-Gallon Stern Livewell with Bait Bucket and Timer
- 12-Gallon Bow Livewell with Timer
- 1.5-Gallon Baitwell with Timer
- Walk-Through Windshield*
- Pro Seats

*Optional

- Lockable Port Rod Storage
- Vinyl Flooring*
- Boss® or Dual Stereo System with Speakers*
- Wood-Free Transom
- Stern Conversion Bench*
- SureMount Gunnel Accessory System with Optional Accessories















THE ULTIMATE COMBINATION OF WHAT EVERY ANGLER WANTS

Everyone has their own idea on what makes a great fishing boat. But all can agree the ideal boat needs to have the right fishing features, plenty of storage, stability and an intuitive floorplan. Maybe that's why the Fish Hawk is one of the most popular fishing boats on the water. Developed through feedback from real fishermen, this pure fishing machine is perfect for anglers with opinions of all kinds.













BOW CASTING DECK

A large bow casting deck makes for easy maneuverability on board. Deep storage compartments stow plenty of gear and a livewell keeps your catch fresh.

CENTER ROD STORAGE LOCKER WITH BATTERY STORAGE

Locking center rod storage holds up to ten rods and its deep recess stores your optional trolling motor battery and charger.

PRO SEAT

Fishermen on longer treks will appreciate the additional support of the optional Pro seats.

STERN LIVEWELL

The 1950 Fish Hawk features a deep 17-gallon aerated stern livewell complete with timer, divider, bait bucket and separate lids for the livewell and baitwell. 1850 and 1750 feature a 15-gallon aerated livewell with timer. (1750 shown)

ROOMY COCKPIT & MULTIPLE CONFIGURATIONS

With our innovative hull design, the Fish Hawk sports a wider, more spacious cockpit for you to navigate. Configure your Fish Hawk as a Side Console, Dual Console, or Walk Through.

MORE FEATURES & OPTIONS

- SureMount Gunnel Accessory System
- Locking Port Rod Storage with Topside Rod Straps
- Aerated Bow Livewell with Timer (1950: 9-Gallon, 1850/1750: 12-Gallon)
- Wood-Free Transom
- Swim Platform with Ladder*

*Optional

- Conversion Stern Bench*
- Easy Access Fish Ruler with Designated Storage*
- Vinyl Flooring*
- Platinum Edition Package*
- 57" 21-Gallon Muskie Livewell (1950/1850)
- Kicker Motor*

For a full video walk-through of the Fish Hawk, visit crestliner.com



| DI LUII IUATIUND | 1000 1 1011 | IIAWK | |
|------------------------------|------------------------|------------------------|--|
| Overall Length | 19' 6" | 5.94 m | |
| Boat/Motor/Trailer Length | 22' 6" | 6.86 m | |
| Boat/Motor/Trailer Width | 8' 6" | 2.59 m | |
| Boat/Motor/Trailer Height | 6' 2" | 1.88 m | |
| Beam | 101" | 257 cm | |
| Max Cockpit Depth | 22" | 56 cm | |
| Transom Height | 25'' | 64 cm | |
| Deadrise | 17° | 17° | |
| Weight (Boat only, dry) | 1,650# SC 1,750# WT | 748 kg SC 794 kg WT | |
| Max Capacity (Weight/Person) | 2,100#/7 | 952 kg/7 | |
| Max HP Capacity | 225 | 225 | |
| Fuel Capacity | 50 gal | 189 L | |
| Aluminum Gauge Bottom | .100'' | .254 cm | |
| | | | |

1950 FISH HAWK

SPECIFICATIONS

1850 FISH HAWK 18' 6" 5.63 m 21' 5" 6.53 m 8' 6" 2.59 m 6' 5" 1.96 m 95.5" 243 cm 22.5" 57 cm 25'' 64 cm 12° 12° 1,500# SC 680 kg SC 1,510# WT 685 kg WT 1,600#/6 726 kg/6 150 150 32 gal 121 L .100'' .254 cm

| 1750 FISH HAWK | | |
|------------------------|----------|--|
| 17' 6" | 5.33 m | |
| 20' 6" | 6.25 m | |
| 8' 6" | 2.59 m | |
| 6' 5" | 1.96 m | |
| 95'' | 241 cm | |
| 22'' | 56 cm | |
| 25'' | 64 cm | |
| 12° | 12° | |
| 1,480# SC 1,480# WT | | |
| 1,550#/6 | 703 kg/6 | |
| 115 | 115 | |
| 27 gal | 102 L | |
| .100'' | .254 cm | |

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

- Summit White Black Metallic Gray
- Summit White Blue Flame Metallic Gray
- Summit White Red Flame Metallic Gray
- Summit White Silver Metallic Gray
- Silver Metallic Black Metallic Gray
- Silver Metallic Blue Flame Metallic Gray
- Silver Metallic Red Flame Metallic Gray Black Metallic - Black Metallic - Gray
- Mad Fish Graphics and Shock Effect wrap available as special option.





Dual Console



Walk-Through

1950 SC See crestliner.com for additional floorplans

Storage Livewell







SPECIFICATIONS

Overall Length Boat/Motor/Trailer Length Boat/Motor/Trailer Width Boat/Motor/Trailer Height Beam Max Cockpit Depth Transom Height Deadrise Weight (Boat only, dry)

Max Capacity (Weight/Person) Max HP Capacity Fuel Capacity Aluminum Gauge Bottom

1650 FISH HAWK

16' 9" 5.11 m 19' 7" 5.97 m 7' 6" 2.29 m 5' 11" 1.80 m 86.5" 220 cm 24'' 61 cm 20" 51 cm 12° 12° 1,050# SC 476 kg SC 1,185# WT 538 kg WT 1,450#/6 658 kg/6 90 90 19 gal 72 L .090'' .254 cm

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

- Summit White Black Metallic Gray
- Summit White Blue Flame Metallic Gray
- Summit White Red Flame Metallic Gray
- Summit White Silver Metallic Gray
- Silver Metallic Black Metallic Gray
- Silver Metallic Blue Flame Metallic Gray
- Silver Metallic Red Flame Metallic Gray
- Black Metallic Black Metallic Gray

Mad Fish Graphics available as special option.





Dual Console



Walk-Through

1650 SC See crestliner.com for additional floorplans

Storage Livewell



CENTER LOCKING ROD STORAGE

Center rod locker contains reel pockets and can hold five 7' and five 6'9" rods.

FEATURE RICH CONSOLE

Take control of your day of fishing thanks to the Lowrance® Hook-3x color fish-finding sonar, lighted toggle switches, drink holders, a MP3 cubby and a 12V power outlet.

CONVERSION STERN BENCH

The conversion stern bench option gives you a massive casting/fishing deck when down and additional seating when up.

BOW STORAGE

Bow storage offers expanded compartments with deeper and longer storage space.

5 EASY ACCESS FISH RULER

Record your catch with the Easy Access Fish Ruler, conveniently located just behind the driver's seat.


MORE FEATURES & OPTIONS

- 15-Gallon Aerated Stern Livewell with Timer
- Ouick Access Rod Rack
- Wood-Free Transom
- SureMount Gunnel Accessory System with Optional Accessories
- Pro Seats*

*Optional

- Vinyl Flooring*
- TurboSwing® System*
- Platinum Edition Package*
- Bimini*
- Full Enclosure Package (WT)*

For a full video walk-through of the Fish Hawk, visit crestliner.com



















A BASS CATCHING MACHINE

With powerful performance and unmatched stability, the all-new Bass Hawk is more than ready to get you on the fish. Its all-welded hull design is the perfect platform for bass or muskie angling supremacy. (Learn more on page 5)













SPACIOUS BOW CASTING DECK

Massive casting deck features large storage, rod locker and recessed trolling motor foot control.

2 STERN DECK WITH 28 GALLON LIVEWELL

The large stern deck is perfect for casting and features multiple storage compartments and a 28-gallon aerated livewell.

3 15-TUBE ILLUMINATED CENTER ROD LOCKER

A center bow lockable and lighted rod locker offers 15 tubes that hold five 8" rods, five 7"6" rods and five 7' rods.

PREMIUM BUCKET SEATS

Premium helm and passenger bucket seats are as comfortable a seat as it gets. Shown with optional center seat. (Bucket configuration only)

MORE FEATURES & OPTIONS

- Wood-Free Construction, including Floor and Transom
- SureMount Gunnel Accessory System
- Stainless Steel Flip-Up Cleats
- Rod ramp with topside rod strap (Holds 4 rods)
- Vinyl Flooring*
- Custom Travel Cover*
- Pro Seats* (Pedestal Only)
- Port Console with Glove Box*

*Optional

For a full video walk-through of the Bass Hawk, visit crestliner.com





| SPECIFICATIONS |
|--------------------------|
| Overall Length |
| Boat/Motor/Trailer Lengt |

Boat/Motor/Trailer Width Boat/Motor/Trailer Height Beam Max Cockpit Depth Transom Height Deadrise Weight (Boat only, dry) Max Capacity (Weight/Person) Max HP Capacity Fuel Capacity Aluminum Gauge Bottom

1850 BUCKET

18' 9" 5.72 m 24' 7.32 m 8' 6" 2.59 m 6' 1.83 m 95" 241 cm 20.5" 52 cm 25" 64 cm 12° 12° 1.625# 737 kg 1,700#/5 771 kg/5 200 200 34 gal 129 L .100'' .254 cm

1850 PEDESTAL

18' 9" 5.72 m 24' 7.32 m 8' 6" 2.59 m 6' 1.83 m 95" 241 cm 20.5" 52 cm 25" 64 cm 12° 12° 1.608# 729 kg 1,700#/5 771 kg/5 200 200 34 gal 129 L .100'' .254 cm

1750 BUCKET

17' 9" 5.41 m 22' 9" 6.93 m 2.59 m 8' 6" 6' 1.83 m 95" 241 cm 20.5" 52 cm 25" 64 cm 12° 12° 1.509# 684 kg 1,600#/5 726 kg/5 150 150 110 L 29 gal .100" .254 cm

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

- Summit White Black Metallic Gray
- Summit White Blue Flame Metallic Gray
- Summit White Red Flame Metallic Gray
- Summit White Silver Metallic Gray
- Silver Metallic Black Metallic Gray
- Silver Metallic Blue Flame Metallic Gray
- Silver Metallic Red Flame Metallic Gray
- Black Metallic Black Metallic Gray

Mad Fish Graphics and Shock Effect wrap available as special option. *Optional colors





Rod Storage Storage



1850 Pedestal



1750 Bucket



A GREAT DAY IS WITHIN REACH

As you skillfully guide your tiller through the lake, you work the contours to find that perfect hot spot. That's the total control you'll get with the Pro Tiller. So drop a line and find whatever you need close at hand.
















COMMAND CONSOLE

The durable, intuitive command console puts an electronics tray, drink holders and tackle storage all within the driver's reach.

AERATED STERN LIVEWELL & BAITWELL

15-gallon stern livewell and dedicated 2.75-gallon baitwell (1850, 1750) positioned within easy reach on both sides of the tiller control. (1650 includes baitbucket)

HIGH CAPACITY CENTER ROD LOCKER

Outfitted with individual rod tubes for protection, a spacious center rod storage area holds 10 rods and includes space for a battery and charger. (1850 shown)

STARBOARD ROD LOCKER

Starboard rod storage holds up to 9' rods on the 1850 and 8' rods on the 1750 and 1650. Topside rod straps hold additional rods while on the move.

AMPLE BOW STORAGE

The Pro Tiller's bow has several large storage compartments, making it easier for you to get the gear you need, when you need it. (1850 shown)

MORE FEATURES & OPTIONS

- Easy Access Fish Ruler with Designated Storage*
- Bow Livewell (1850, 1750)
- Pro Seats*
- Wood-Free Transom
- Boss[®] Stereo* with Speakers
- SureMount Gunnel Accessory System with Optional Accessories

- Row Raitwell*
- Washdown System (1850, 1750)*
- Bow Trolling Motor Outlet*
- Vinyl Flooring*
- Stainless Steel Flip-Up Cleats*
- Custom Travel Cover*

*Optional

For a full video walk-through of the Pro Tiller, visit crestliner.com



| SPECIFICATIONS | 1850 PRO | TILLER |
|------------------------------|----------|----------|
| Overall Length | 18' 6" | 5.64 m |
| Boat/Motor/Trailer Length | 21' 5" | 6.53 m |
| Boat/Motor/Trailer Width | 8' 6" | 2.59 m |
| Boat/Motor/Trailer Height | 5' 10" | 1.78 m |
| Beam | 94" | 239 cm |
| Max Cockpit Depth | 22" | 56 cm |
| Transom Height | 25'' | 64 cm |
| Deadrise | 12° | 12° |
| Weight (Boat only, dry) | 1,375# | 624 kg |
| Max Capacity (Weight/Person) | 1,650#/6 | 749 kg/6 |
| Max HP Capacity | 90 | 90 |
| Fuel Capacity | 32 gal | 122 L |
| Aluminum Gauge Bottom | .100" | .254 cm |

1750 PRO TILLER 17' 6" 5.33 m 21' 4" 6.50 m 8' 6" 2.59 m 5' 10" 1.78 m 94" 239 cm 22" 56 cm 25" 64 cm 12° 12° 1,275# 578 kg 1,600#/6 726 kg/6 90 90 27 gal 102 L .100'' .254 cm

| 1650 PRO | TILLER |
|----------|----------|
| 16' 10" | 5.13 m |
| 19' 8" | 5.99 m |
| 7' 6" | 2.29 m |
| 5' 10" | 1.78 m |
| 86.5" | 220 cm |
| 22" | 56 cm |
| 20'' | 51 cm |
| 12° | 12° |
| 1,085# | 492 kg |
| 1,350#/6 | 612 kg/6 |
| 75 | 75 |
| 20 gal | 76 L |
| .090'' | .254 cm |

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

Summit White - Black Metallic - Gray

Summit White - Blue Flame Metallic - Gray

Summit White - Red Flame Metallic - Gray

Summit White - Silver Metallic - Gray

Silver Metallic - Black Metallic - Gray

Silver Metallic - Blue Flame Metallic - Gray


Silver Metallic - Red Flame Metallic - Gray

Black Metallic - Black Metallic - Gray

Mad Fish Graphics available as special option. Shock Effect wrap available as special option for 1850/1750.



1850 See crestliner.com for additional floorplans Storage





CRESTLINER /// Pro Staff Members Alie Witthans & Nichole Mara in the 1600 Vision SC 1600 1600 T

ARRANGE FOR A PERFECT DAY OF FISHING


Some people like the feel and control of a tiller. Others prefer the versatility of a fish and ski boat. Then there are those who appreciate a wide variety of fishing amenities. The Vision provides a layout that caters to your preference.



| SPECIFICATIONS | 1700 | | 1600 | | 1600 TILLER | | | | |
|------------------------------|----------|----------|----------|----------|-------------|---------|--|--|--|
| Overall Length | 17' 6" | 5.33 m | 16' 4" | 4.98 m | 16' 4" | 4.98 m | | | |
| Boat/Motor/Trailer Length | 19' 6" | 5.94 m | 19' 1" | 5.82 m | 19' 1" | 5.82 m | | | |
| Boat/Motor/Trailer Width | 7' 6" | 2.29 m | 7' 6" | 2.29 m | 7' 6" | 2.29 m | | | |
| Boat/Motor/Trailer Height | 6' | 1.83 m | 5' 11" | 1.80 m | 5' 11" | 1.80 m | | | |
| Beam | 88" | 224 cm | 81" | 206 cm | 81" | 206 cm | | | |
| Max Cockpit Depth | 24" | 61 cm | 24" | 61 cm | 24" | 61 cm | | | |
| Transom Height | 25" | 64 cm | 20" | 51 cm | 20" | 51 cm | | | |
| Deadrise | 12° | 12° | 10° | 10° | 10° | 10° | | | |
| Weight (Boat only, dry) | 1,190# | 540 kg | 935# | 424 kg | 902# | 409 kg | | | |
| Max Capacity (Weight/Person) | 1,400#/6 | 635 kg/6 | 1,300#/5 | 590 kg/5 | 1,300#/5 | 590 kg/ | | | |
| Max HP Capacity | 115 | 115 | 60 | 60 | 60 | 60 | | | |
| Fuel Capacity | 20 gal | 75 L | 12 gal* | 45 L | 12 gal* | 45 L | | | |
| Aluminum Gauge Bottom | .100" | .254 cm | .100" | .254 cm | .100" | .254 cm | | | |

BASE - ACCENT - INTERIOR Summit White - Red Flame Metallic - Gray Silver Metallic - Black Metallic - Gray Silver Metallic - Black Metallic - Gray Black Metallic - Black Metallic - Gray Black Metallic - Black Metallic - Gray See crestlinecom for additional floorplans Side Console Dual Console Rod Storage Storage

Walk-Through Tiller
*Indicates Portable Fuel Tank



MULTIPLE CONFIGURATIONS

Multiple configurations allow you to choose the Vision that's right for you; Side Console, Dual Console and Walk-Through windshield available on the 1700 and 1600. The 1600 is also available in a Tiller.

OPEN BOW DESIGN

A wide, open bow design delivers fishing features like a spacious livewell, battery storage and dual compartments to keep things where they belong. (1600, 1600 Tiller)

STERN DECK

Stern deck features spacious casting deck and optional jump seats with storage below. The 1700 also features a 13-gallon livewell. (1700 shown)

BIMINI TOP

Stay cool on hot days with the optional Bimini top.

MORE FEATURES & OPTIONS

- 17-Gallon Bow Livewell (1600, 1600 T)
- Port Console Extension (1600 T)*
- SureMount Gunnel Accessory System with Optional Accessories
- Abundant Rod Storage
- Optional Packages* (Fish Package, Sport Package**, Full Enclosure Package**)
- *Optional

**N/A on Tiller Configuration

- Travel Cover*
- Port Console (1700, 1600)*
- Easy Access Fish Ruler (1600 T)*
- Additional Deluxe Seat*
- Wood-Free Transom*




















BUILT TO EXPLORE

Sometimes all you need are the essentials. Whether you choose the side console or tiller configuration, the Discovery is fishing ready. Easy to trailer and affordable, it's perfect for getting you on the water with as little pretense as possible.

| SPECIFICATIONS | 1650 DISCOVERY SC | | 1650 DISCO | VERY TILLER | 1450 DISCO | VERY SC | 1450 DISCOVERY TILLER | | | |
|------------------------------|-------------------|----------|------------|-------------|------------|----------|-----------------------|----------|--|--|
| Overall Length | 16' 6" | 5.03 m | 16' 6" | 5.03 m | 14' 9" | 4.49 m | 14' 9" | 4.49 m | | |
| Boat/Motor/Trailer Length | 21' 6" | 6.55 m | 21' 6" | 6.55 m | 19' 8" | 5.99 m | 19' 8" | 5.99 m | | |
| Boat/Motor/Trailer Width | 6' 4" | 1.93 m | 6' 4" | 1.93 m | 6' 4" | 1.93 m | 6' 4" | 1.93 m | | |
| Boat/Motor/Trailer Height | 5' 9" | 1.75 m | 5' 9" | 1.75 m | 5' 9" | 1.75 m | 5' 9" | 1.75 m | | |
| Beam | 75.5" | 192 cm | 75.5" | 192 cm | 75.5" | 192 cm | 75.5" | 192 cm | | |
| Max Cockpit Depth | 21.5'' | 55 cm | 21.5'' | 55 cm | 21.5" | 55 cm | 21.5" | 55 cm | | |
| Transom Height | 20'' | 51 cm | 20'' | 51 cm | 20'' | 51 cm | 20'' | 51 cm | | |
| Deadrise | 6° | 6° | 6° | 6° | 6° | 6° | 6° | 6° | | |
| Weight (Boat only, dry) | 875# | 397 kg | 835# | 379 kg | 765# | 347 kg | 815# | 370 kg | | |
| Max Capacity (Weight/Person) | 1,250#/5 | 567 kg/5 | 1,250#/5 | 567 kg/5 | 1,080#/4 | 490 kg/4 | 1,080#/4 | 490 kg/4 | | |
| Max HP Capacity | 60 | 60 | 60 | 60 | 40 | 40 | 40 | 40 | | |
| Fuel Capacity | Portable | Portable | Portable | Portable | Portable | Portable | Portable | Portable | | |
| Aluminum Gauge Bottom | .090" | .229 cm | .090" | .229 cm | .090" | .229 cm | .090" | .229 cm | | |

BOW STORAGE

Ample bow storage includes three large compartments and a dedicated battery compartment.

AERATED LIVEWELL

An 11-gallon aerated livewell is located in the bow.

IN-FLOOR ROD STORAGE

Center in-floor locking rod storage holds four rods. (1650: 8' 6", 1450: 7')

MORE FEATURES & OPTIONS

- Quick Access Rod Rack with Storage
- Foot Trim (Tiller Only)
- Additional Deluxe Seat*
- Windscreen*

*Optional

- Custom Travel Cover*
- Bow Cargo Netting*
- Wood-Free Transom*

For a full video walk-through of the Discovery, visit crestliner.com

COLORS & CONFIGURATIONS BASE - ACCENT - INTERIOR Summit White - Summit White - Gray Silver Metallic - Silver Metallic - Gray Black Metallic - Black Metallic - Gray Summit White - Red Flame Metallic - Gray* Summit White - Silver Metallic - Gray* Silver Metallic - Black Metallic - Gray* Silver Metallic - Blue Flame Metallic - Gray* Olive Drab - Olive Drab - Tan* Olive Drab includes Mossy Oak Shadowgrass upholstery and tan vinyl flooring (Tiller only). *Optional colors.

1650 SC

1650 Tiller
















See crestliner.com for additional floorplans

Rod Storage Storage Livewell









AS TOUGH AS YOUR WILL TO FISH

Rugged durability is combined with the passion to fish from sunrise to sunset with the ultra-durable Kodiak.

BOW STORAGE

Three large compartments with facing double doors and a dedicated battery compartment.

22-GALLON BOW LIVEWELL

Aerated livewell keeps your catch fresh.

MORE FEATURES & OPTIONS

- I Tiller Configuration
- Composite Flooring*
- SureMount Gunnel Accessory System

*Optional

- Quick Access and Locking Rod Storage
- Bow Cargo Netting*
- Wood-Free Transom*

| SPECIFICATIONS | 1800 KODI | AK SC |
|------------------------------|-----------|----------|
| Overall Length | 18' | 5.48 m |
| Boat/Motor/Trailer Length | 21' 2" | 6.45 m |
| Boat/Motor/Trailer Width | 7' | 2.13 m |
| Boat/Motor/Trailer Height | 5' 9" | 1.75 m |
| Beam | 78'' | 198 cm |
| Max Cockpit Depth | 21.5" | 55 cm |
| Transom Height | 20'' | 51 cm |
| Deadrise | 10° | 10° |
| Weight (Boat only, dry) | 920# | 417 kg |
| Max Capacity (Weight/Person) | 1,375#/6 | 624 kg/6 |

75

19 gal

.100"

75

72 L

.254 cm

1800 KODIAK TILLER 181 5.48 m 21' 2" 6.45 m 2.13 m 5' 9" 1.75 m 78'' 198 cm 21.5" 55 cm 20" 51 cm 10° 10° 820# 372 kg 624 kg/6 1,375#/6 60 60 72 L 19 gal .100" .254 cm

COLORS & CONFIGURATIONS

BASE - ACCENT - INTERIOR

Summit White - Summit White - Gray

Silver Metallic - Silver Metallic - Gray

Black Metallic - Black Metallic - Gray*

Summit White - Red Flame Metallic - Gray*

Summit White - Silver Metallic - Gray*

Silver Metallic - Black Metallic - Gray*

Silver Metallic - Blue Flame Metallic - Gray*


Olive Drab - Olive Drab - Tan*

Olive Drab includes Mossy Oak Shadowgrass upholstery and tan vinyl flooring (Tiller only). *Optional colors










Max HP Capacity

Aluminum Gauge Bottom

Fuel Capacity









KEEP IT SIMPLE

STERN SPLIT BENCH SEATING

The stern split bench seats make for easy access to the engine. (1460, 1468 & 1668 only)

WALK-THROUGH BENCH & REMOVEABLE FLOOR

Features mid-ship split bench seating for maneuverability from bow to stern and removable flooring. (1468 WT & 1668 WT only)

TRANSOM HANDLES

Transom handles make for easy mobility.

MORE FEATURES & OPTIONS

- Marine-Grade Vinyl Wrapped Bench Portable Fuel Tank* Seats (1460,1468/WT, 1668/WT) Side Console (1468 & 1668 only)

*Optional

1468 1258

| SPECIFICATIONS | 1668/WT | | 1468/WT | | 1460 | | 1458 | | 1258 | | COLORS & CONFIGURATIONS |
|-------------------------|-------------------|---------------------|-----------------|---------------------|----------|----------|----------|----------|----------|----------|--|
| Overall Length | 16' | 4.88 m | 14'3" | 4.34 m | 14' | 4.26 m | 14'4" | 4.37 m | 12'4" | 3.76 m | BASE - ACCENT - INTERIOR 166 |
| Beam | 68'' | 1.72 m | 68'' | 1.72 m | 60'' | 1.52 m | 58'' | 1.47 m | 58'' | 1.47 m | Aluminum - Aluminum - Matte Gray (1258, 1460) |
| Transom Height | 15'' 20'' | .38 m .51 m | 15'' 20'' | .38 m .51 m | 15'' | .38 m | 15'' | .38 m | 15'' | .38 m | Aluminum - Charcoal - Matte Gray (1460, 1468/WT, 1668/WT) |
| Weight (Boat only, dry) | 285# 375# WT | 129 kg 170 kg WT | 240# 344# WT | 109 kg 156 kg WT | 201# | 91 kg | 150# | 68 kg | 130# | 59 kg | See crestliner.com for additional floorplans |
| Max Weight Capacity | 910# 1,082# WT | 413 kg 491 kg WT | 821# 905# WT | 372 kg 411 kg WT | 729# | 331kg | 750# | 340 kg | 603# | 274 kg | Rod Storage Storage |
| Max Person Capacity | 4 5 WT | 3 CAN 4 CAN WT | 4 4 WT | 4 CAN 4 CAN WT | 4 | 3 CAN | 4 | 3 CAN | 3 | 2 CAN | Livewell |
| Max HP Capacity | 25/30 | 25/30 | 25/25 | 25/25 | 20 | 20 | 15 | 15 | 10 | 10 | |
| Fuel Capacity | Portable | Portable | Portable | Portable | Portable | Portable | Portable | Portable | Portable | Portable | |
| Aluminum Gauge Bottom | .061" | .155 cm | .061" | .155 cm | .061" | .155 cm | .051" | .130 cm | .051" | .130 cm | 11 3 3 2 C C C C C C C C C C C C C C C C C |

FEATURES & OPTIONS

Below are just some of the features and options available to tailor your Crestliner to your personal style of boating and fishing. For more information, visit Crestliner.com. *Not all features are available on all boats.



DELUXE SEAT

The Deluxe Seat is extra wide for added comfort. The cushioned backrest conveniently folds down.



SNAP-IN CARPET

For extra comfort underfoot, add Snap-In Carpet runners, custom fitted to your Crestliner. Available for models with vinyl flooring.



PRO SEAT

Fishermen on long treks will appreciate the additional support of the pro style seats.



J-HOOK HAMMOCK

Relax with the innovative J-Hook Hammock with a pillow pocket. Available on Sportfish and Super Hawk (excluding 1650).



RECLINING CAPTAIN'S CHAIR

Dual armrests and supple cushioning make the Reclining Captain's Chair a popular choice among anglers who value comfort.



TRAVEL COVER WITH J-HOOK

The snug, custom-cut travel cover attaches securely to extruded gunnels with easy on/off snapless J-Hooks. Walk-through models have a ratchet design system.



BUTT SEAT

The Butt Seat gives fishermen a sturdy spot to sit or lean against when rotated 180°.



SHOCK EFFECT WRAP

The Shock Effect Wrap has a dynamic look that says serious fishing.



BOW DECK PAD

The Bow Deck Pad with bolsters creates a spacious lounge area and cushioned sundeck atop the bow deck. Available on Sportfish & Super Hawk. (Sportfish shown)



MAD FISH GRAPHICS

Show your Team Crestliner love while showing the competition you mean business with the Mad Fish Graphics.



REMOVABLE SKI PYLON

All types of watersports are in reach with the optional ski pylon. (Available on Sportfish, Super Hawk and Vision.)



TURBOSWING®

Pull thrill-seekers with the TurboSwing® tow bar and EZpulley.™ (Available on Fish Hawk and Raptor.)



SWIM PLATFORM WITH LADDER

Throw the anchor and enjoy a swim thanks to the swim platform and ladder. (Fish Hawk, Super Hawk and Sportfish OB Only)



WASHDOWN SYSTEM

Easily hose down your Crestliner after a tough day of fishing with the heavy-duty washdown system.



FULL CANVAS ENCLOSURE

Available options include side curtains, aft/drop curtain, suntop, Bimini top and tonneau cover. Covers attach securely to extruded gunnels with the easy on/off snapless J-Hooks. (Ensure proper ventilation. Full canvas enclosure should be used only when the boat is at anchor or at rest and never when the engine(s) is running.)

















SUREMOUNT GUNNEL ACCESSORY SYSTEM

Removable SureMount aluminum accessory brackets let you slide your favorite accessories along the gunnel for perfect placement without drilling.



Attach and slide along the SureMount Gunnel system for perfect placement.

- 1 Rod Holder5 Tackle Bag
- 2 Drink Holder
- 3 Tool Holder
- 4 Down Rigger Bracket

- 6 Accessory Bag
- 7 Cutting Station

DEEP-V FEATURES & OPTIONS

| | | ananmara | | · 1 / / (* / / / | GUDDD HAWK | | | | ODIMV | COMMAN | 000 01100 | 001111 | ANDED | 7.37 | D A DMOP | |
|--|-------------|------------------|---|------------------|---------------|----------------|-------------|--------------|---------------|--------------------|-------------------|------------------|---------------|--------------|-----------------|-----------|
| | 2150 | SPORTFIS 1950 | 'H 1850 | 1950 | SUPEI 1850 | R HAWK 1750 | 1650 | AUTH 2250 | ORITY 2050 | CUMMAN. 2050 | DER ELITE 1850 | 2050 | ANDER 1850 | 2100 | RAPTOR 1850 | 1750 |
| CONSOLE | 2100 | 1000 | 1000 | 1000 | 1000 | 1700 | 1000 | 2200 | 2000 | 2000 | 1000 | 2000 | 1000 | 2100 | 1000 | 1700 |
| Console Configurations Offered | WT | WT | WT | WT | WT | WT | WT | WT | WT | WT | WT | WT | WT | WT | WT/SC/DC | WT/SC/E |
| SEATING | 111 | WI | WI | 111 | W1 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | 111 | WI | W1700700 | W170071 |
| Standard Seating | PS (4) | PS (4) | PS (4) | DL (4) | DL (3) | DL (2) | DL (2) | PS (4) | PS (4) | DL (2) | DL (2) | DL (2) | DL (2) | PS (2) | PS (2) | PS (2) |
| Optional Seating | BT/PP/RC | BT/PP/RC | BT/PP/RC | PS/BT/PP/RC | PS/BT/PP/RC | PS/BT/PP/RC | PS/BT/PP | BT/PP/RC | BT/PP/RC | | | PS/BN/PP/RC/SB | | BT/PP/RC | BT/PP/RC | BT/PP/I |
| Conversion Bow / Bow Platform Pad | STD/OPT | STD/OPT | STD/OPT | STD/OPT | STD/OPT | STD/OPT | STD/OPT | -/- | -/- | -/- | -/- | -/- | -/- | /-/- | -/- | -/- |
| Conversion Bench / Jump Seats | -/- | -/- | OPT (OB) / OPT(OB)* | OPT / STD | OPT / STD | OPT / STD | OPT / STD | - / OPT | - / OPT | -/- | -/- | - / OPT | - / OPT | OPT / - | OPT / - | OPT / |
| STORAGE | | | | | | | | | | | | | | | | |
| Bow Cargo Netting | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | -/- | 41- | OPT | OPT | STD | STD | STD |
| kable Under Console Storage Drawers (Port / Starboard) | - / OPT | - / OPT | - / OPT | - / OPT | - / OPT | - / OPT | -/- | -/- | -/- | -/- | /-/- | -/- | -/- | - / STD | - / STD | - / STD |
| Storage Compartment(s) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) |
| Rod Storage Compartment(s) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | 1/6/2/11/20 | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L |
| Rod Capacity/Max Rod Length (# of Rods) | 10 / 8' (4) | 10 / 8' (4) | SST - 10 / 7'6" (8) 0B - 10 / 8' (4) | 11 / 9' (5) | 11 / 8' (5) | 11 / 7'6" (5) | 8 / 7" (8) | 16 / V (6) | 16 / V (6) | 20 / V (6) | 20 / V (6) | 19 / V (5) | 18 / V (5) | 19 / 10' (2) | 14 / 10' (2) | 14 / 8' (|
| Livewell | A R | A R | A R | A | A | A | A | A | A | A | A | A | A | A R | A R | A R |
| Baitwell (Bow / Stern) | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | STD / STD | STD / STD | STD / S |
| STEERING | | | | | | | | | | | | | | | | |
| No Feedback Steering | | 100 | STD (OB) | OPT | STD | STD | STD | . (- 1 | 1975 - N. 18 | 19 SI/ - 4\/ - 1 | T 1/2 1/10 | 7.1 - / . | 1/ -/1 / | / 12 / | STD | STD |
| Hydraulic Steering (recommended with 150hp or more) | STD | STD | OPT (STD SST) | STD | OPT | OPT | OPT | STD | STD | STD | STD | OPT | OPT | STD | OPT | OPT |
| Tilt Steering / Helm Seat Slider | STD / STD | STD / STD | STD / STD | STD/ STD | OPT / STD | OPT / STD | OPT / OPT | STD / STD | STD / STD | STD/STD | STD/STD | OPT / OPT | OPT / OPT | STD / STD | STD / STD | STD / ST |
| ELECTRONICS | | | | | | | | | | | | | | | | |
| Bilge Pump | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| Battery Charger | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| Boss Stereo/Dual Stereo | STD / OPT | STD / OPT | STD / OPT | STD / OPT | STD / OPT | STD / OPT | OPT / OPT | STD / OPT | STD / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | STD / OPT | OPT / OPT | OPT / OF |
| Depth Finder (Console / Bow) | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / - | OPT / - | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OF |
| ANCILLARY POWER | | | | | | | | | | | | | | | | |
| Kicker Outboard | OPT | OPT | OPT | OPT | OPT | OPT | - | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| Bow Trolling Motor | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | | 36/2 | OPT | OPT | OPT | OPT | OPT |
| INTERIOR | | | | | | | | | | | | | | | | |
| Carpet | STD | STD | STD | STD | STD | STD | STD | - 1 - 1 | - | - | 17 - 1 S | = | - | STD | STD | STD |
| Vinyl Floor (Cockpit & Decks) | OPT | OPT | OPT | OPT | OPT | OPT | OPT | STD | STD |) - (- | - 3 | STD | STD | OPT | OPT | OPT |
| Vinyl Floor (Cockpit Only) | OPT | OPT | OPT | OPT | OPT | OPT | OPT | | | STD ** | STD ** | | | STD | OPT | OPT |
| Snap-in Carpet | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | 1/1/2 | 11. | | | OPT | OPT | OPT |
| CANVAS COVERS | | | 407 | | | 007 | | | | | 0.07 | | | | | |
| J-Hook Travel Cover | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT (WT) | OPT OPT |
| Sun Top with Boot | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT (WT) | OPT (W) |
| Bimini Top | OPT OPT | OPT OPT | OPT OPT | OPT OPT | OPT OPT | OPT OPT | OPT OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT OPT (WT) | OPT (W) |
| Side Curtains Aft Curtains / Bron Curtain | OPT / - | OPT / - | OPT / - | OPT / - | OPT / - | OPT / - | OPT / - | - / OPT | - / OPT | - / OPT | - / OPT | - / OPT | - / OPT | OPT / - | OPT (WT) / - | OPT (WT) |
| Aft Curtains / Drop Curtain Tonneau Cover | OPT - | OPT - | OPT - | OPT - | OPT - | OPT | OPT 7 - | - / UPT | - 7 UPT | - / UPT | - / UP1 | - 7 UPT | OPT | OPT - | OPT (WT) | OPT (WT) |
| Tonneau Gover Miscellaneous | UPI | UPI | UFI | urı | UPI | UPT | uri | UPI | UPI | | | UPT | uri | Url | UFI(WI) | UPI (W |
| Port Console | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | OPT | OPT |
| Flip Up Cleats | STD | STD | STD | OPT | OPT | OPT | OPT | STD | STD | 310 | - ** | - 010 | 010 | STD | STD | STD |
| Washdown System | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| Swim Platform with Ladder / Reboarding Ladder | STD / - | STD / - | STD (SST) OPT (OB) / | OPT / STD | OPT / STD | OPT / STD | OPT / STD | STD/- | STD/- | - / STD | - / STD | | | - / STD | | |
| | | | STD (OB) | | | | UP1 / STD | 910/- | 910/- | - / 210 | - 1 210 | - / STD | - / STD | - / 210 | - / STD | - / STI |
| Ski Pylon / TurboSwing® Tow | STD / - | STD / - | STD (SST) OPT (OB) / - | OPT / - | OPT / - | OPT / - | OPT / - | -/- | -/- | -/- | -/- | -/- | -/- | - / OPT | - / OPT | - / OP |
| Bow Stainless Steel Rails | STD | STD | STD | - | - | - X - X | // - / | STD | STD | OPT | OPT | OPT | OPT | - | - | - |
| SureMount Gunnel System | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |

| 1950 | FISH 1850 | HAWK 1750 | 1650 | 1850 RIICKET | BASS HAWK | L 1750 BUCKET | 1850 | PRO TILLER 1750 | 1650 | 1700 | VISION 1600 | 1600 T | DISC 1650 | OVERY 1450 | KODIAK 1800 |
|--------------|--------------|--------------|----------------------|----------------|---|-----------------|---|--------------------|-------------|---------------|----------------|------------------|----------------------------------|----------------------------------|----------------|
| 1000 | 1000 | 1700 | 1000 | 1000 DOOKET | 1000 1 00001A | E 1700 BOOKET | 1000 | 1700 | 1000 | 1700 | 1000 | 1000 1 | 1000 | 1400 | 1000 |
| WT/SC/DC | WT/SC/DC | WT/SC/DC | WT/SC/DC | SC/DC | SC/DC | SC/DC | TL | TL | TL | WT/SC/DC | WT/SC/DC | TL | SC/TL | SC/TL | SC/TL |
| DL (2) | DL (2) | DL (2) | DL (2) | PB (2) | DL (2) | PB (2) | DL (2) | DL (2) | DL (2) | DL (2) | DL (2) | DL (2) | DL (2) | DL (2) | DL (2) |
| PS/BT/PP | PS/BT/PP | PS/BT/PP | PS/BT/PP | PS/BT/DL/PP/CF | PS/BT/DL/PP | PS/BT/DL/PP/CF | PS/BT/PP | PS/BT/PP | PS/BT/PP | BT | BT | BT | - | | |
| -/- | -/- | -/- | -/- | - / - | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- | -/- |
| OPT / - | OPT / - | OPT / - | OPT / - | - / - | - / STD | -/- | -/- | -/- | -/- | - / OPT | - / OPT | -/- | -/- | -/- | -/- |
| | | | | | | | | | | | | | | | |
| OPT | OPT | OPT | OPT | - / - | -/- | -/- | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| - / OPT | - / OPT | - / OPT | OPT / OPT | - / - | -/- | -/- | STD/ - | STD/ - | STD/ - | -/- | -/- | -/- | -/- | -/- | -/- |
| STD (L) | STD (L) | STD (L) | STD | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD | STD | STD | STD | STD | STD |
| STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD (L) | STD / OPT (L) | STD (L) | STD (L)/ OPT (L) | STD (L) | STD (L) | STD (L) |
| 12 / 9' (2) | 12 / 8' (2) | 12 / 8' (2) | 19 / 9' (SC-5, WT-3) | 19 / 8' (5) | 19 / 8' (5) | 19 / 8' (5) | 12 / 9' (2) | 12 / 8' (2) | 12 / 8' (2) | 5 / 9' 6" (3) | 7 / 9' (5) | 10 / 9' (2) | WT- 8 / 9' (4) SC- 6 / 9' (2) | SC- 6 / 7' (6) WT- 8 / 7' (8) | 7 / 7' (7) |
| A ® | A ® | A ® | A | A R | A R | A R | A ® | A ® | A | A | A | A | Α Α | A | A |
| OPT / STD | OPT / - | OPT / - | OPT / - | -/- | -/- | -/- | OPT / STD | OPT / STD | OPT / STD | -/- | - / STD | - / STD | -/- | -/- | -/- |
| - | STD | STD | STD | STD | STD | STD | | X > Y = , Y | - | STD | STD | | STD (n/a TL) | STD (n/a TL) | STD (n/a TL) |
| STD | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | | _ | _ | | - | |
| STD / STD | OPT / STD | OPT / STD | OPT / OPT | OPT / - | OPT / - | OPT / - | -/-/ | -/- | -/- | -/- | -/- | -/- | - / OPT | - / OPT | - / OPT |
| | | | | | | | | | | | | | | | |
| STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / - | OPT / - | OPT / - | OPT / - | OPT / - | OPT / - | OPT / - | OPT / - | -/- |
| OPT / OPT | OPT / OPT | OPT / OPT | STD / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT | OPT / OPT |
| | | | | | | | | | | | | | | | |
| OPT | OPT | OPT | - | -/- | -1- | - / - | OPT | OPT | | - | | | - | - | |
| OPT | OPT | OPT | STD | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| OPT | OPT | OPT | OPT | 1 / 1 - 1 | | | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| OPT | OPT | OPT | OPT | - 1 | 12 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | - | | - A | - | | - | - | - 1 | - | |
| | | | | | | | | | | | | | | | |
| OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT |
| OPT (WT) | OPT (WT) | OPT (WT) | OPT (WT) | -// | 11,4-11. | //// | - | | - " | - | - | - | | 7 | - 7 |
| OPT | OPT | OPT | OPT | | 1 - 1 - 1 | V // 1 + // 1 + | | - | - 1 | OPT | OPT | OPT | | | |
| OPT (WT) | OPT (WT) | OPT (WT) | OPT (WT) | - 17 | 1.4 - 7. | 4 // + / | - 1 | 1 | | OPT (WT) | OPT (WT) | - | | - | |
| OPT (WT) / - | -/- | -1-, | - / - | -/- | -/- | | - / OPT (WT) | - / OPT (WT) | -/- | -/- | -/- | -/- |
| OPT (WT) | OPT (WT) | OPT (WT) | OPT (WT) | | - | | 111111111111111111111111111111111111111 | | 13.5 | OPT (WT) | OPT (WT) | | | | |
| OPT | OPT | OPT | OPT | OPT | OPT | OPT | | | | OPT | OPT | | | | |
| OPT | OPT | OPT | OPT | DTS | STD | STD | OPT | OPT | OPT | | | | - 1 | - 4 | |
| OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | OPT | 1 100 | - 1/// - 1/// | | - 1 | - | |
| OPT / STD | OPT / STD | OPT / STD | OPT / STD | - / STD | - / STD | - / STD | - / STD | - / STD | - / STD | OPT / STD | OPT / STD | - / STD | - / STD | - / STD | - / STD |
| - / OPT | - / OPT | - / OPT | - / OPT | -1- | -/- | -/- | -/- | -1- | -/- | OPT / - | OPT / - | -/- | -/- | -1- | -/- |
| | | - | 1/ 1/4 | 7// | / | | 1-1 | | | 1. 18. 1. 1. | | | | - 22 | |
| STD | STD | STD | STD | DTS | STD | STD | STD | STD | STD | DTS | STD | STD | STD | STD | STD |

These are just some of the features and options available. Please see the Crestliner website for more information. Some features/options may change based on layout. Every effort was made to ensure that this information was accurate at the time of printing. Crestliner assumes no responsibility for errors in type or in print.

PAINT OPTIONS









Blue Flame Metallic

Silver Metallic

Red Flame Metallic

Canyon Brown Metallic







Black Metallic

Summit White

Olive Drab

VINYL FLOORING

CARPET SWATCHES










Gray Carpet

Tan Carpet

Gray Vinyl

Tan Vinyl

VINYL SEATING





Gray Vinyl

Tan Vinyl

All prices and specifications subject to change. Crestliner reserves the right to discontinue models or change prices, specifications, materials, equipment, color or design at any time without notice and without notice and

©2018 Crestliner / A Brunswick boat company. Printed in USA

^{*}Not all processes, features and statements apply to every Crestliner boat model.