



Crestliner Construction 2
MX4
<i>XF/XFC</i> 10
Ridge
Storm
Outlook
Bay
Retriever FCC 22
Retriever CC23
Retriever SC/SCHD24
Retriever Jon Deluxe25
Retriever Jon26
CR Jon
Features & Options
Specifications29
Color Options



BUILT FOR THOSE WHO CHALLENGE THE STATUS QUO.

Fishing isn't just a sport, hunting isn't just a hobby, and boats aren't just vessels built to bring you from point A to point B. They're lifelong passions and our reasons for leaving land, time and time again. That's why Crestliner never settles when it comes to building our boats. And why you'll find seven decades of durability, an unwavering commitment to quality and boundary-pushing innovation in each and every rig. Because when your passion for casting and catching is above and beyond what others consider normal, you need a boat ready to go just as far.




FORGED WITH STRENGTH. **DEFINED BY DURABILITY.**

NO WOOD. **NO CAUGHT LINES.** NO MAINTENANCE.

the test of time and built to perform.





1 MULTI X HULL

Crestliner Mod-V boats feature our Multi X Hull, a multipiece design with formed-in strakes built into the construction and extruded longitudinal ribs under the decking. This produces superior strength, stability and durability.

2 EXTRUDED FULL-LENGTH KEEL

The backbone of every Mod-V, the extruded full-length keel is constructed using an interlocking tongue-and-groove-seam construction method, providing strength and a smooth ride.

Countless innovations are seamlessly integrated into the design. Simply put, Crestliner boats are welded to stand

WELDING PROCESS

Crestliner uses handcrafted. continuously welded seams on our hull for unbeatable strength, durability and a watertight fit.

SUPERIOR STRUCTURAL INTEGRITY

Under the floor of a Crestliner is a rock-solid foundation with an intricate stringer system providing a safe, smooth ride.

BROAD BEAM DESIGN

With an advanced broad beam design, Crestliners have more deck space and larger casting platformsperfect for fishing all day.



WOOD-FREE CONSTRUCTION

From rugged transoms to solid decking, the Crestliner lineup gives you the durability, consistency and quality of 100% aluminum construction.

Not all processes, features and statements apply to every Crestliner boat model.

THE **CRESTLINER** ADVANTAGE

ENDURING QUALITY

At Crestliner, integrity and passion drive every decision we make. We take pride in our generations of engineering innovationdesigning boats that last generations, too.



15 CONSECUTIVE CSI AWARDS



LIMITED LIFETIME WARRANTY

Protect every purchase with a limited lifetime warranty on mainseam welds, a three-year bow-to-stern warranty on virtually everything else and the ability to transfer warranties to future owners. (See warranty for details. Warranty differs on CR Jon boats.)



21 | 19

MX

Se Star

ENGINEERED TO MATCH YOUR ABILITY.

Practice doesn't make perfect, it fills your livewell. Those same hours you poured into fine-tuning your bass game are the same hours we poured into engineering the MX 21 and brand-new MX 19. This fishing boat family is spacious. Functional. Tough. It gives you 150-250 horsepower and top-level performance with a pad hull structurally designed for stability and handling—a combination that puts every angling advantage at your disposal. Because you won't settle for less than professional grade and neither do we.


> CRESTLINER MX 19

CRESTLINER



MORE SPACE FOR MORE BASS

With a massive casting deck, you can view the water from everywhere, helping you pull enough bass to fill MX 21's giant 45-gallon livewell.






Rod Storage Storage Livewell



SPECIFICATIONS	MX 21
Overall Length	21' 5" (6.53 m)
Beam	97" (246 cm)
Transom Height	20" (51 cm)
Deadrise	10°
Weight (Boat Only, Dry)	2,012# (913 kg)
Max Capacity (Weight/Person)	1,797# (618 kg) / 4
Max HP Capacity	250 HP
Aerated Livewell Capacity	45 gal (170 L)
Fuel Capacity	40 gal (151 L)



Get all the power, stability and casting space you want from an MX but in a more versatile size.

Rod Storage Storage Livewell









1 Massive Bow Casting Deck 2 Ample Rod Storage 3 Premium Fiberglass Console 4 Spacious Stern Deck

FEATURES

Premium Helm & Passenger Seating

Stern Port & Starboard Insulated Storage & Easy-to-Reach Battery Storage

Bow Port & Starboard Locking Rod Storage Holds 5 Rods Each

Pro Seat & Butt Seat

Folding Center Seat (Doubles as a Step to Stern Deck)* HOT FOOT™ Throttle*

Custom Ratchet Travel Cover*

BOSS® Audio Stereo with Bluetooth®, USB & Two Speakers*

Port Console with Glove Box & Windscreen*

John Cox Package*

Improved Rod Straps

*Optional

SPECIFICATIONS	MX 19
Overall Length	19'5" (5.92m)
Beam	97" (246 cm)
Transom Height	20" (51 cm)
Deadrise	10°
Weight (Boat Only, Dry)	1,834# (831 kg)
Max Capacity (Weight/Person)	1,797# (815 kg) / 4
Max HP Capacity	200 HP
Aerated Livewell Capacity	45 gal (170 L)
Fuel Capacity	40 gal (151 L)



XF 189 XF 179 XFC 189 XFC 179 **XFC 189** XFC 179 **XFC 189** XFC 179 **XFC 189** XFC 179 **XFC 179 XFC 179**

Maybe you're an angler working your way to the pros or maybe you're a weekend warrior who loves spending every minute of free time catching bass and crappie. Either way, our XF and XFC models don't discriminate. With a wider bow platform for maximum stability, plenty of storage for rods and gear, plus huge livewells, these high-performance fishing machines will help you catch more whether angling is your livelihood or your favorite pastime.



DARE TO WIN

Push your fishing game further with the extreme fishability of this competition-ready bass boat.




VIDEO WALK-THROUGH AT CRESTLINER.COM

od Storage Storage Livewell







1 Wide Casting Deck 2 23-Gallon Stern Livewell 3 Seating with Storage Below 4 Fiberglass Console

FEATURES

Bow & Stern Deluxe Fishing Seats Optional Rod Rack Insert Port Rod Ramp with Topside Rod Straps SureMount Gunnel System with Optional Accessories HOT FOOT[™] Throttle Paddle Trim* Recirculating Livewell System* Pro Package* (Learn more on page 30) *Optional

SPECIFICATIONS	XF 189	XF 179
Overall Length	18' 10" (5.74 m)	17' 8" (5.38 m)
Beam	90" (229 cm)	90" (229 cm)
Transom Height	20" (51 cm)	20" (51 cm)
Deadrise	10°	10°
Weight (Boat Only, Dry)	1,280# (581 kg)	1,190# (502 kg)
Max Capacity (Weight/Person)	1,279# (580 kg) / 4	1,178# (555 kg) / 4
Max HP Capacity	115/150** HP	90 HP
Aerated Livewell Capacity	23 gal (87 L)	23 gal (87 L)
Fuel Capacity	20 gal (79.5 L)	21 gal (79.5 L)

**150 HP with Max Performance Package







FILL YOUR LIVEWELL

With aerated 23-gallon livewells complete with bait buckets in both the bow and stern, the XFC is the ultimate crappie and bass fishing boat.

-

SIDE CONSOLE



Rod Storage Storage Livewell

VIDEO WALK-THROUGH AT CRESTLINER.COM





1 Three-Across Bow Pedestal Bases 2 Bow & Stern Livewells 3 Recessed Trolling Motor Foot Pedal 4 Maximized Bow Storage

FEATURES

Fiberglass Console with Multifunction Gauges & Space for 12" Flush-Mount Graphs

Bow Rod/Gear Storage Compartments

Spacious Bow & Stern Casting Deck

SureMount Gunnel System with Optional Accessories Bow & Stern Deluxe Fishing Seats HOT FOOT™ Throttle Pro Package* (Learn more on page 30) Aerated Livewell with Timer *Optional

SPECIFICATIONS XFC 189 XFC 179 18' 10" (5.74 m) 17' 8" (5.38m) **Overall Length** Beam 90" (229 cm) 90" (229 cm) Transom Height 20" (51 cm) 20" (51 cm) 10° 102° Deadrise 1,330# (603 kg) 1,240# (562 kg) Weight (Boat Only, Dry) 1,279# (580 kg) / 4 1,178# (534 kg) / 4 Max Capacity (Weight/Person) 115/150** HP 90 HP Max HP Capacity 23 gal (87 L) 23 gal (87 L) Aerated Livewell Capacity 21 gal (79.5 L) Fuel Capacity 21 gal (79.5 L)

**150 HP with Max Performance Package

1700 RIDGE

Springfield Catholic High School Fishing Team in the 1700 Ridge





FISH CAN'T HIDE

Fish can't hide from you when you're in this shallow-draft boat. It gets you in close to shore and shallow areas other boats can't get to.





VIDEO WALK-THROUGH AT CRESTLINER.COM

Rod Storage Storage Livewell





1 Large Bow Casting Deck 2 Fiberglass Console 3 Port Rod Storage 4 Stern Livewell

FEATURES

Choice of MotorGuide™ or Minn Kota™ 45/45" 12V Trolling Motor

Deluxe Folding Bucket Seats with Storage Below

SureMount Gunnel System with Optional Accessories

Bow & Stern Deluxe Fishing Seats

Camouflage Paint & Crest-Liner Interior Coating*

Three-Across Bow Pedestal Bases*

*Optional

SPECIFICATIONS	1700 RIDGE	
STEETICATIONS	WOO KIBGE	
Overall Length	16' 11" (5.16m)	
Beam	85" (216 cm)	
Transom Height	20" (51 cm)	
Deadrise	3.5°	
Weight (Boat Only, Dry)	985# (44 kg)	
Max Capacity (Weight/Person)	1,128# (512 kg) / 4	
Max HP Capacity	75 HP	
Aerated Livewell Capacity	16 gal (60 L)	
Fuel Capacity	21 gal (79.5 L)	

1700 | 1600 STORM





1 Bow Livewell 2 Console 3 Port Rod Storage

FEATURES

MotorGuide™ or Minn Kota™ 45/45" 12V Trolling Motor Underseat Storage

Aerated Bow Livewell with Bait Bucket *Optional

SPECIFICATIONS	1700	1600
Overall Length	17' (5.18 m)	16' (4.88 m)
Beam	75" (191 cm)	75" (191 cm)
Transom Height	20" (51 cm)	20" (51 cm)
Deadrise	8°	8°
Weight (Boat Only, Dry)	670# (304 kg)	610# (277 kg)
Max Capacity (Weight/Person)	1,101# (499 kg) / 4	936# (424 kg) / 3
Max HP Capacity	60 HP	50 HP
Aerated Livewell Capacity	17 gal (64 L)	17 gal (64 L)
Fuel Capacity	12* gal (45 L)	6 gal* (23 L)
*Portable Fuel Tank		



Rod Storage Storage Livewell Visit crestliner.com for more specs, floor plans and features

ONCE YOU START, YOU'LL NEVER STOP.

CRESTLINER 1600 Storm

From families looking for a great starter boat to anglers in need of a versatile rig, the Storm offers the perfect blend of affordability, durability and craftsmanship to keep you on the water for years to come.



WHAT YOU SEE IS WHAT YOU CATCH.

1657 55 OUTLOOK





1 Starboard Locking Rod Storage 2 Tempress Seat With Storage Box 3 11-Gallon Port Side Livewell

FEATURES

NotorGuide™ or Minn Kota™	Fish Finder	
15/45" 12V Trolling Motor	Aerated Port Livewell	
Center Seat with Storage Below*	with Removable Baitbag	
Humminbird [®] PiranhaMAX 4	*Optional	

SPECIFICATIONS

1657 STICK TILLER

Overall Length	16' (4.88 m)
Beam	78" (198 cm)
Transom Height	20" (51 cm)
Deadrise	4°
Weight (Boat Only, Dry)	737# (334 kg)
Max Capacity (Weight/Person)	1,101# (499 kg) / 4
Max HP Capacity	50 HP
Aerated Livewell Capacity	11 gal (41 L)
Fuel Capacity	12 gal* (45 L)

*Portable Fuel Tank



Rod Storage Storage Livewell

The Outlook's stick-steer design gives you ultimate control in more ways than one: complete steering power, more storage space and an unobstructed view of whatever lies ahead.

VIDEO WALK-THROUGH AT CRESTLINER.COM

STORM / OUTLOOK 19







FEATURES


Ample Seating

MB Quart[®] GMR-3 AM/FM Stereo with Bluetooth[®] & Two Speakers* Storage, Lights & Four Rocket Launcher Rod Holders in T-Top*

Stainless Steel Flip-Up Cleats*

Platinum-Edition Package Aerated Bow Livewell with Timer Aerated, Recirculating Stern Livewell with Timer *Optional

SPECIFICATIONS	2200
Overall Length	22' 3" (6.78 m)
Beam	98' (249 cm)
Transom Height	24" (61 cm)
Deadrise	15°
Weight (Boat Only, Dry)	1,912# (867 kg)
Max Capacity (Weight/Person)	1,923# (872 kg) / 8
Max HP Capacity	200 HP
Aerated Livewell Capacity (Bow / Stern)	16 gal (60 L) / 22 gal (83 L)
Fuel Capacity	Stern: 22 gal (83 L)



Rod Storage Storage Livewell

Visit crestliner.com for more specs, floor plans and features

2000 | 1800

GO CONFIDENTLY BEYOND THE COAST.


your day–no matter how you spend it.



Complete with a premium console, dual aerated livewells and self-bailing hull, the 2200 Bay will help you navigate big freshwater or saltwater bays like never before.







1 Bow Deck with Storage 2 Fiberglass Center Console 3 Stern Livewell

FEATURES

Ample Seating	Aerated Bow Livewell with Bait
Washdown System*	Bucket (2000 only)
Aerated, Recirculating Stern Livewell with Timer	Vertical Rod Storage Holds Six Rods
Platinum-Edition Package*	*Optional

SPECIFICATIONS	2000	1800
Overall Length	20' 5" (6.22 m)	18' 6" (5.64 m)
Beam	96" (244 cm)	96" (244 cm)
Transom Height	20" (51 cm)	22" (56 cm)
Deadrise	12°	12°
Weight (Boat Only, Dry)	1,610# (730 kg)	1,216# (522 kg)
Max Capacity (Weight/Person)	1,508# (684 kg) / 6	1,262# (572 kg) / 4
Max HP Capacity	150 HP	150 HP
Aerated Livewell Capacity (Bow / Stern)	18 gal (68 L) / 21 gal (79 L)	21 gal (79 L)
Fuel Capacity	32 gal (121 L)	21 gal (79.5 L)

2000

1800



No matter if you're casting or cruising on intercoastal waters, the Bay series offers ample space, a premium console and plenty of stability so you can get the most out of



VIDEO WALK-THROUGH AT CRESTLINER.COM

Rod Storage Storage Livewell

1870 | 1660 RETRIEVER FCC



EXPLORE A NEW POINT OF VIEW.

For better shoreline visibility when hunting and better shallow-water navigation when fishing, the powerhouse Retriever FCC instantly steps up your game.







1 Aluminum Forward Center Console 2 Seat Box With Cushion & Storage Below 3 Bow Deck With Livewell & Storage

FEATURES

Quick-Access Portside Rod Rack Accommodates Three Rods Tunnel Hull for Enhanced Jet-Engine Performance

Lock Track Gunnel System with Optional Accessories Leaning Post with Cushion *Optional

SPECIFICATIONS	1870	1660
Overall Length	18' (5.48 m)	16'(4.88 m)
Beam	96" (244 cm)	85" 216 cm)
Transom Height	27" (69 cm)	22" (56 cm)
Deadrise	3.5°	3.5°
Weight (Boat Only, Dry)	970# (440 kg) SC	835# (379 kg)
Max Capacity (Weight/Person)	1,578# (716 kg) / 7	1,009# (458 kg) / 4
Max HP Capacity	80 Jet	65 Jet
Aerated Livewell Capacity	17 gal (64 L)	13 gal (49 L)
Fuel Capacity	19 gal (72 L)	Portable



Rod Storage Storage Livewell

VIDEO WALK-THROUGH AT CRESTLINER.COM

Visit crestliner.com for more specs, floor plans and features

2070 | 1860 RETRIEVER CC/RCC



FULLY EQUIPPED TO HUNT AND FISH Whether you call or reel them in, feed your passion with an extremely tough and capable Retriever. These purposefully designed boats can pack a load of gear, are easy to trailer and are built to withstand all-weather pursuits.

SPECIFICATIONS

Overall Length Beam Transom Height Deadrise Weight (Boat Only, Dry) Max Capacity (Weight/Pers Max HP Capacity Aerated Livewell Capacity Fuel Capacity









1 CC Center Console 2 CC Livewell 3 RCC Console 4 Leaning Post

FEATURES

Bow & Stern Storage Port Rod Rack Holds Three Rods Tunnel Hull for Enhanced Jet-Engine Crest-Liner Interior Coating* Performance (1860 only)*

Leaning Post* Camouflage Paint* *Optional



	2070 CC	1860 CC	1860 RCC
	20' (6.09 m)	18' (5.49 m)	18' (5.48 m)
	96" (244 cm)	85" (216 cm)	85" (216 cm)
	20" (51 cm)	20" (51 cm)	20" (51 cm)
	3.5°	3.5°	3.5°
	1,125# (510 kg)	970# (440 kg)	785 # (356 kg)
son)	1,860# (845 kg) / 7	1,578# (716 kg) / 7	1,797# (815 kg) / 6
	150 HP	90 HP	60 HP
	16 gal (60 L)	16 gal (60 L)	16 gal (60 L)
	19 gal (72 L)	19 gal (72 L)	Portable

2070 CC 1860 RCC

VIDEO WALK-THROUGH AT CRESTLINER.COM

CRESTLINER



2070 SC/SCHD | 1860 SC | 1760 SC | 1660 SC RETRIEVER SC/SCHD









1 Bow Livewell 2 Aluminum Console 3 Gunbox 4 Optional Bench Seat with Bow Storage


FEATURES

CRESTLINER 1860

VIDEO WALK-THROUGH AT CRESTLINER.COM

SureMount Gunnel Accessory System Port Rod Rack Holds Three Rods (N/A SCHD) Camouflage Paint* Bow, Stern & Underseat Storage Tempress Fishing Seats *Optional

Crest-Liner Interior Coating*



Rod Storage Storage Livewell

Visit crestliner.com for more specs, floor plans and features



Choose from a variety of tough, capable Retriever SC models to ensure your boat is perfectly tailored to your fishing and hunting style. The SCHD even comes standard with a 60-gallon livewell so you never have to leave a trophy behind.

SPECIFICATIONS	2070 SC/SCHD	1860 SC	1760 SC	1660 SC
Overall Length	20' (6.09 m)	18' (5.49 m)	17' (5.18 m)	16' (4.88 m)
Beam	96" (244 cm)	85" (216 cm)	85" (216 cm)	74" (188 cm)
Transom Height	20" (51 cm)	20" (51 cm)	20" (51 cm)	20" (51 cm)
Deadrise	3.5°	3.5°	3.5°	3.5°
Weight (Boat Only, Dry)	1,125# (510 kg) SC 1,289# (585 kg) SCHD	970# (440 kg) SC	890# (404 kg) SC	680# (308 kg) SC
Max Capacity (Weight/Person)	1,862# (845 kg) / 7	1,578# (716 kg) / 7	1,260# (572 kg) / 5	1,001# (454 kg) / 4
Max HP Capacity	150 HP	90 HP	75 HP	60 HP
Aerated Livewell Capacity	16 gal (60 L) SC 60 gal (227 L) SCHD	16 gal (60 L)	16 gal (60 L)	16 gal (60 L)
Fuel Capacity	19 gal (72 L)	19 gal (72 L)	19 gal (72 L)	Portable



The Retriever Jon Deluxe tiller boat combines the modest conveniences of a reliable hunting and fishing rig-like a quick-access rod rack and bow storage-with the workhorse attitude of a typical jon.

SPECIFICATIONS	1860	1760	1660					
Overall Length	18' (5.49 m)	17' (5.18 m)	16' (4.88 m)					
Beam	85" (216 cm)	85" (216 cm)	85" (216 cm)					
Transom Height	20" (51 cm)	20" (51 cm)	20" (51 cm)					
Deadrise	3.5°	3.5°	3.5°					
Weight (Boat Only, Dry)	723# (328 kg)	707# (321 kg)	670# (304 kg)					
Max Capacity (Weight/Person)	1,659# (753 kg) / 6	1,300# (590 kg) / 5	1,051# (477 kg) / 4					
Max HP Capacity	75 HP	60 HP	50 HP					
Aerated Livewell Capacity	16 gal (60 L)	16 gal (60 L)	16 gal (60 L)					
Fuel Capacity	Portable	Portable	Portable					

1860 | 1760 | 1660 **RETRIEVER**JON DELUXE







NEVER FAILS TO GET IT DONE.



1 Bow 16-Gallon Livewell 2 Quick-access Starboard Rod Rack 3 Bow Storage 4 Winged Bench

FEATURES

VIDEO WALK-THROUGH AT CRESTLINER.COM

SureMount Gunnel Accessory System with Optional Accessories Gun Box with Rod Tubes and Cushion*

*Optional



Rod Storage Storage Livewell

RETRIEVER 25

2070 | 1860 | 1760 | 1660 | 1546 RETRIEVER JON

The Aller









1 Aft Bench & Built-in Floor 2 Suremount Gunnel System 3 Elevated Bow Casting Deck 4 Tempress Seat

FEATURES

VIDEO WALK-THROUGH AT CRESTLINER.COM

All-Welded Aluminum Floor, Crest-Liner Interior Coating* Decks and Transom Camouflage Paint* Side Console Steering Configuration* Gun Box* *Optional



Rod Storage Storage Livewe	Storage Storage	Livewell
----------------------------	-----------------	----------

GRION

GO ANYWHERE WITH CONFIDENCE.

the trusted CR Jon is exactly what you need.

SPECIFICATIONS 185

Overall Length	18
Beam	75
Transom Height	20
Weight (Boat Only, Dry)	47
Max Capacity (Weight/Person)	1,3
Max HP Capacity	40

WEATHER EVERY SEASON WITH STRENGTH.

For the hunter or angler who needs a boat that can keep up from one season to the next, the unshakable Retriever Jon delivers dependable performance for every outing.

SPECIFICATIONS	2070	1860	1760	1660	1546
Overall Length	20' (6.10 m)	18' (5.49 m)	17' (5.18 m)	16' (4.88 m)	15' 1" (4.59 m)
Beam	96" (244 cm)	85" (216 cm)	80" (203 cm)	80" (203 cm)	70" (178 cm)
Transom Height	20" (51 cm)	20" (51 cm)	20" (51 cm)	20" (51 cm)	20" (51 cm)
Deadrise	3.5°	3.5°	3.5°	3.5°	3.5°
Weight (Boat Only, Dry)	710# (322 kg)	701# (318 kg)	690# (313 kg)	661# (300 kg)	290# (132 kg)
Max Capacity (Weight/Person)	1,900# (862 kg) / 7	1,600# (726 kg) / 6	1,151# (522kg) / 5	1,041# (472 kg) / 4	825# (374 kg) / 4
Max HP Capacity	75 HP	60 HP	50 HP	40 HP	25 HP
Fuel Capacity	Portable	Portable	Portable	Portable	Portable

Visit crestliner.com for more specs, floor plans and features

1852 | 1648 | 1448 | 1240 | 1040







1 Center Seat with Gravity Fed Livewell 2 Transom Handles 3 Oar-Lock Sockets

FEATURES

Bow Eye (Stainless Steel) Bow and Stern Handles Corner Caps

Formed Stern Oar Lock Sockets Formed-In Spray Rails

1648, 1448, 1040

1852/MT



Rod Storage Storage Livewell

852/MT	1648/M	1448/M	1436L	1240	1232	1040	1032
3' (5.48 m)	15' 10" (4.82 m)	14' (4.27 m)	14' (4.27 m)	11'9" (3.58 m)	11'10" (3.61 m)	10' (3.04 m)	10' (3.04 m)
ō" (191 cm)	70" (178 cm)	70" (178 cm)	57" (145 cm)	56" (142 cm)	48" (121.92 cm)	56" (142 cm)	48" (122 cm)
0" (51 cm)	15" (38 cm) 1648/M 20" (51 cm) MT	15" (38 cm) 1448/M 20" (51 cm) MT	15" (38 cm)	15" (38 cm)	15" (38 cm)	15'' (38 cm)	15" (38 cm)
75# (215 kg)	275# (125 kg)	260# (118 kg)	145# (66 kg)	107# (49 kg)	90# (39 kg)	87# (40 kg)	80# (36 kg)
375# (624 kg) / 6	1,014# (460 kg) / 4 1648 973# (442 kg) / 4 M/MT	825# (374 kg) / 4	560# (254 kg) / 3	535# (243 kg) / 3	389# (176 kg) / 2	419# (190 kg) / 3	275# (125 kg) / 2
) HP	35 HP	25 HP	15 HP	10 HP	5 HP	5 HP	3 HP

VIDEO WALK-THROUGH AT CRESTLINER.COM

When you're laser focused on getting where you need to go to get the job done,

FEATURES & OPTIONS Add comfort, style, function and fun with a full range of features and options available for most boats. Visit crestliner.com or your local dealer for complete information.

SPECIFICATIONS



DELUXE SEATS Extra wide for added comfort and stability. The cushioned backrest conveniently olds down.



TEMPRESS SEATS No-frills fold-down seat that provides just the right amount of comfort.



GUN BOX Spacious, versatile and lockable storage for fishing rods and hunting equipment such as guns and ammo.



SUREMOUNT GUNNEL ACCESSORY SYSTEM Removable SureMount aluminum accessory

brackets and mounts let you slide your favorite accessories along the gunnel for perfect placement without drilling.



MAG WHEEL TRAILER Features include aluminum wheels, steel fenders and ratchet tie-down. Available on the MX, XF and XFC.









TRAVEL COVER WITH RATCHET STRAPS

The snug, custom-cut travel cover attaches securely with ratchet straps.

CENTER SEAT

Optional center seat between the helm and passenger seats folds down to become a step to the stern. Available on the MX, XF and XFC. (XF 179 shown)

IOHN COX EDITION PACKAGES

The John Cox Edition Package includes a John Cox hullside graphic, 3D Chromax Crestliner hullside badge, stainless steel compression latches and cupholders, flip-up cleats, two power poles with 8-foot blades, and a polished aluminum steering wheel with comfort grip. Available on the MX 21 and MX 19.

PRO PACKAGE

Up your game with the optional Pro Package. Includes upgraded black sport steering wheel, windscreen, automatic bilge pump, recirculating livewell pump (stern), insulated livewell and storage compartment lids (stern), chrome compression latches, LED interior lights for bow and stern decks, stern livewell and rod locker, ratchet straps and upgraded premium mag wheel trailer. Available on the XF and XFC.

CONSOLE			их	,	XF	x	FC	RIDGE	STO	DRM	OUTLOOK		BAY		RETRIE	VER FCC	RETRIEVER CC/SC/SCHD/RCC							RETRIE	VER JON	DELUXE	E RETRIEVER JON							
ONS		21	19	189	179	189	179	1700	1700	1600	1657	2200	2000	1800	1870	1660	2070	2070	2070	1860	1860	1760	1660	1860	1860	1760	1660	2070	1860	1760	1660	1546		
U	Console Configurations Offered	SC/DC	SC/DC	SC	SC	SC	SC	SC	SC	SC	SS	СС	CC	CC	FCC	FCC	CC	SC	SCHD	CC	SC	SC	SC	RCC	TL	TL	TL	TL/SC	TL/SC	TL/SC	TL/SC	C TL/SC		
	Standard Premium Bucket Seats (2)/ Deluxe Folding w/ Flip-Up Bases (2)	STD/ -	STD/-	- /STC) - /STD	- /STD	- /STD	- /STD	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	-/-	- / -		
	Standard Seats w/ Pedestal (Deluxe/Tempress)	- / -	- / -	2 / -	2 / -	2 / -	2/-	2 / -	- / 2	- / 2	- / 2	1/-	1/-	1/-	- / -	- / -	- / -	- / 2	- / 2	- / -	- / 2	- / 2	- / 1	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -		
ING	Additional Standard Seating	PS/BT	PS/BT	DL	DL	DL	DL	DL	-	-	-	LP/ FC/JS	LP/ CS/JS	LP/ CS/JS	SB	SB	SC	-	-	SC	-	-	-	SC	AB	AB	AB	AB	AB	AB	AB	AB		
SEATING	Optional Seating	BT/PS, CF	/ BT/PS/ CF	BT/ PS/ CF	BT/ PS/ CF	BT/ PS/ CF	BT/ PS/ CF	вт	-	-	TSS	PLP/DL	DL	DL	LP/TS/ SC	LP/TS/SC	LP/TS	BS/TS	BS/TS	LP/TS	BS/TS	BS/TS	BS/TS	LP/TS	TST/TS	TST/TS	TST/TS	TS	TS	TS	TS	TS		
	Camo Seats	-	-	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT		
	Seat Pedestal Bases	2	2	2	2	4	4	2 STD/2 OPT	2	2	-	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1	1	1	1	1	1	1		
	Storage Compartment(s)	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD (L)	STD (L)	STD (L)	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD		
	Gun Box/Gun Box w/ Rod Tubes and Cushion	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- /0PT	- /OPT	- / -	- /0PT	- /OPT	- /0PT	- / -	- /OPT	- /OPT	- /OPT	0PT/ -	0PT/ -	0PT/ -	OPT/	/-		
S TOR AGE	Rod Storage Compartment (No Tubes)/ Open Rod Storage w/Max Rod Length	STD (L 8' 6") STD (L) 8'	STD (L) 8'	STD (L) 8'	STD (L) 8'	STD (L) 8'	STD (L) 8'	STD (L) 8'	STD (L) 8'	STD (L) 9'	STD (L) 7' 6"		- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -		
in	Open Rod Storage (Tubes)/ # of Rods	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	STD / 4	STD / 3	STD / 3	STD / 3	STD / 3	STD / 3	STD / 3	STD / 3	STD / 3	STD / 3	STD/3	STD / 3	STD / 3	STD / 3	- / -	- / -	- / -	- / -	- / -		
	Vertical Rod Storage/# of Rods	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -	STD / 6	STD / 6	STD / 6	STD / 6	STD / 6	STD / 6	STD / 3	STD / 3	STD / 6	STD / 3	STD / 3	STD / 3	SDT/6	- / -	- / -	- / -	- / -	- / -	- / -	- / -	- / -		
	Livewell(s)	A ◎	A ®	A ◎	A ®	A⊚	A ®	A ®	Α	Α	А	Α	Α	Α	Α	A	Α	Α	Α	Α	Α	Α	Α	Α	A	A	A	-	-	-	-	-		
ខ	Trolling Motor	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT		
ELECTRONICS	Trolling Motor Harness and Receptacle	STD			STD			STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD		STD	STD	STD	STD	-	-	-	-	-		
Ë	Battery Charger	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT		
_	Depth/Fish Finder	OPT	OPT	OPT		OPT	OPT	STD		STD	STD	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	-	-	-	-	-	-	-	-		
OR	Carpeted SeaDek Flooring (Bow, Helm Standing Pad,	STD -	STD -	STD	STD -	STD -	STD -	STD -	STD	STD -	STD -	- OPT	- OPT	- OPT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
INTERIOR	Stern) Crestliner (Spray-In Liner w/	-	-	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	STD	STD	STD	OPT	OPT	OPT	OPT	OPT	OPT	OPT	ОРТ	OPT	STD	OPT	OPT	OPT	OPT	OPT	OPT	ОРТ	OPT		
	Painted Interior) Painted Interior									-					STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD		
	Camouflage Paint			OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT				OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	-		
S	Bilge Pump	STD	STD	STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	-	-	-	-	-		
EOU	Deck Cleats	STD	STD	STD		STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	_	_					
MISCELLANEOUS	Horn	STD	STD	STD		STD	STD	STD		STD	STD	STD	STD	STD	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	-	-	-	_	_	-	_			
CEL	Lock-Track Accessory Gunnel	-	-	-	-	-	-	-	-	-	-	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD		
MIS	SureMount Gunnel System	STD	STD	STD	STD	STD	STD	STD**	-	-	-	-	-	-	STD**	STD**	STD**	STD**	-	STD**	STD**	STD**	STD**	STD**	STD**	STD**	STD**	STD**	STD**	STD**	STD			
	Stainless Steel Bow and Stern Eyes	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD		
	**Requires 45° Accessory Mount																																	

LEGEND SEATING

STD Standard | OPT Optional | – Not Available


BN Bench Seat w/Storage BT Butt Seat w/ Pedestal CF Center Fold-Down Seat DL Deluxe Seat PP Power Pedestal | PB Premium Bucket Seat | PS Pro Seat | RC Reclining Captain's Chair Seat with Armrests & Slider SB Storage Boxes below Helm & Passenger

CONSOLE STORAGE/LIVEWELL CONFIGURATION

DC Dual Console | SC Side Console | TL Tiller | WT Walk-Through Windshield L Lockable A Aerated R Standard Recirculating System © Optional Recirculating System JS Jump Seat

MOD-V COLORS

PAINT OPTIONS



Gunmetal Gray

Marsh Tan (Interior/Exterior)

Olive Drab (Interior/Exterior)

Mossy Oak® Breakup (Interior/Exterior) Mossy Oak® Shadowgrass (Interior/Exterior)

INTERIOR




SeaDek Flooring (Bay only)



Crest-Liner Interior Coating





White Crest-Liner Interior Coating

CARPET SWATCHES



Gray Carpet

*Not all processes, features and statements apply to every Crestliner boat model.

All prices and specifications subject to change. Crestliner reserves the right to discontinue models or change prices, specifications, materials, equipment, color or design at any time without notice and without incurring obligations. Some models are shown with optional features and equipment. Outboard model weights shown in this catalog reflect the approximate weight of the boat only, and do not include weights of the outboard motor or accessories installed. All boats meet or exceed United States Coast Guard regulations, applicable American Boat and Yacht Council standards and are certified by the National Marine Manufacturer's Association. Our proven construction and its durability allow us to offer you one of the best warranties in the industry. Crestliner was the first to offer a limited LIFETIME hull warranty to the original owner. All main seam welds are covered. Interior support construction carries a limited 10-year warranty. Plus, you get a limited 3-year bow-to-stern warranty on virtually everything else. It gets better...Crestliner's warranty is transferable! When it's time to upgrade to a new Crestliner, you have the option to transfer the warranty to the second owner. (Limited Lifetime warranty differs for CR Jon boats.) Some restrictions apply. For complete details, a copy of our limited warranty is attached to each new boat or may be obtained from your Crestliner dealer. Many boats featured in this catalog are shown with available options. See your dealer for details. Every effort was made to ensure that this information was accurate at the time of printing. Crestliner assumes no responsibility for errors in type, in print or in photos. Please follow the rules of safe boating, be courteous to others and respect the marine environment. Special thanks to NMMA®, Onyx®, Fell Marine®, Mercury Marine®, Power-Pole®, and Cass Lake Lodge, Cass Lake, MN. ©2021 Crestliner / A Brunswick boat company. Printed in USA