


1660 Retriever SC Side Console



Specs



GENERAL

1660 RETRIEVER SC SIDE CONSOLE



Overall Length	16'	4.87 m
Boat/Motor/Trailer Length	18' 6"	5.64 m
Boat/Motor/Trailer Width	7'1"	2.16 m
Boat/Motor/Trailer Height	5' 8"	1.72 m
Beam	85"	216 cm
Chine Width	60"	152 cm
Side Depth	21"	53 cm
Transom Height	20"	51 cm
Deadrise	3.5°	
Weight (Boat only, dry)	827#	375 kg
Max Weight Capacity	1,001#	454 kg
Max Person Capacity	4	
Min HP Capacity	20	
Max HP Capacity	60	
Fuel Capacity	Portable	
Aluminum Gauge Bottom	0.100"	
Aluminum Gauge Sides	0.100"	
Aluminum Gauge Transom	0.100"	

Colors

STANDARD

-  Painted, interior & exterior (Olive drab)
-  Painted, interior & exterior (Marsh Tan)

OPTIONAL

-  Camouflage paint (Mossy Oak Break-Up)
-  Camouflage paint (Mossy Oak Shadowgrass)

Features

CONSOLE/INSTRUMENTATION

- Console, aluminum w/3 vertical rod holders, toggle switches, 12V power outlet, space for top mount electronics & drink holder
- Steering wheel, black composite
- No-feedback steering

FLOORING

- Aluminum floor, flat

SEATING

- Seat, Tempres, Mossy Oak Shadowgrass (1)
- Pedestal floor bases (2)

STORAGE/CONVENIENCE

- Platform, low (bow)
- Storage compartments w/compression latches (port & starboard, bow)
- Storage, under seat
- Platform w/lid & service compartment (stern)

ROD STORAGE

- Rod rack, vertical (console) (holds 3 rods)
- Rod rack, quick access system (port) (holds up to 3 full-size rods)

LIVEWELLS/BAITWELLS

- Livewell, 16 gal. aerated (bow)(42Lx10Wx9D)

INTERIOR FEATURES

Wood-free construction

Bilge pump (manual)

Lanyard, ignition stop switch

Level flotation

Light, navigation

Compartment seals

Side panels

EXTERIOR FEATURES

Hull, aluminum, all-welded

Keel, extruded full length, welded (center)

Keel, extruded full length, welded (center)

Rib construction, cross & side

Rib construction, cross & side

Ribs, extruded, extra strength

Ribs, extruded, extra strength

Spray rails, formed

Cleats, black composite (4)

Paint Process, Enamel

Paint Process, Enamel

Gunnel, extruded w/lock track system

Strakes, formed 1-1/4" (6)

Strakes, formed 1-1/4" (6)

Eyes, stainless steel (bow & stern)

Eyes, stainless steel (bow & stern)

ACCESSORIES

Trolling motor outlet, w/8-gauge wiring harness (bow)

TRAILER

Basic 1800LB Bunk Painted Black Trailer

Options

CONSOLE/INSTRUMENTATION

Horn

Tachometer gauge

Windscreen

SEATING

Seat clip (male)

Seat, Tempress, Mossy Oak Shadowgrass w/seat clip (requires seat clip (male) option)

Seat, Tempress, Mossy Oak Shadowgrass w/ pedestal (factory installed)

ACCESSORIES

Battery charger, 1 bank

Battery charger, 2 bank

Bilge pump (automatic)

Cooler, 30 Quart

Fire extinguisher

Gunbox, 42" w/rod tubes & cushion (Mossy Oak Break-Up)

Gunbox, 42" w/rod tubes & cushion (Mossy Oak Shadowgrass)

Jet modification

Light, courtesy

Lock Track 5" accessory bracket

Lock Track rope eye (cleat/blind tie down) (no bracket required)

Lock Track shotgun shell and drink holder (no bracket required)

Lock Track tree holder (no bracket required)

Rod holder (requires Lock Track 5" accessory bracket)

Spray deflector

Transducer bracket, welded

Transom saver

Trim switch (bow)

Trolling motor outlet, w/6-gauge wiring harness (24V capable) (bow)

TROLLING MOTORS

MinnKota Edge 45/45" 12V

MotorGuide X3 45/45" 12V

TRAILERS

Basic 1800LB Bunk Painted Black Trailer

Basic 1800LB Vinyl Bunk Galvanized Trailer

Spare tire, w/ShoreArm'r Mnt(ST175/80R13C)1.5X3

Spare tire, w/Galv Mnt(ST175/80R13C) 1.5X3

Tie down, ratcheting mounted pair

ENGINES

Mercury 20ELPT FourStroke

Mercury 25ELPT EFI FourStroke

Mercury 30ELPT EFI FourStroke

Mercury 40ELPT EFI FourStroke

Mercury 50ELPT EFI FourStroke

Mercury 60ELPT EFI FourStroke

Mercury Jet 40ELPT EFI FourStroke

Packages

GAUGE PACKAGE

Trim Gauge

Tachometer gauge

Speedometer gauge