


220 Chase Center Walk-Through Dual Helm



Specs

GENERAL





220 CHASE CENTER WALK-THROUGH DUAL HELM

Overall Length (includes ladder)	23' 7"	7.11 m
Pontoon Length	22' 3"	6.78 m
Pontoon Diameter (.080 gauge)	25"	63.50 cm
Beam	8' 6"	2.59 m
Weight (2 tubes/3 tubes)	1,805#/2,100#	819 kg/953 kg
Max Weight Capacity (2 tubes/3 tubes)	2,435#/2,744#	1,1050 kg/1,245 kg
Max Person Capacity (2 tubes/3 tubes)	12/14	
Min HP Capacity	40	
Max HP Capacity	200	
Max HP Capacity (2 tubes/3 tubes)	150/200	
Fuel Capacity (2 tubes/3 tubes)	24/30gal	91 /114 L



*Note: Max capacity = person + motor + gear. Engine size affects capacity. Tube diameter also changes capacity. See max weight & persons for 27" diameter tubes under Optional Features/Performance & Construction.

Colors

FENCE

-  Black Metallic fence w/Silver rails
-  Bright White fence w/Silver rails
-  Maroon Red fence w/Silver rails
-  Slate Blue fence w/Silver rails


ACCENT COLOR

-  Black Metallic accent
-  Bright White accent

GRAPHIC OPTIONS

-  Sport Graphic

RAIL OPTIONS

-  Black powder-coated rails and bimini frame

Interior Colors

STANDARD FURNITURE OPTIONS

Beige lounge chairs & helm seat

Gray lounge chairs & helm seat

STANDARD FLOORING

Vinyl, Beige

Vinyl, Gray

Features

CONSOLE/INSTRUMENTATION

Console w/lit toggle switches, drink holder, 12V power outlet, throw tray and storage w/door below (starboard)

Windscreen, removable

Speedometer, tachometer & trim gauges, analog

Steering wheel, black

No-feedback steering

Horn

FLOORING

Decking, marine-grade 3/4" 7-ply pressure treated plywood

CANVAS

Bimini top, 9' black (w/boot & quick connectors)

STORAGE/CONVENIENCE

Storage compartments (below all lounge chairs)

Drink holders (9 including table)

INTERIOR FEATURES

Gates, (3) (center bow, port across from helm, center stern)

Gate floor stops

Lanyard, ignition stop switch

Light, navigation

Lights, courtesy

EXTERIOR FEATURES

Cross members, aluminum extruded

Keel, full length, extruded

Trailer tow eye

Trailing struts, quick release

Rub rail, anodized

Wiring, underdeck protection system

Cleats, chrome (4)

Ladder, 4-step w/platform (stern)

Options

CONSOLE/INSTRUMENTATION

Hydraulic steering w/tilt & cylinder

Panther Power Steering w/tilt

Steering wheel, aluminum polished w/comfort grip upgrade

Mercury Active Trim, 75-115HP

Mercury Active Trim, 150-200HP

Tilt steering (included w/Hydraulic & Panther)

FLOORING

Flooring, Wide Woven, Gray

Flooring, Narrow Woven, Gray

Flooring, Narrow Woven, Beige

Flooring, Supreme Teak, Gray

Flooring, Supreme Teak, Beige

Flooring, Wide Woven, Beige

SEATING

Seat, adjustable height base (power pedestal) exchange

Seat, helm, highback recliner w/swivel & slider, helm exchange

Seat, helm, highback recliner w/swivel & slider, passenger exchange

ACCESSORIES

Cleats, flip up, stainless steel

Cupholder, portable, black

Cupholder, portable, stainless steel

Fenders w/straps & quick connector (2) (factory installed)

Fire extinguisher

Lighting, interior (LED)

Lighting, underwater

Lights, docking (on deck LED)

Livewell, 16 gallon (furniture drop-in)

Ski tow bar, stainless steel

Speakers, additional (2)

Table, additional standard w/drink holders

CANVAS

Cover, mooring, black

Bimini top, double, black (SST quick release)

Bimini top, double, black

DEPTH/FISHFINDER

Lowrance Hook2 4X fishfinder (factory installed)

Lowrance Hook2 5X fishfinder (factory installed)

Lowrance Hook2 5 Splitshoot (factory installed)

TRAILERS

Basic 4500lb Bunk Painted Black Tandem Trailer w/Disc Brakes (2 tubes)

Basic 4500lb Bunk Galvanized Tandem Trailer w/Disc Brakes (3 tubes)

Premium 3500lb Bunk Galvanized Tandem Trailer w/Tandem Disc Brakes (2 tubes)

Basic 4500lb Bunk Galvanized Tandem Trailer w/Disc Brakes (2 tubes)

Basic 4500lb Bunk Painted Black Tandem Trailer w/Disc Brakes (3 tubes)

Premium 3500lb Bunk Painted Black Tandem Trailer w/Tandem Disc Brakes (2 tubes)

Spare tire, w/ShoreArm'r Mnt(ST175/80R13C)2X4

Spare tire, w/Galv Mnt(ST175/80R13C) 2x4

Tie down, ratcheting mounted pair

ENGINES

Mercury 40ELPT EFI FourStroke (2 or 3 tube)
Mercury 40ELPT Command Thrust FourStroke (2 or 3 tube)
Mercury 50ELPT EFI FourStroke (2 or 3 tube)
Mercury 50ELPT Command Thrust FourStroke (2 or 3 tube)
Mercury 60ELPT EFI FourStroke (3 tube)
Mercury 60ELPT Command Thrust FourStroke (3 tube)
Mercury 60EXLPT Command Thrust FourStroke (2 tube)
Mercury 75ELPT EFI FourStroke (3 tube)
Mercury 90ELPT EFI FourStroke (3 tube)
Mercury 90ELPT Command Thrust FourStroke (3 tube)
Mercury 90EXLPT FourStroke (2 tube)
Mercury 90EXLPT Command Thrust FourStroke (2 tube)
Mercury 115ELPT EFI FourStroke (3 tube)
Mercury 115ELPT Command Thrust FourStroke (3 tube)
Mercury 115ELPT Pro XS Command Thrust FourStroke (3 tube)
Mercury 115ELPT Pro XS FourStroke (3 tube)
Mercury 115EXLPT FourStroke (2 tube)
Mercury 115EXLPT Pro XS FourStroke (2 tube)
Mercury 115EXLPT Command Thrust FourStroke (2 tube)
Mercury 115EXLPT Pro XS Command Thrust FourStroke (2 tube)
Mercury 150L FourStroke (Requires Hydraulic Steering & V3 Action Package)
Mercury 150L Pro XS FourStroke (3 tube) (Requires Hydraulic Steering)
Mercury 150XL FourStroke (2 tube) (Requires Hydraulic Steering)
Mercury 150XL Pro XS Fourstroke (2 tube) (Requires Hydraulic Steering)
Mercury 175L FourStroke 4.8"1.85 (2 or 3 tube) (Requires Hydraulic Steering)
Mercury 175L DTS 4.8"1.85 (2 or 3 tube) (Requires Hydraulic Steering)
Mercury 175L Pro XS FourStroke (2 or 3 tube) (Requires Hydraulic Steering)
Mercury 200L FourStroke 4.8"1.85 (2 or 3 tube) (Requires Hydraulic Steering)
Mercury 200L DTS FourStroke 4.8"1.85 (2 or 3 tube) (Requires Hydraulic Steering)

PERFORMANCE & CONSTRUCTION

Stakes, lifting
Skin kit, aluminum

Packages

SALTWATER PACKAGE

Mounted anodes (4) (factory installed)

FULL ENCLOSURE PACKAGE

Bimini top, double, black (SST quick release)
Bow curtain
Side curtains
Aft curtain

V3 ACTION PACKAGE

25" center tube (full)
Skin kit, aluminum
Stakes, lifting
Fuel tank increases to 30 gallons
Max weight capacity changes 2,744# & 14 persons