

**2019 Crestliner Recommended Mercury Prop Chart\*- NYM**

Updated: 7.20.18

Boat	Mercury Outboard	Aluminum (# of Blades)		Stainless Steel (# of Blades)
1850 Sportfish	150XL Four Stroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Sportfish	150XL Pro XS 4 ST	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Sportfish	175XL 4ST V 6			Tempest 14.625 x 19 (3)
1850 Sportfish	175XL Pro XS 4 ST V 6			Tempest 14.625 x 17 (3)
1850 Sportfish	200XL 4 ST V 6			Tempest 14.625 x 21 (3)
1850 Sportfish	200XL Pro XS 4 ST V 8			Tempest 14.625 x 19 (3)
1950 Sportfish	150XL FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
1950 Sportfish	150XL Pro XS 4 ST			Tempest 14.625 x 17 (3)
1950 Sportfish	175XL 4ST V 6			Tempest 14.625 x 19 (3)
1950 Sportfish	175XL Pro XS 4 ST V 6			Tempest 14.625 x 19 (3)
1950 Sportfish	200XL 4S V 6			Tempest 14.625 x 21 (3)
1950 Sportfish	200XL PRO XS 4 ST V V 8			Tempest 14.625 x 19 (3)
1950 Sportfish	225XL 4 ST V 6			Tempest 14.625 x 21 (3)
1950 Sportfish	225XL Pro XS 4 ST V 8			Tempest 14.625 x 19 (3)
2150 Sportfish	175XL 4 ST V 6			Tempest 14.625 x 17 (3)
2150 Sportfish	175XL ProXS 4 ST V 6			Tempest 14.625 x 17 (3)
2150 Sportfish	200XL 4 ST V 6			Tempest 14.625 x 19 (3)
2150 Sportfish	200XL PRO XS 4 ST V 8			Tempest 14.625 x 17 (3)
2150 Sportfish	225XL 4 ST V 6			Tempest 14.625 x 19 (3)
2150 Sportfish	225XL Pro XS 4 ST V 8			Tempest 14.625 x 17 (3)
2150 Sportfish	250XL 4 ST V 8			Tempest 14.625 x 19 (3)
2150 Sportfish	250XL PRO XS 4 ST V 8			Tempest 14.625 x 19 (3)
2150 Sportfish	250XL VERADO V 8			Tempest 14.625 x 19 (3)
2150 Sportfish	300XL 4 ST V 8			Tempest 14.625 x 19 (3)
2150 Sportfish	300XL PRO XS 4 ST V 8			Tempest 14.625 x 21 (3)
2150 Sportfish	300XL VERADO V 8			Tempest 14.625 x 19 (3)
2150 Sportfish	350XL VERADO V 6			REV 4 14.625 x 20 (4)
2050 Authority	150XL Four Stroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
2050 Authority	150XL Pro XS 4 ST			Tempest 14.625 x 17 (3)
2050 Authority	175XL 4ST V 6			Tempest 14.625 x 19 (3)
2050 Authority	175XL Pro XS 4 ST V 6			Tempest 14.625 x 17 (3)
2050 Authority	200XL 4 ST V 6			Tempest 14.625 x 21 (3)
2050 Authority	200XL PRO XS 4 ST V 8			Tempest 14.625 x 19 (3)
2050 Authority	225XL 4 ST V 6			Tempest 14.625 x 21 (3)
2050 Authority	225XL Pro XS 4 ST V 8			Tempest 14.625 x 19 (3)
2250 Authority	175XL 4 ST V 6			Tempest 14.625 x 17 (3)
2250 Authority	175XL ProXS 4 ST V 6			Tempest 14.625 x 17 (3)
2250 Authority	200XL 4 ST V 6			Tempest 14.625 x 19 (3)
2250 Authority	200XL PRO XS 4 ST V 8			Tempest 14.625 x 19 (3)
2250 Authority	225XL 4 ST V 6			Tempest 14.625 x 19 (3)
2250 Authority	225XL Pro XS 4 ST V 8			Tempest 14.625 x 19 (3)
2250 Authority	250XL 4 ST V 8			Tempest 14.625 x 19 (3)
2250 Authority	250XL PRO XS 4 ST V 8			Tempest 14.625 x 19 (3)
2250 Authority	250XL VERADO V 8			Tempest 14.625 x 19 (3)
2250 Authority	300XL 4 ST V 8			Tempest 14.625 x 21 (3)
2250 Authority	300XL PRO XS 4 ST V 8			Tempest 14.625 x 19 (3)
2250 Authority	300XL VERADO V 8			Tempest 14.625 x 19 (3)
2250 Authority	350XL VERADO V 6			Rev 4 14.625 x 20 (4)
1650 Super Hawk	60ELPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Super Hawk	60ELPT FourStroke BIGFOOT	Black Max 14 x 13 (3)	Spitfire 13.8 x 13 (4)	
1650 Super Hawk	90EXLPT FourStroke	Black Max 13.25 x 17 (3)	Spitfire 12.8 x 17 (4)	Vengeance 13.125 x 16 (3)
1650 Super Hawk	115EXLPT FourStroke	Black Max 13.25 x 17 (3)	Spitfire 12.8 x 17 (4)	Vengeance 13.125 x 16 (3)
1650 Super Hawk	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1750 Super Hawk	90EXLPT Four Stroke	Black Max 13.25 x 17 (3)	Spitfire 12.8 x 17 (4)	Vengeance 13.25 x 15 (3)
1750 Super Hawk	115EXLPT Four Stroke	Black Max 13.25 x 17 (3)	Spitfire 12.8 x 17 (4)	Vengeance 13.125 x 16 (3)
1750 Super Hawk	115EXLPT Four Stroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1750 Super Hawk	150XL Four Stroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1750 Super Hawk	150XL Pro XS 4 ST	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1750 Super Hawk	175XL 4ST V 6			Tempest 14.625 x 21 (3)
1750 Super Hawk	175XL Pro XS 4 ST V 6			Tempest 14.625 x 19 (3)

### 2019 Crestliner Recommended Mercury Prop Chart\*- NYM

Updated: 7.20.18

Boat	Mercury Outboard	Aluminum (# of Blades)		Stainless Steel (# of Blades)
1850 Super Hawk	115EXLPT FourStroke	Black Max 13.25 x 17 (3)	Spitfire 12.8 x 17 (4)	Vengeance 13 x 18 (3)
1850 Super Hawk	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Super Hawk	150XL FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Super Hawk	150XL Pro XS 4 ST	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
1850 Super Hawk	175XL 4ST V 6			Tempest 14.625 x 21 (3)
1850 Super Hawk	175XL Pro XS 4 ST V 6			Tempest 14.625 x 17 (3)
1850 Super Hawk	200XL 4 ST V 6			Tempest 14.625 x 21 (3)
1850 Super Hawk	200XL PRO XS 4 ST V 8			Tempest 14.625 x 19 (3)
1950 Super Hawk	150XL FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
1950 Super Hawk	150XL Pro XS 4 ST	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
1950 Super Hawk	175XL 4ST V 6	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1950 Super Hawk	175XL Pro XS 4 ST V 6			Tempest 14.625 x 17 (3)
1950 Super Hawk	200XL 4 ST V 6			Tempest 14.625 x 21 (3)
1950 Super Hawk	200XL PRO XS 4 ST V 8			Tempest 14.625 x 19 (3)
1950 Super Hawk	225XL 4 ST V 6			Tempest 14.625 x 21 (3)
1950 Super Hawk	225XL Pro XS 4 ST V 8			Tempest 14.625 x 19 (3)
1850 Commander	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Commander	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Commander	150XL FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Commander	150XL Pro XS 4 ST	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
2050 Commander	115XL Pro XS	Black Max 13.75x15 (3)	SpitFire 12.4x15 (4)	13.5x15 X7
2050 Commander	150XL Four Stroke	Black Max 14.5 x 19 (3)	SpitFire 14 x 19 (4)	14.4 x 17 Vengeance
2050 Commander	150XL Pro XS 4 ST	Black Max 14.5x19 (3)	SpitFire 14x19 (4)	Vengeance 13x18 (3)
2050 Commander	175XL 4ST V 6	Black Max 14.5x19 (3)	SpitFire 14x19 (4)	Vengeance 13x18 (3)
2050 Commander	175XL Pro XS 4 ST V 6			Tempest 14.625x17(3)
2050 Commander	200XL 4 ST V 6			Tempest 14.625x21 (3)
2050 Commander	200XL PRO XS 4 ST V 8			Tempest 14.625x19 (3)
1850 Commander Elite	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Commander Elite	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Commander Elite	150XL FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Commander Elite	150XL Pro XS 4 ST	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
2050 Commander Elite	115XL Pro XS	Black Max 13.75x15 (3)	SpitFire 12.4x15 (4)	13.5x15 X7
2050 Commander Elite	150XL Four Stroke	Black Max 14.5 x 19 (3)	SpitFire 14 x 19 (4)	Tempest 14.625 x 17 (3)
2050 Commander Elite	150XL Pro XS 4 ST	Black Max 14.5x19 (3)	SpitFire 14x19 (4)	Tempest 14.625 x 17 (3)
2050 Commander Elite Elite	175XL 4ST V 6	Black Max 14.5x19 (3)	SpitFire 14x19 (4)	Tempest 14.625 x 17 (3)
2050 Commander Elite	175XL Pro XS 4 ST V 6			Tempest 14.625 x 17 (3)
2050 Commander Elite	200XL 4 ST V 6			Tempest 14.625x21 (3)
2050 Commander Elite	200XL PRO XS 4 ST V 8			Tempest 14.625x19 (3)
1750 Raptor	90EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)
1750 Raptor	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1750 Raptor	115EXLPT FourStroke Pro XS	Black Max 13.675 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1750 Raptor	150XL FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1750 Raptor	150XL Pro XS 4 ST	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Raptor	150XL FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Raptor	150XL Pro XS 4 ST	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Raptor	175XL 4ST V 6			Tempest 14.625 x 21 (3)
1850 Raptor	175XL Pro XS 4 ST V 6			Tempest 14.625 x 19 (3)
1850 Raptor	200XL 4 ST V 6			Tempest 14.625 x 21 (3)
1850 Raptor	200XL PRO XS 4 ST V 8			Tempest 14.625 x 19 (3)
2100 Raptor	200XL 4 ST V 6			Tempest 14.625 x 19 (3)
2100 Raptor	200XL PRO XS 4 ST V 8			Tempest 14.625 x 19 (3)
2100 Raptor	225XL 4 ST V 6			Tempest 14.625 x 19 (3)
2100 Raptor	225XL Pro XS 4 ST V 8			Tempest 14.625 x 19 (3)
2100 Raptor	250XL 4 ST V 8			Tempest 14.625 x 19 (3)
2100 Raptor	250XL PRO XS 4 ST V 8			Tempest 14.625 x 21 (3)
2100 Raptor	250XL VERADO V 8			Tempest 14.625 x 21 (3)
2100 Raptor	300XL 4 ST V 8			Tempest 14.625 x 21 (3)
2100 Raptor	300XL PRO XS 4 ST V 8			Tempest 14.625 x 21 (3)
2100 Raptor	300XL VERADO V 8			Tempest 14.625 x 21 (3)
2100 Raptor	350XL VERADO V 6			Tempest 14.625 x 21 (3)

**2019 Crestliner Recommended Mercury Prop Chart\*- NYM**

Updated: 7.20.18

Boat	Mercury Outboard	Aluminum (# of Blades)		Stainless Steel (# of Blades)
1650 Fish Hawk/SE	50ELPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Fish Hawk/SE	50ELPT BIGFOOT FourStroke	Black Max 14 x 11 (3)	Spitfire 13.8 x 11 (4)	
1650 Fish Hawk/SE	60ELPT FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1650 Fish Hawk/SE	60ELPT FourStroke BIGFOOT	Black Max 14 x 13 (3)	Spitfire 13.8 x 13 (4)	
1650 Fish Hawk/SE	75ELPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1650 Fish Hawk/SE	90ELPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1650 Fish Hawk/SE	90EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1650 Fish Hawk	115EXLPT FourStroke	Black Max 13.25 x 17 (3)	Spitfire 13 x 17 (4)	Vengeance 13.25 x 15 (3)
1650 Fish Hawk	115EXLPT PRO XS FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.8x15 (4)	Vengeance 13.25 x 15 (3)
1750 Fish Hawk	90EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1750 Fish Hawk	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1750 Fish Hawk	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1750 Fish Hawk	150XL FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1750 Fish Hawk	150XL Pro XS 4 ST	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Fish Hawk	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)
1850 Fish Hawk	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)
1850 Fish Hawk	150XL FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Fish Hawk	150XL Pro XS 4 ST	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Fish Hawk	175XL 4ST V 6			Tempest 14.625 x 17 (3)
1850 Fish Hawk	175XL Pro XS 4 ST V 6			Tempest 14.625 x 19 (3)
1850 Fish Hawk	200XL 4 ST V 6			Tempest 14.625 x 19 (3)
1850 Fish Hawk	200XL PRO XS 4 ST V 8			Tempest 14.625 x 19 (3)
1950 Fish Hawk	150XL Four Stroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
1950 Fish Hawk	150XL Pro XS 4 ST	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
1950 Fish Hawk	175XL 4ST V 6			Tempest 14.625 x 19 (3)
1950 Fish Hawk	175XL Pro XS 4 ST V 6			Tempest 14.625 x 17 (3)
1950 Fish Hawk	200XL 4 ST V 6			Tempest 14.625 x 21 (3)
1950 Fish Hawk	200XL PRO XS 4 ST V 8			Tempest 14.625 x 19 (3)
1950 Fish Hawk	225XL 4 ST V 6			Tempest 14.625 x 21 (3)
1950 Fish Hawk	225XL Pro XS 4 ST V 8			Tempest 14.625 x 19 (3)
1750 Bass Hawk	90EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)
1750 Bass Hawk	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1750 Bass Hawk	115EXLPT FourStroke Pro XS	Black Max 13.675 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1750 Bass Hawk	150XL FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1750 Bass Hawk	150XL Pro XS 4 ST	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Bass Hawk	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Bass Hawk	115EXLPT FourStroke Pro XS	Black Max 13.675 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Bass Hawk	150XL FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Bass Hawk	150XL Pro XS 4 ST	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Bass Hawk	175XL 4ST V 6			Tempest 14.625 x 17 (3)
1850 Bass Hawk	175XL Pro XS 4 ST V 6			Tempest 14.625 x 17 (3)
1850 Bass Hawk	200XL 4 ST V 6			Tempest 14.625 x 21 (3)
1850 Bass Hawk	200XL PRO XS 4 ST V 8			Tempest 14.625 x 21 (3)
1650 Pro Tiller	50ELHPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Pro Tiller	60ELHPT FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1650 Pro Tiller	75ELPT 4 ST	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	
1750 Pro Tiller	90EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)
1850 Pro Tiller	90EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1600 Vision Tiller	40ELPT FourStroke	Black Max 10.875 x 11 (3)		
1600 Vision Tiller	50ELPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1600 Vision Tiller	60ELPT FourStroke	Black Max 10.375 x 13 (3)	Spitfire 10.3 x 13 (4)	
1600 Vision	40ELPT FourStroke	Black Max 10.875 x 11 (3)		
1600 Vision	50ELPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1600 Vision	60ELPT FourStroke	Black Max 10.375 x 13 (3)	Spitfire 10.3 x 13 (4)	
1600 Vision	60ELPT FourStroke CT	Black Max 13.75 x 15 (3)	Spitfire 13.4 x 15 (4)	
1700 Vision	60ELPT Four Stroke	Black Max 10.875x11 (3)	Spit Fire 10.6 x 12 (4)	
1700 Vision	60ELPT Four Stroke CT	Black Max 14x13 (3)	Spit Fire 13.8 x 13 (4)	
1700 Vision	75ELPT Four Stroke	Black Max 13.75 x 15 (3)	Spit Fire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1700 Vision	90ELPT Four Stroke	Black Max 13.75 x 15 (3)	Spit Fire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1700 Vision	115ELPT Four Stroke	Black Max 13.25 x 17 (3)	Spit Fire 13 x 17 (4)	Vengeance 13.25 x 15 (3)
1700 Vision	115ELPT Four Stroke Pro XS	Black Max 13.75 x 15 (3)	Spit Fire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)

**2019 Crestliner Recommended Mercury Prop Chart\*- NYM**

Updated: 7.20.18

Boat	Mercury Outboard	Aluminum (# of Blades)		Stainless Steel (# of Blades)
1450 Discovery Tiller	25ELH FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1450 Discovery Tiller	25ELHPT FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1450 Discovery Tiller	30ELH GA FourStroke	Black Max 9.5 x 11 (3)	Spitfire 9.3 x 11 (4)	
1450 Discovery Tiller	30ELHPT FourStroke	Black Max 9.5 x 11 (3)	Spitfire 9.3 x 11 (4)	
1450 Discovery Tiller	40ELH GA FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1450 Discovery Tiller	40ELHPT FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1450 Discovery SC	25EL FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1450 Discovery SC	25ELPT FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1450 Discovery SC	30EL GA FourStroke	Black Max 9.500 x 11 (3)	Spitfire 9.3 x 11 (4)	
1450 Discovery SC	30ELPT FourStroke	Black Max 9.500 x 11 (3)	Spitfire 9.3 x 11 (4)	
1450 Discovery SC	40EL GA FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1450 Discovery SC	40ELPT FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1450 Discovery SC	40ELPT BIGFOOT FourStroke	Black Max 14 x 10 (3)	Spitfire 13.8 x 10 (4)	
1650 Discovery Tiller	25ELH FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1650 Discovery Tiller	25ELHPT FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1650 Discovery Tiller	30ELH GA FourStroke	Black Max 9.5 x 11 (3)	Spitfire 9.3 x 11 (4)	
1650 Discovery Tiller	30ELHPT FourStroke	Black Max 9.5 x 11 (3)	Spitfire 9.3 x 11 (4)	
1650 Discovery Tiller	40ELH GA FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Discovery Tiller	40ELHPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Discovery Tiller	50ELHPT FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1650 Discovery Tiller	60ELHPT FourStroke	Black Max 10.375 x 13 (3)	Spitfire 10.3 x 13 (4)	
1650 Discovery SC	25EL FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1650 Discovery SC	25ELPT FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1650 Discovery SC	30EL GA FourStroke	Black Max 9.5 x 11 (3)	Spitfire 9.3 x 11 (4)	
1650 Discovery SC	30ELPT FourStroke	Black Max 9.5 x 11 (3)	Spitfire 9.3 x 11 (4)	
1650 Discovery SC	40EL GA FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Discovery SC	40ELPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Discovery SC	40ELPT BIGFOOT FourStroke	Black Max 14 x 10 (3)	Spitfire 13.8 x 10 (4)	
1650 Discovery SC	50ELPT FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1650 Discovery SC	50ELPT BIGFOOT FourStroke	Black Max 14 x 11 (3)	Spitfire 13.8 x 11 (4)	
1650 Discovery SC	60ELPT FourStroke	Black Max 10.375 x 13 (3)	Spitfire 10.3 x 13 (4)	
1650 Discovery SC	60ELPT FourStroke BIGFOOT	Black Max 14 x 13 (3)	Spitfire 13.8 x 13 (4)	
1800 Kodiak Tiller	25ELH FourStroke	Black Max 10 x 8 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak Tiller	25ELHPT FourStroke	Black Max 10 x 8 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak Tiller	30ELH GA FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak Tiller	30ELHPT FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak Tiller	40ELH GA FourStroke	Black Max 11.25 x 10 (3)		
1800 Kodiak Tiller	40ELHPT FourStroke	Black Max 11.25 x 10 (3)		
1800 Kodiak Tiller	50ELHPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1800 Kodiak Tiller	60ELHPT FourStroke	Black Max 10.375 x 13 (3)	Spitfire 10.3 x 13 (4)	
1800 Kodiak SC	25EL FourStroke	Black Max 10 x 8 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak SC	25ELPT FourStroke	Black Max 10 x 8 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak SC	30EL GA FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak SC	30ELPT FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak SC	40EL GA FourStroke	Black Max 11.25 x 10 (3)		
1800 Kodiak SC	40ELPT FourStroke	Black Max 11.25 x 10 (3)		
1800 Kodiak SC	40ELPT BIGFOOT FourStroke	Black Max 14 x 10 (3)	Spitfire 13.8 x 10 (4)	
1800 Kodiak SC	50ELPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1800 Kodiak SC	50ELPT BIGFOOT FourStroke	Black Max 14 x 11 (3)	Spitfire 13.8 x 11 (4)	
1800 Kodiak SC	60ELPT FourStroke	Black Max 10.375 x 13 (3)	Spitfire 10.3 x 13 (4)	
1800 Kodiak SC	60ELPT FourStroke BIGFOOT	Black Max 14 x 13 (3)	Spitfire 13.8 x 13 (4)	
1800 Kodiak SC	75ELPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)

\*The recommended prop guidance is based on a boat operating with a normal load in a low altitude waterway and is recommended for boaters seeking overall best performance. Not all boat/engine/propellers have been tested. Genuine Mercury propellers are recommended. For additional assistance with prop selection, see Mercury's Propeller and Hub Kit Exchange Program in the Outboard Motor/Pre-Rig section of the Crestliner dealer manual. See [www.mercurymarine.com/en/us/propellers/all/](http://www.mercurymarine.com/en/us/propellers/all/) for further guidance.

**2019 Crestliner Recommended Mercury Prop Chart\*- Lebanon**

Updated: 7.01.18

Boat	Mercury Outboard	Mount Hole	Mercury Name	Diameter Pitch	# of Blades	Material
1660/1760 Retriever SC	25ELPT EFI 4S	1	Black Max	9.5 X 11	3	ALUMINUM
1660/1760 Retriever SC	30ELPT EFI 4S	1	Black Max	9.5 X 12	3	ALUMINUM
1660/1760 Retriever SC	40ELPT EFI 4S	2	Black Max	10.25 X 14	3	ALUMINUM
1660/1760 Retriever SC	50ELPT EFI 4S	2	Spitfire	10.1 X 14	4	ALUMINUM
1660/1760 Retriever SC	60ELPT EFI 4S	2	Spitfire	10.1 X 15	4	ALUMINUM
1760 Retriever SC	75ELPT EFI 4S	2	Spitfire	12.8 X 17	4	ALUMINUM
1860 Retriever CC/SC	50ELPT EFI 4S	1	Spitfire	10.1 X 14	4	ALUMINUM
1860 Retriever CC/SC	60ELPT EFI 4S	1	Spitfire	10.1 X 15	4	ALUMINUM
1860 Retriever CC/SC	75ELPT EFI 4S	2	Spitfire	12.8 X 17	4	ALUMINUM
1860 Retriever CC/SC	90ELPT EFI 4S	2	Spitfire	12.8 X 19	4	ALUMINUM
2070 Retriever CC/SC/SCHD	50ELPT EFI 4S	1	Spitfire	10.1 X 14	4	ALUMINUM
2070 Retriever CC/SC/SCHD	60ELPT EFI 4S	1	Spitfire	10.1 X 15	4	ALUMINUM
2070 Retriever CC/SC/SCHD	75ELPT EFI 4S	2	Spitfire X7	13 x 17	4	SS
2070 Retriever CC/SC/SCHD	90ELPT EFI 4S	2	Spitfire X7	12.7 x 19	4	SS
2070 Retriever CC/SC/SCHD	115 ELPT EFI 4S / Pro XS	2	Spitfire X7	12.7 x 19	4	SS
2070 Retriever CC/SC/SCHD	150L FourStroke	3	Tempest Plus	14.6 x 19	3	SS
2070 Retriever CC/SC/SCHD	150ELPT Pro XS 4S	3				
1657 Outlook SS	25ELPT EFI 4S	1	Black Max	9.5 X 11	3	ALUMINUM
1657 Outlook SS	30ELPT EFI 4S	1	Black Max	9.5 X 12	3	ALUMINUM
1657 Outlook SS	40ELPT EFI 4S	1	Black Max	10.25 X 14	3	ALUMINUM
1657 Outlook SS	50ELPT EFI 4S	2	Spitfire	10.1 X 14	4	ALUMINUM
1600/1700 Storm	20EL 4S	1	Black Max	9.25 x 10	3	ALUMINUM
1600/1700 Storm	20ELPT 4S	1	Black Max	9.25 x 10	3	ALUMINUM
1600/1700 Storm	25ELPT EFI 4S	1	Black Max	9.5 X 11	3	ALUMINUM
1600/1700 Storm	30ELPT EFI 4S	1	Black Max	9.5 X 12	3	ALUMINUM
1600/1700 Storm	40ELPT EFI 4S	2	Black Max	10.25 X 14	3	ALUMINUM
1600/1700 Storm	50ELPT EFI 4S	2	Spitfire	10.1 X 13	4	ALUMINUM
1700 Storm	60ELPT EFI 4S	2	Spitfire	10.1 X 13	4	ALUMINUM
VT17 / VT17C	40ELPT EFI 4S	1	Black Max	10.25 X 14	3	ALUMINUM
VT17 / VT17C	50ELPT EFI 4S	1	Spitfire	10.1 X 14	4	ALUMINUM
VT17 / VT17C	60ELPT EFI 4S	2	Spitfire	10.1 X 14	4	ALUMINUM
VT17 / VT17C	75ELPT EFI 4S	2	Spitfire X7	13 x 15	4	SS
VT18 /VT18C	40ELPT EFI 4S	1	Black Max	10.25 X 14	3	ALUMINUM
VT18 /VT18C	50ELPT EFI 4S	1	Spitfire	10.1 X 14	4	ALUMINUM
VT18 /VT18C	60ELPT EFI 4S	1	Spitfire	10.1 X 14	4	ALUMINUM
VT18 /VT18C	75ELPT EFI 4S	2	Spitfire X7	13 x 15	4	SS
VT18 /VT18C	90ELPT EFI 4S	2	Spitfire X7	12.7 x 17	4	SS
VT18 /VT18C	115 ELPT EFI 4S / Pro XS	2	Spitfire X7	12.7 x 19	4	SS
VT19 /VT19C	60ELPT EFI 4S	1	Spitfire	10.1 X 15	4	ALUMINUM
VT19 /VT19C	75ELPT EFI 4S	2	Spitfire X7	13 x 17	4	SS
VT19 /VT19C	90ELPT EFI 4S	2	Spitfire X7	12.7 x 19	4	SS
VT19 /VT19C	115 ELPT EFI 4S / Pro XS	2	Spitfire X7	12.7 x 19	4	SS
VT19 /VT19C	150L 4S	3	Tempest Plus	14.6 x 19	3	SS
VT19 /VT19C	150ELPT Pro XS 4S	3				
PT18	115 ELPT EFI 4S / Pro XS	2	Lazer	13.25 x 20	4	SS
PT18	150L 4S	3	Tempest Plus	14.6 x 19	3	SS
PT18	150ELPT Pro XS 4S	3				
PT20	150L 4S	3	Tempest Plus	14.6 x 19	3	SS
PT20	150ELPT Pro XS 4S	3				
PT20	200L 4S	3	Tempest Plus	14.625 x 17	3	SS
PT20	200ELPT Pro XS 4S	3	Tempest Plus	14.625 x 17	3	SS
1800 Bay	90ELPT EFI 4S	2	Spitfire X7	12.7 x 17	4	ALUMINUM
1800 Bay	115 ELPT EFI 4S / Pro XS	2	Lazer	13.25 x 20	3	SS
1800 Bay	150L 4S	1	Tempest Plus	14.6 x 19		SS
1800 Bay	150ELPT Pro XS 4S	1				
2000 Bay	90ELPT EFI 4S	2	Spitfire X7	12.7 x 17	4	SS
2000 Bay	115 ELPT EFI 4S / Pro XS	2	Spitfire X7	12.7 x 19	4	SS
2000 Bay	150L 4S	2	Tempest Plus	14.6 x 19	3	SS
2000 Bay	150ELPT Pro XS 4S	2				
2000 Bay	175L 4S	2				
2000 Bay	175L Pro XS 4S	2				
2200 Bay	150XL 4S	3	Tempest Plus	14.6 x 19	3	SS
2200 Bay	150EXLPT Pro XS 4S	3				
2200 Bay	175XL 4S	3				
2200 Bay	175EXLPT Pro XS 4S	3				
2200 Bay	200XL 4S	3	Tempest Plus	14.625 x 17	3	SS
2200 Bay	200EXLPT Pro XS 4S	3	Tempest Plus	14.625 x 17	3	SS
160 Sprint Cruise	9.9 ELPT CT 4S	1	Black Max	9.25 x 10	3	Aluminum
160 Sprint Cruise	25 ELPT 4S	1	Spitfire	9.3 x 9.5	4	Aluminum
160 Sprint Cruise	30 ELPT 4S	1	Spitfire	9.3 x 11	4	Aluminum

**2019 Crestliner Recommended Mercury Prop Chart\*- Lebanon**

Updated: 7.01.18

Boat	Mercury Outboard	Mount Hole	Mercury Name	Diameter Pitch	# of Blades	Material
160 Sprint Cruise	40 ELPT CT 4S	2	Spitfire	13.8 x 13	4	Aluminum
160 Sprint Cruise	40 ELPT 4S	2	Spitfire	13.8 x 10	4	Aluminum
160 Sprint Cruise	50 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
160 Sprint Cruise	50 ELPT 4S	2	Spitfire	13.8 x 11	4	Aluminum
180 Sprint Cruise	40 ELPT 4S	2	Spitfire	13.4 x 15	4	Aluminum
180 Sprint Cruise	40 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
180 Sprint Cruise	50 ELPT 4S	2	Spitfire	10.3 x 13	4	Aluminum
180 Sprint Cruise	50 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
180 Sprint Cruise	60 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
180 Sprint Cruise	60 ELPT 4S	2	Spitfire	10.3 x 13	4	Aluminum
180 Sprint Cruise	75 ELPT 4S	2	Spitfire	13.4 x 15	4	Aluminum
200 Sprint Cruise	40 ELPT CT 4S	2	Spitfire	13.8 x 13	4	Aluminum
200 Sprint Cruise	50 ELPT CT 4S	2	Spitfire	13.8 x 13	4	Aluminum
200 Sprint Cruise	60 ELPT 4S	2	Spitfire	10.6 x 12	4	Aluminum
200 Sprint Cruise	60 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
200 Sprint Cruise	75 ELPT 4S	2	Spitfire	13.4 x 15	4	Aluminum
200 Sprint Cruise	90 ELPT CT 4S	2	Spitfire	13 x 17	4	Aluminum
200 Sprint Cruise	90 ELPT	2	Spitfire	13.4 x 15	4	Aluminum
200 Sprint Cruise	115 ELPT CT 4S	2	Spitfire	14 x 17	4	Aluminum
200 Sprint Cruise	115 ELPT Pro XS 4S	2	Spitfire	13 x 17	4	Aluminum
200 Sprint Cruise	115 ELPT Pro XS CT 4S	2	Spitfire	14 x 17	4	Aluminum
200 Sprint Cruise	115 ELPT 4S	2	Spitfire	13 x 17	4	Aluminum
160 Sprint Fish & Cruise	9.9 EL CT 4S	1	Black Max	9.25 x 10	3	Aluminum
160 Sprint Fish & Cruise	9.9 ELPT CT 4S	1	Black Max	10 3/8 x 11	3	Aluminum
160 Sprint Fish & Cruise	25 ELPT 4S	2	Spitfire	9.3 x 11	4	Aluminum
160 Sprint Fish & Cruise	30 ELPT 4S	2	Spitfire	9.3 x 11	4	Aluminum
160 Sprint Fish & Cruise	40 ELPT 4S	2	Spitfire	12 x 10.5	4	Aluminum
160 Sprint Fish & Cruise	40 ELPT CT 4S	2	Spitfire	13.8 x 13	4	Aluminum
160 Sprint Fish & Cruise	50 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
160 Sprint Fish & Cruise	50 ELPT 4S	2	Spitfire	10.6 x 12	4	Aluminum
180 Sprint Fish & Cruise	40 ELPT 4S	2	Spitfire	10.6 x 12	4	Aluminum
180 Sprint Fish & Cruise	40 ELPT CT 4S	2	Spitfire	13.8 x 13	4	Aluminum
180 Sprint Fish & Cruise	50 ELPT 4S	2	Spitfire	10.6 x 12	4	Aluminum
180 Sprint Fish & Cruise	50 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
180 Sprint Fish & Cruise	60 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
180 Sprint Fish & Cruise	60 ELPT 4S	2	Spitfire	10.3 x 13	4	Aluminum
180 Sprint Fish & Cruise	75 ELPT 4S	2	Spitfire	13.4 x 15	4	Aluminum
200 Sprint Fish & Cruise	60 ELPT 4S	2	Spitfire	10.6 x 12	4	Aluminum
200 Sprint Fish & Cruise	60 ELPT CT 4S	2	Spitfire	13.8 x 13	4	Aluminum
200 Sprint Fish & Cruise	75 ELPT 4S	2	Spitfire	13.8 x 13	4	Aluminum
200 Sprint Fish & Cruise	90 ELPT 4S	2	Spitfire	13 x 17	4	Aluminum
200 Sprint Fish & Cruise	90 ELPT CT 4S	2	Spitfire	14 x 17	4	Aluminum
200 Sprint Fish & Cruise	115 ELPT 4S	2	Spitfire	13 x 17	4	Aluminum
200 Sprint Fish & Cruise	115 ELPT Pro XS 4S	2	Spitfire	13 x 17	4	Aluminum
200 Sprint Fish & Cruise	115 ELPT Pro XS CT 4S	2	Spitfire	14 x 17	4	Aluminum
200 Sprint Fish & Cruise	115 ELPT CT 4S	2	Spitfire	14 x 17	4	Aluminum

\*The propeller guidance is based on a boat operating with a normal load in a low altitude waterway and is recommended for boaters seeking overall best performance. Not all boat/engine/propellers have been tested. Genuine Mercury propellers are recommended. For additional assistance with prop selection, see Mercury's Propeller and Hub Kit Exchange Program in the Outboard Motor/Pre-Rig section of the Crestliner dealer manual. See [www.mercury-marine.com/en/us/propellers/all/](http://www.mercury-marine.com/en/us/propellers/all/) for further guidance.

Props on Lebanon product are recommendations only, not available from factory

**2019 Crestliner Recommended Mercury Props-Fort Wayne**

See pontoon product information & pricing sheets for props and pricing