

2020 Crestliner Recommended Mercury Prop Chart*- NYM

Updated: 7.01.19

Boat	Mercury Outboard	Aluminum (# of Blades)		Stainless Steel (# of Blades)
1850 Sportfish	150XL Four Stroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Sportfish	150XL Pro XS FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Sportfish	175XL FourStroke V 6			Tempest 14.625 x 19 (3)
1850 Sportfish	175XL Pro XS FourStroke V 6			Tempest 14.625 x 17 (3)
1850 Sportfish	200XL FourStroke V 6			Tempest 14.625 x 19 (3)
1850 Sportfish	200XL Pro XS FourStroke V 8			Tempest 14.625 x 17 (3)
1950 Sportfish	150XL Four Stroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1950 Sportfish	150XL Pro XS FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1950 Sportfish	175XL FourStroke V 6			Tempest 14.625 x 19 (3)
1950 Sportfish	175XL Pro XS FourStroke V 6			Tempest 14.625 x 17 (3)
1950 Sportfish	200XL FourStroke V 6			Tempest 14.625 x 21 (3)
1950 Sportfish	200XL Pro XS FourStroke V 8			Tempest 14.625 x 19 (3)
2050 Sportfish	150XL FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
2050 Sportfish	150XL Pro XS FourStroke			Tempest 14.625 x 17 (3)
2050 Sportfish	175XL FourStroke V 6			Tempest 14.625 x 19 (3)
2050 Sportfish	175XL Pro XS FourStroke V 6			Tempest 14.625 x 19 (3)
2050 Sportfish	200XL FourStroke V 6			Tempest 14.625 x 19 (3)
2050 Sportfish	200XL PRO XS FourStroke V 8			Tempest 14.625 x 19 (3)
2050 Sportfish	225XL FourStroke V 6			Tempest 14.625 x 21 (3)
2050 Sportfish	225XL Pro XS FourStroke V 8			Tempest 14.625 x 19 (3)
2250 Sportfish	175XL FourStroke V 6			Tempest 14.625 x 17 (3)
2250 Sportfish	175XL ProXS FourStroke V 6			Tempest 14.625 x 17 (3)
2250 Sportfish	200XL FourStroke V 6			Tempest 14.625 x 19 (3)
2250 Sportfish	200XL PRO XS FourStroke V 8			Tempest 14.625 x 17 (3)
2250 Sportfish	225XL FourStroke V 6			Tempest 14.625 x 19 (3)
2250 Sportfish	225XL Pro XS FourStroke V 8			Tempest 14.625 x 17 (3)
2250 Sportfish	250XL FourStroke V 8			Tempest 14.625 x 19 (3)
2250 Sportfish	250XL PRO XS FourStroke V 8			Tempest 14.625 x 19 (3)
2250 Sportfish	250XL VERADO V 8			Tempest 14.625 x 19 (3)
2250 Sportfish	300XL FourStroke V 8			Tempest 14.625 x 19 (3)
2250 Sportfish	300XL PRO XS FourStroke V 8			Tempest 14.625 x 21 (3)
2250 Sportfish	300XL VERADO V 8			Tempest 14.625 x 19 (3)
2250 Sportfish	350XL VERADO V 6			REV 4 14.625 x 20 (4)
2050 Authority	150XL Four Stroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
2050 Authority	150XL Pro XS FourStroke			Tempest 14.625 x 17 (3)
2050 Authority	175XL FourStroke V 6			Tempest 14.625 x 19 (3)
2050 Authority	175XL Pro XS FourStroke V 6			Tempest 14.625 x 17 (3)
2050 Authority	200XL FourStroke V 6			Tempest 14.625 x 21 (3)
2050 Authority	200XL PRO XS FourStroke V 8			Tempest 14.625 x 19 (3)
2050 Authority	225XL FourStroke V 6			Tempest 14.625 x 21 (3)
2050 Authority	225XL Pro XS FourStroke V 8			Tempest 14.625 x 19 (3)
2250 Authority	175XL FourStroke V 6			Tempest 14.625 x 17 (3)
2250 Authority	175XL ProXS FourStroke V 6			Tempest 14.625 x 17 (3)
2250 Authority	200XL FourStroke V 6			Tempest 14.625 x 19 (3)
2250 Authority	200XL PRO XS FourStroke V 8			Tempest 14.625 x 17 (3)
2250 Authority	225XL FourStroke V 6			Tempest 14.625 x 19 (3)
2250 Authority	225XL Pro XS FourStroke V 8			Tempest 14.625 x 17 (3)
2250 Authority	250XL FourStroke V 8			Tempest 14.625 x 19 (3)
2250 Authority	250XL PRO XS FourStroke V 8			Tempest 14.625 x 19 (3)
2250 Authority	250XL VERADO V 8			Tempest 14.625 x 19 (3)
2250 Authority	300XL FourStroke V 8			Tempest 14.625 x 19 (3)
2250 Authority	300XL PRO XS FourStroke V 8			Tempest 14.625 x 21 (3)
2250 Authority	300XL VERADO V 8			Tempest 14.625 x 19 (3)
2250 Authority	350XL VERADO V 6			Rev 4 14.625 x 20 (4)
1650 Super Hawk	60ELPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Super Hawk	60ELPT FourStroke BIGFOOT	Black Max 14 x 13 (3)	Spitfire 13.8 x 13 (4)	
1650 Super Hawk	90EXLPT FourStroke	Black Max 13.25 x 17 (3)	Spitfire 12.8 x 17 (4)	Vengeance 13.125 x 16 (3)
1650 Super Hawk	115EXLPT FourStroke	Black Max 13.25 x 17 (3)	Spitfire 12.8 x 17 (4)	Vengeance 13.125 x 16 (3)
1650 Super Hawk	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1750 Super Hawk	90EXLPT Four Stroke	Black Max 13.25 x 17 (3)	Spitfire 12.8 x 17 (4)	Vengeance 13.25 x 15 (3)
1750 Super Hawk	115EXLPT Four Stroke	Black Max 13.25 x 17 (3)	Spitfire 12.8 x 17 (4)	Vengeance 13.125 x 16 (3)
1750 Super Hawk	115EXLPT Four Stroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1750 Super Hawk	150XL Four Stroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1750 Super Hawk	150XL Pro XS FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1750 Super Hawk	175XL FourStroke V 6			Tempest 14.625 x 21 (3)
1750 Super Hawk	175XL Pro XS 4 ST V 6			Tempest 14.625 x 19 (3)
1850 Super Hawk	115EXLPT FourStroke	Black Max 13.25 x 17 (3)	Spitfire 12.8 x 17 (4)	Vengeance 13 x 18 (3)
1850 Super Hawk	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Super Hawk	150XL FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Super Hawk	150XL Pro XS FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
1850 Super Hawk	175XL FourStroke V 6			Tempest 14.625 x 19 (3)
1850 Super Hawk	175XL Pro XS FourStroke V 6			Tempest 14.625 x 17 (3)
1850 Super Hawk	200XL FourStroke V 6			Tempest 14.625 x 21 (3)
1850 Super Hawk	200XL PRO XS FourStroke V 8			Tempest 14.625 x 17 (3)
1950 Super Hawk	150XL FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
1950 Super Hawk	150XL Pro XS FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
1950 Super Hawk	175XL FourStroke V 6	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1950 Super Hawk	175XL Pro XS FourStroke V 6			Tempest 14.625 x 17 (3)
1950 Super Hawk	200XL FourStroke V 6			Tempest 14.625 x 21 (3)
1950 Super Hawk	200XL PRO XS FourStroke V 8			Tempest 14.625 x 19 (3)
1950 Super Hawk	225XL FourStroke V 6			Tempest 14.625 x 21 (3)
1950 Super Hawk	225XL Pro XS FourStroke V 8			Tempest 14.625 x 19 (3)

2020 Crestliner Recommended Mercury Prop Chart*- NYM

Updated: 7.01.19

Boat	Mercury Outboard	Aluminum (# of Blades)		Stainless Steel (# of Blades)
1850 Commander	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Commander	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Commander	150XL FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Commander	150XL Pro XS FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
2050 Commander	115XL Pro XS	Black Max 13.75x15 (3)	SpitFire 12.4x15 (4)	13.5 x 15 X7
2050 Commander	150XL Four Stroke	Black Max 14.5 x 19 (3)	SpitFire 14 x 19 (4)	Vengeance 14.4 x 17
2050 Commander	150XL Pro XS FourStroke	Black Max 14.5x19 (3)	SpitFire 14x19 (4)	Vengeance 13 x 18 (3)
2050 Commander	175XL FourStroke V 6	Black Max 14.5x19 (3)	SpitFire 14x19 (4)	Tempest 14.625 x 17 (3)
2050 Commander	175XL Pro XS FourStroke V 6			Tempest 14.625 x 17 (3)
2050 Commander	200XL FourStroke V 6			Tempest 14.625 x 19 (3)
2050 Commander	200XL PRO XS FourStroke V 8			Tempest 14.625 x 19 (3)
1850 Commander Elite	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Commander Elite	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Commander Elite	150XL FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Commander Elite	150XL Pro XS FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
2050 Commander Elite	115XL Pro XS	Black Max 13.75x15 (3)	SpitFire 12.4x15 (4)	13.5x15 X7
2050 Commander Elite	150XL Four Stroke	Black Max 14.5 x 19 (3)	SpitFire 14 x 19 (4)	Tempest 14.625 x 17 (3)
2050 Commander Elite	150XL Pro XS FourStroke	Black Max 14.5x19 (3)	SpitFire 14x19 (4)	Tempest 14.625 x 17 (3)
2050 Commander Elite	175XL FourStroke V 6	Black Max 14.5x19 (3)	SpitFire 14x19 (4)	Tempest 14.625 x 17 (3)
2050 Commander Elite	175XL Pro XS FourStroke V 6			Tempest 14.625 x 17 (3)
2050 Commander Elite	200XL FourStroke V 6			Tempest 14.625 x 19 (3)
2050 Commander Elite	200XL PRO XS FourStroke V 8			Tempest 14.625 x 19 (3)
1750 Raptor	90EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)
1750 Raptor	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1750 Raptor	115EXLPT FourStroke Pro XS	Black Max 13.675 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1750 Raptor	150XL FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1750 Raptor	150XL Pro XS FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Raptor	150XL FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Raptor	150XL Pro XS FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 19 (3)
1850 Raptor	175XL FourStroke V 6			Tempest 14.625 x 19 (3)
1850 Raptor	175XL Pro XS FourStroke V 6			Tempest 14.625 x 19 (3)
1850 Raptor	200XL FourStroke V 6			Tempest 14.625 x 21 (3)
1850 Raptor	200XL PRO XS FourStroke V 8			Tempest 14.625 x 17 (3)
2100 Raptor	200XL FourStroke V 6			Tempest 14.625 x 19 (3)
2100 Raptor	200XL PRO XS FourStroke V 8			Tempest 14.625 x 19 (3)
2100 Raptor	225XL FourStroke V 6			Tempest 14.625 x 19 (3)
2100 Raptor	225XL Pro XS FourStroke V 8			Tempest 14.625 x 19 (3)
2100 Raptor	250XL FourStroke V 8			Tempest 14.625 x 19 (3)
2100 Raptor	250XL PRO XS FourStroke V 8			Tempest 14.625 x 21 (3)
2100 Raptor	250XL VERADO V 8			Tempest 14.625 x 21 (3)
2100 Raptor	300XL FourStroke V 8			Tempest 14.625 x 21 (3)
2100 Raptor	300XL PRO XS FourStroke V 8			Tempest 14.625 x 21 (3)
2100 Raptor	300XL VERADO V 8			Tempest 14.625 x 21 (3)
2100 Raptor	350XL VERADO V 6			Tempest 14.625 x 21 (3)
1650 Fish Hawk SE	50ELPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Fish Hawk SE	50ELPT BIGFOOT FourStroke	Black Max 14 x 11 (3)	Spitfire 13.8 x 11 (4)	
1650 Fish Hawk SE	60ELPT FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1650 Fish Hawk SE	60ELPT FourStroke BIGFOOT	Black Max 14 x 13 (3)	Spitfire 13.8 x 13 (4)	
1650 Fish Hawk SE	75ELPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1650 Fish Hawk SE	90ELPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1650 Fish Hawk SE	90EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1650 Fish Hawk SE	115EXLPT FourStroke	Black Max 13.75 x 17 (3)	Spitfire 12.8 x 17 (4)	Vengeance 13.25 x 15 (3)
1650 Fish Hawk SE	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 17 (4)	Vengeance 13.25 x 15 (3)
1750 Fish Hawk	90EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1750 Fish Hawk	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1750 Fish Hawk	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1750 Fish Hawk	150XL FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1750 Fish Hawk	150XL Pro XS 4 ST	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Fish Hawk	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)
1850 Fish Hawk	115EXLPT FourStroke Pro XS	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)
1850 Fish Hawk	150XL FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Fish Hawk	150XL Pro XS FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Fish Hawk	175XL FourStroke V 6			Tempest 14.625 x 17 (3)
1850 Fish Hawk	175XL Pro XS FourStroke V 6			Tempest 14.625 x 19 (3)
1850 Fish Hawk	200XL FourStroke V 6			Tempest 14.625 x 19 (3)
1850 Fish Hawk	200XL PRO XS FourStroke V 8			Tempest 14.625 x 19 (3)
1950 Fish Hawk	150XL Four Stroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
1950 Fish Hawk	150XL Pro XS FourStroke	Black Max 14.5 x 19 (3)		Tempest 14.625 x 17 (3)
1950 Fish Hawk	175XL FourStroke V 6			Tempest 14.625 x 19 (3)
1950 Fish Hawk	175XL Pro XS FourStroke V 6			Tempest 14.625 x 17 (3)
1950 Fish Hawk	200XL FourStroke V 6			Tempest 14.625 x 19 (3)
1950 Fish Hawk	200XL PRO XS FourStroke V 8			Tempest 14.625 x 19 (3)
1950 Fish Hawk	225XL FourStroke V 6			Tempest 14.625 x 21 (3)
1950 Fish Hawk	225XL Pro XS FourStroke V 8			Tempest 14.625 x 19 (3)

2020 Crestliner Recommended Mercury Prop Chart*- NYM

Updated: 7.01.19

Boat	Mercury Outboard	Aluminum (# of Blades)		Stainless Steel (# of Blades)
1750 Bass Hawk	90EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)
1750 Bass Hawk	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1750 Bass Hawk	115EXLPT FourStroke Pro XS	Black Max 13.675 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1750 Bass Hawk	150XL FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1750 Bass Hawk	150XL Pro XS FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Bass Hawk	115EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Bass Hawk	115EXLPT FourStroke Pro XS	Black Max 13.675 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1850 Bass Hawk	150XL FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Bass Hawk	150XL Pro XS FourStroke	Black Max 14.25 x 21 (3)		Tempest 14.625 x 19 (3)
1850 Bass Hawk	175XL FourStroke V 6			Tempest 14.625 x 17 (3)
1850 Bass Hawk	175XL Pro XS FourStroke V 6			Tempest 14.625 x 17 (3)
1850 Bass Hawk	200XL FourStroke V 6			Tempest 14.625 x 21 (3)
1850 Bass Hawk	200XL PRO XS FourStroke V 8			Tempest 14.625 x 21 (3)
1650 Pro Tiller	50ELHPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Pro Tiller	60ELHPT FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1650 Pro Tiller	75ELPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	
1750 Pro Tiller	90EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)
1850 Pro Tiller	90EXLPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.125 x 16 (3)
1600 Vision Tiller	40ELPT FourStroke	Black Max 10.875 x 11 (3)		
1600 Vision Tiller	50ELPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1600 Vision Tiller	60ELPT FourStroke	Black Max 10.375 x 13 (3)	Spitfire 10.3 x 13 (4)	
1600 Vision	40ELPT FourStroke	Black Max 10.875 x 11 (3)		
1600 Vision	50ELPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1600 Vision	60ELPT FourStroke	Black Max 10.375 x 13 (3)	Spitfire 10.3 x 13 (4)	
1600 Vision	60ELPT FourStroke CT	Black Max 13.75 x 15 (3)	Spitfire 13.4 x 15 (4)	
1600 Vision	75ELPT Four Stroke	Black Max 13.75 x 17 (3)	Spitfire 13.4 x 17 (4)	
1700 Vision	60ELPT Four Stroke	Black Max 10.875x11 (3)	Spit Fire 10.6 x 12 (4)	
1700 Vision	60ELPT Four Stroke CT	Black Max 14x13 (3)	Spit Fire 13.8 x 13 (4)	
1700 Vision	75ELPT Four Stroke	Black Max 13.75 x 15 (3)	Spit Fire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1700 Vision	90ELPT Four Stroke	Black Max 13.75 x 15 (3)	Spit Fire 12.8 x 15 (4)	Vengeance 13.25 x 15 (3)
1700 Vision	115ELPT Four Stroke	Black Max 13.25 x 17 (3)	Spit Fire 13 x 17 (4)	Vengeance 13.25 x 15 (3)
1700 Vision	115ELPT Four Stroke Pro XS	Black Max 13.75 x 15 (3)	Spit Fire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)
1450 Discovery Tiller	25ELH FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1450 Discovery Tiller	25ELHPT FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1450 Discovery Tiller	30ELH GA FourStroke	Black Max 9.5 x 11 (3)	Spitfire 9.3 x 11 (4)	
1450 Discovery Tiller	30ELHPT FourStroke	Black Max 9.5 x 11 (3)	Spitfire 9.3 x 11 (4)	
1450 Discovery Tiller	40ELH GA FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1450 Discovery Tiller	40ELHPT FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1450 Discovery SC	25EL FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1450 Discovery SC	25ELPT FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1450 Discovery SC	30EL GA FourStroke	Black Max 9.500 x 11 (3)	Spitfire 9.3 x 11 (4)	
1450 Discovery SC	30ELPT FourStroke	Black Max 9.500 x 11 (3)	Spitfire 9.3 x 11 (4)	
1450 Discovery SC	40EL GA FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1450 Discovery SC	40ELPT FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1450 Discovery SC	40ELPT BIGFOOT FourStroke	Black Max 14 x 10 (3)	Spitfire 13.8 x 10 (4)	
1650 Discovery Tiller	25ELH FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1650 Discovery Tiller	25ELHPT FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1650 Discovery Tiller	30ELH GA FourStroke	Black Max 9.5 x 11 (3)	Spitfire 9.3 x 11 (4)	
1650 Discovery Tiller	30ELHPT FourStroke	Black Max 9.5 x 11 (3)	Spitfire 9.3 x 11 (4)	
1650 Discovery Tiller	40ELH GA FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Discovery Tiller	40ELHPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Discovery Tiller	50ELHPT FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1650 Discovery Tiller	60ELHPT FourStroke	Black Max 10.375 x 13 (3)	Spitfire 10.3 x 13 (4)	
1650 Discovery SC	25EL FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1650 Discovery SC	25ELPT FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1650 Discovery SC	30EL GA FourStroke	Black Max 9.5 x 11 (3)	Spitfire 9.3 x 11 (4)	
1650 Discovery SC	30ELPT FourStroke	Black Max 9.5 x 11 (3)	Spitfire 9.3 x 11 (4)	
1650 Discovery SC	40EL GA FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Discovery SC	40ELPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1650 Discovery SC	40ELPT BIGFOOT FourStroke	Black Max 14 x 10 (3)	Spitfire 13.8 x 10 (4)	
1650 Discovery SC	50ELPT FourStroke	Black Max 10.625 x 12 (3)	Spitfire 10.6 x 12 (4)	
1650 Discovery SC	50ELPT BIGFOOT FourStroke	Black Max 14 x 11 (3)	Spitfire 13.8 x 11 (4)	
1650 Discovery SC	60ELPT FourStroke	Black Max 10.375 x 13 (3)	Spitfire 10.3 x 13 (4)	
1650 Discovery SC	60ELPT FourStroke BIGFOOT	Black Max 14 x 13 (3)	Spitfire 13.8 x 13 (4)	
1800 Kodiak Tiller	25ELH FourStroke	Black Max 10 x 8 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak Tiller	25ELHPT FourStroke	Black Max 10 x 8 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak Tiller	30ELH GA FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak Tiller	30ELHPT FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak Tiller	40ELH GA FourStroke	Black Max 11.25 x 10 (3)		
1800 Kodiak Tiller	40ELHPT FourStroke	Black Max 11.25 x 10 (3)		
1800 Kodiak Tiller	50ELHPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1800 Kodiak Tiller	60ELHPT FourStroke	Black Max 10.375 x 13 (3)	Spitfire 10.3 x 13 (4)	
1800 Kodiak SC	25EL FourStroke	Black Max 10 x 8 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak SC	25ELPT FourStroke	Black Max 10 x 8 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak SC	30EL GA FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak SC	30ELPT FourStroke	Black Max 9.75 x 9.5 (3)	Spitfire 9.3 x 9.5 (4)	
1800 Kodiak SC	40EL GA FourStroke	Black Max 11.25 x 10 (3)		
1800 Kodiak SC	40ELPT FourStroke	Black Max 11.25 x 10 (3)		
1800 Kodiak SC	40ELPT BIGFOOT FourStroke	Black Max 14 x 10 (3)	Spitfire 13.8 x 10 (4)	
1800 Kodiak SC	50ELPT FourStroke	Black Max 10.875 x 11 (3)	Spitfire 10.6 x 12 (4)	
1800 Kodiak SC	50ELPT BIGFOOT FourStroke	Black Max 14 x 11 (3)	Spitfire 13.8 x 11 (4)	
1800 Kodiak SC	60ELPT FourStroke	Black Max 10.375 x 13 (3)	Spitfire 10.3 x 13 (4)	
1800 Kodiak SC	60ELPT FourStroke BIGFOOT	Black Max 14 x 13 (3)	Spitfire 13.8 x 13 (4)	
1800 Kodiak SC	75ELPT FourStroke	Black Max 13.75 x 15 (3)	Spitfire 12.4 x 15 (4)	Vengeance 13.25 x 15 (3)

*The recommended prop guidance is based on a boat operating with a normal load in a low altitude waterway and is recommended for boaters seeking overall best performance. Not all boat/engine/propellers have been tested. Genuine Mercury propellers are recommended. For additional assistance with prop selection, see Mercury's Propeller and Hub Kit Exchange Program in the Outboard Motor/Pre-Rig section of the Crestliner dealer manual. See www.mercurymarine.com/en/us/propellers/all/ for further guidance.

2020 Crestliner Recommended Mercury Prop Chart*- Lebanon

Boat	Mercury Outboard	Mount Hole	Mercury Name	Diameter Pitch	# of Blades	Material
1660/1760 Retriever SC	25ELPT EFI 4S	1	Black Max	9.5 X 11	3	ALUMINUM
1660/1760 Retriever SC	30ELPT EFI 4S	1	Black Max	9.5 X 12	3	ALUMINUM
1660/1760 Retriever SC	40ELPT EFI 4S	2	Black Max	10.25 X 14	3	ALUMINUM
1660/1760 Retriever SC	50ELPT EFI 4S	2	Spitfire	10.1 X 14	4	ALUMINUM
1660/1760 Retriever SC	60ELPT EFI 4S	2	Spitfire	10.1 X 15	4	ALUMINUM
1760 Retriever SC	75ELPT EFI 4S	2	Spitfire	12.8 X 17	4	ALUMINUM
1860 Retriever CC/SC	50ELPT EFI 4S	1	Spitfire	10.1 X 14	4	ALUMINUM
1860 Retriever CC/SC	60ELPT EFI 4S	1	Spitfire	10.1 X 15	4	ALUMINUM
1860 Retriever CC/SC	75ELPT EFI 4S	2	Spitfire	12.8 X 17	4	ALUMINUM
1860 Retriever CC/SC	90ELPT EFI 4S	2	Spitfire	12.8 X 19	4	ALUMINUM
2070 Retriever CC/SC/SCHD	50ELPT EFI 4S	1	Spitfire	10.1 X 14	4	ALUMINUM
2070 Retriever CC/SC/SCHD	60ELPT EFI 4S	1	Spitfire	10.1 X 15	4	ALUMINUM
2070 Retriever CC/SC/SCHD	75ELPT EFI 4S	2	Spitfire X7	13 x 17	4	SS
2070 Retriever CC/SC/SCHD	90ELPT EFI 4S	2	Spitfire X7	12.7 x 19	4	SS
2070 Retriever CC/SC/SCHD	115 ELPT EFI 4S / Pro XS	2	Spitfire X7	12.7 x 19	4	SS
2070 Retriever CC/SC/SCHD	150L FourStroke	3	Tempest Plus	14.6 x 19	3	SS
2070 Retriever CC/SC/SCHD	150ELPT Pro XS 4S	3	Tempest Plus	14.6 x19	3	SS
1657 Outlook SS	25ELPT EFI 4S	1	Black Max	9.5 X 11	3	ALUMINUM
1657 Outlook SS	30ELPT EFI 4S	1	Black Max	9.5 X 12	3	ALUMINUM
1657 Outlook SS	40ELPT EFI 4S	1	Black Max	10.25 X 14	3	ALUMINUM
1657 Outlook SS	50ELPT EFI 4S	2	Spitfire	10.1 X 14	4	ALUMINUM
1600/1700 Storm	20EL 4S	1	Black Max	9.25 x 10	3	ALUMINUM
1600/1700 Storm	20ELPT 4S	1	Black Max	9.25 x 10	3	ALUMINUM
1600/1700 Storm	25ELPT EFI 4S	1	Black Max	9.5 X 11	3	ALUMINUM
1600/1700 Storm	30ELPT EFI 4S	1	Black Max	9.5 X 12	3	ALUMINUM
1600/1700 Storm	40ELPT EFI 4S	2	Black Max	10.25 X 14	3	ALUMINUM
1600/1700 Storm	50ELPT EFI 4S	2	Spitfire	10.1 X 13	4	ALUMINUM
1700 Storm	60ELPT EFI 4S	2	Spitfire	10.1 X 13	4	ALUMINUM
1700 Ridge	40 ELPT 4S	3	Spitfire	10.6 X 12	4	ALUMINUM
1700 Ridge	60 ELPT 4S	3	Spitfire	10.3 X 13	4	ALUMINUM
1700 Ridge	75 ELPT 4S	2	Spitfire	13 x 17	4	ALUMINUM
1700 Ridge	40 ELPT 4S Jet	4	n/a	n/a	n/a	n/a
1700 Ridge	65 ELPT 4S Jet	4	n/a	n/a	n/a	n/a
XF 179 / 179C	40ELPT EFI 4S	3	Spitfire	10.6 X 12	4	ALUMINUM
XF 179 / 179C	50ELPT EFI 4S	3	Spitfire	13.3 X 13	4	ALUMINUM
XF 179 / 179C	60ELPT EFI 4S	3	Spitfire	10.3 x 13	4	ALUMINUM
XF 179 / 179C	75ELPT EFI 4S	2	Spitfire	13.4 X 15	4	SS
XF 179 / 179C	90 ELPT 4S	2	Spitfire	13 X 17	4	ALUMINUM
XF 179 / 179C	65 ELPT 4S Jet	n/a	n/a	n/a	n/a	n/a
XF 179 / 179C	80 ELPT 4S Jet	n/a	n/a	n/a	n/a	n/a
XF 189 / 189C	90 ELPT 4S	2	Spitfire	13 X 17	4	ALUMINUM
XF 189 / 189C	115 ELPT 4S	2	Spitfire	13 X 17	4	ALUMINUM
XF 189 / 189C	115 ELPT Pro XS 4S	2	Lazer	13.25 X 20	3	SS
XF 189 / 189C	150 L 4S	1	Tempest	14 5/8 X 19	3	SS
XF 189 / 189C	150 L Pro XS 4S	2	Tempest	14 5/8 X 19	3	SS
XF 189 / 189C	65 ELPT 4S Jet	4	n/a	n/a	n/a	n/a
XF 189 / 189C	80 ELPT 4S Jet	4	n/a	n/a	n/a	n/a
PT18	115 ELPT EFI 4S / Pro XS	2	Lazer	13.25 x 20	4	SS
PT18	150L 4S	3	Tempest Plus	14.6 x 19	3	SS
PT18	150ELPT Pro XS 4S	3	Tempest Plus	14.6 x 19	3	SS
PT20	150L 4S	3	Tempest Plus	14.6 x 19	3	SS
PT20	150ELPT Pro XS 4S	3	Tempest Plus	14.6 x 19	3	SS
PT20	200L 4S	3	Tempest Plus	14.625 x 17	3	SS
PT20	200ELPT Pro XS 4S	3	Tempest Plus	14. 625 x 17	3	SS
1800 Bay	90ELPT EFI 4S	2	Spitfire X7	12.7 x 17	4	ALUMINUM
1800 Bay	115 ELPT EFI 4S / Pro XS	2	Lazer	13.25 x 20	3	SS
1800 Bay	150L 4S	1	Tempest Plus	14.6 x 19	3	SS
1800 Bay	150ELPT Pro XS 4S	1	Tempest Plus	14.6 x 19	3	SS
2000 Bay	90ELPT EFI 4S	2	Spitfire X7	12.7 x 17	4	SS
2000 Bay	115 ELPT EFI 4S / Pro XS	2	Spitfire X7	12.7 x 19	4	SS
2000 Bay	150L 4S	2	Tempest Plus	14.6 x 19	3	SS
2000 Bay	150ELPT Pro XS 4S	2	Tempest Plus	14.6 x 19	3	SS
2000 Bay	175L 4S	2	Tempest Plus	14.6 x 21	3	SS
2000 Bay	175L Pro XS 4S	2	Tempest Plus	14.6 x 21	3	SS
2200 Bay	150XL 4S	3	Tempest Plus	14.6 x 19	3	SS
2200 Bay	150EXLPT Pro XS 4S	3	Tempest Plus	14.6 x 19	3	SS
2200 Bay	175XL 4S	3	Tempest Plus	14.6 x 19	3	SS
2200 Bay	175EXLPT Pro XS 4S	3	Tempest Plus	14.6 x 19	3	SS
2200 Bay	200XL 4S	3	Tempest Plus	14.6 x 19	3	SS
2200 Bay	200 XL 4S DTS	3	Tempest Plus	14.6 x 19	3	SS
2200 Bay	200XL 4S	3	Tempest Plus	14.625 x 17	3	SS
2200 Bay	200EXLPT Pro XS 4S	3	Tempest Plus	14.625 x 17	3	SS

2020 Crestliner Recommended Mercury Prop Chart*- Lebanon

Boat	Mercury Outboard	Mount Hole	Mercury Name	Diameter Pitch	# of Blades	Material
160 Sprint Cruise	9.9 ELPT CT 4S	1	Black Max	9.25 x 10	3	Aluminum
160 Sprint Cruise	25 ELPT 4S	1	Spitfire	9.3 x 9.5	4	Aluminum
160 Sprint Cruise	30 ELPT 4S	1	Spitfire	9.3 x 11	4	Aluminum
160 Sprint Cruise	40 ELPT CT 4S	2	Spitfire	13.8 x 13	4	Aluminum
160 Sprint Cruise	40 ELPT 4S	2	Spitfire	13.8 x 10	4	Aluminum
160 Sprint Cruise	50 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
160 Sprint Cruise	50 ELPT 4S	2	Spitfire	13.8 x 11	4	Aluminum
180 Sprint Cruise	40 ELPT 4S	2	Spitfire	13.4 x 15	4	Aluminum
180 Sprint Cruise	40 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
180 Sprint Cruise	50 ELPT 4S	2	Spitfire	10.3 x 13	4	Aluminum
180 Sprint Cruise	50 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
180 Sprint Cruise	60 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
180 Sprint Cruise	60 ELPT 4S	2	Spitfire	10.3 x 13	4	Aluminum
180 Sprint Cruise	75 ELPT 4S	2	Spitfire	13.4 x 15	4	Aluminum
200 Sprint Cruise	40 ELPT CT 4S	2	Spitfire	13.8 x 13	4	Aluminum
200 Sprint Cruise	50 ELPT CT 4S	2	Spitfire	13.8 x 13	4	Aluminum
200 Sprint Cruise	60 ELPT 4S	2	Spitfire	10.6 x 12	4	Aluminum
200 Sprint Cruise	60 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
200 Sprint Cruise	75 ELPT 4S	2	Spitfire	13.4 x 15	4	Aluminum
200 Sprint Cruise	90 ELPT CT 4S	2	Spitfire	13 x 17	4	Aluminum
200 Sprint Cruise	90 ELPT	2	Spitfire	13.4 x 15	4	Aluminum
200 Sprint Cruise	115 ELPT CT 4S	2	Spitfire	14 x 17	4	Aluminum
200 Sprint Cruise	115 ELPT Pro XS 4S	2	Spitfire	13 x 17	4	Aluminum
200 Sprint Cruise	115 ELPT Pro XS CT 4S	2	Spitfire	14 x 17	4	Aluminum
200 Sprint Cruise	115 ELPT 4S	2	Spitfire	13 x 17	4	Aluminum
160 Sprint Fish & Cruise	9.9 EL CT 4S	1	Black Max	9.25 x 10	3	Aluminum
160 Sprint Fish & Cruise	9.9 ELPT CT 4S	1	Black Max	10 3/8 x 11	3	Aluminum
160 Sprint Fish & Cruise	25 ELPT 4S	2	Spitfire	9.3 x 11	4	Aluminum
160 Sprint Fish & Cruise	30 ELPT 4S	2	Spitfire	9.3 x 11	4	Aluminum
160 Sprint Fish & Cruise	40 ELPT 4S	2	Spitfire	12 x 10.5	4	Aluminum
160 Sprint Fish & Cruise	40 ELPT CT 4S	2	Spitfire	13.8 x 13	4	Aluminum
160 Sprint Fish & Cruise	50 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
160 Sprint Fish & Cruise	50 ELPT 4S	2	Spitfire	10.6 x 12	4	Aluminum
180 Sprint Fish & Cruise	40 ELPT 4S	2	Spitfire	10.6 x 12	4	Aluminum
180 Sprint Fish & Cruise	40 ELPT CT 4S	2	Spitfire	13.8 x 13	4	Aluminum
180 Sprint Fish & Cruise	50 ELPT 4S	2	Spitfire	10.6 x 12	4	Aluminum
180 Sprint Fish & Cruise	50 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
180 Sprint Fish & Cruise	60 ELPT CT 4S	2	Spitfire	13.4 x 15	4	Aluminum
180 Sprint Fish & Cruise	60 ELPT 4S	2	Spitfire	10.3 x 13	4	Aluminum
180 Sprint Fish & Cruise	75 ELPT 4S	2	Spitfire	13.4 x 15	4	Aluminum
200 Sprint Fish & Cruise	60 ELPT 4S	2	Spitfire	10.6 x 12	4	Aluminum
200 Sprint Fish & Cruise	60 ELPT CT 4S	2	Spitfire	13.8 x 13	4	Aluminum
200 Sprint Fish & Cruise	75 ELPT 4S	2	Spitfire	13.8 x 13	4	Aluminum
200 Sprint Fish & Cruise	90 ELPT 4S	2	Spitfire	13 x 17	4	Aluminum
200 Sprint Fish & Cruise	90 ELPT CT 4S	2	Spitfire	14 x 17	4	Aluminum
200 Sprint Fish & Cruise	115 ELPT 4S	2	Spitfire	13 x 17	4	Aluminum
200 Sprint Fish & Cruise	115 ELPT Pro XS 4S	2	Spitfire	13 x 17	4	Aluminum
200 Sprint Fish & Cruise	115 ELPT Pro XS CT 4S	2	Spitfire	14 x 17	4	Aluminum
200 Sprint Fish & Cruise	115 ELPT CT 4S	2	Spitfire	14 x 17	4	Aluminum

*The propeller guidance is based on a boat operating with a normal load in a low altitude waterway and is recommended for boaters seeking overall best performance. Not all boat/engine/propellers have been tested. Genuine Mercury propellers are recommended. For additional assistance with prop selection, see Mercury's Propeller and Hub Kit Exchange Program in the Outboard Motor/Pre-Rig section of the Crestliner dealer manual. See www.mercurymarine.com/en/us/propellers/all/ for further guidance.

Props on Lebanon product are recommendations only, not available from factory

2020 Crestliner Recommended Mercury Props-Fort Wayne

See pontoon product information & pricing sheets for props and pricing